State W	ell Report	For Office Use Only:			
	Part 1				
Mississippi Departmen	at of Environmental Quality and Water Resources	Aquifer:			
, , , , , , , , , , , , , , , , , , ,	Box 10631	Well #: <u>F472</u>			
	4S 39289-0631	L. S. Elevation:			
	961-5210	E-log #:			
(601) 3:	54-6938 (fax)	E-log #.			
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.					
Well Owner Information		Location 2004			
Owner Name John + Lisa Price	Latitude: 30 · 36 565	D Longitude ( 35 43 35 16			
Mailing Address: HPMIOSA Kidge	Method of Lat/Long (circle or				
	USGS quad, (Hand-held	GPS Survey-grade GPS			
Varcleave MS 39565 NW 1/2 Sec 18		Twn TS\$ Rng R7W			
Telephone No. 208 342-8995	Distance Direction  6/4 Miles N W	Nearest Town of Vancheme			
Well	Dete				
Purpose of Well (circle one Home Industrial Public Supply	Irrigation Fish Culture	Other:			
Date well drilling started: 3/3/3 Date well drilling completed: 3/3/3					
If flowing, method of flow regulation: Valve Other (describe)					
Static Water Level: 105 feet above or below (bircle one) land surface Date measured: 3/3/13					
Method of Measurement (circle one) steel tape electric tape		Olla			
Hole depth: 800 FT Well depth: 2	Well grouted to a depth of	PVCfeet			
Type of grout (circle one): Cernent Bentonite Mix		0:/-			
Casing length: 780 feet Casing diameter: 2 inches Type of casing: PVC					
Screen length: 20 feet Screen diameter: 2 inches Type of screen: PVC					
Screen slot size:					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page					
Logs run (circle all applicable): No logrun Electric Gamma Ray Density Sonic Neutron Other:					
Name of organization running log(s):    Certify that the well was drilled constructed and completed in construction with all the second completed in t					
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi  Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.					
Mak Pida Jall Anton	partment of meanth regulations	s and state laws.			
Print Name of Water Well Contractor and License No.		MAR & 3 2013			
That that to water well contractor and License No.	Signature of	Water Well Contractor			

Ground Level	Description of Formations Encou	intered From To
	TOPSOIL	1 3/78
	Orange Coatses	and 1830
	Granak. Clay	39 80
	Rive Viau	19000
	Gray Charce Sand	25727
	Blue Clay	276/06/
	Gray Crarse Sanc	(de 108)
	Gay Coarse Sand	738 80
	Gay course Source	/500012
·		
proposes s		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Bussy Ro.	
APPALOSA	2117	
APPAIOUSA A	and a second	
Appalousa R Engle R	1090	
	1090	
Engle R	# N)	
	# N)	

If well telescopes please sketch below and show depths.

BY: OLWF

Signature of Water Well Contractor

Lewis Printing - Pascagoula, MS

STATE WELL REPORT				
county: Jackson	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality		For Office Use Only:	
Permit #:	1 177 4 70			
Permit #:	Jackson, M	IS 39289-0631	Well #: <u>F472</u>	
Date completed: 3/2/13	(601) 961-5210 (601) 354-6938 (fax)		Elevation:	
			-4thin 20 days of the	
This report should be prepared by the installation of pump.	ne pump installer in deta	il and filed with the Departmen		
Well Owner Informat	tion		Location	
Owner Name: John + Lisa Pr	<b>~</b> .	Latitude: 30 36 56,53"	Longitude 8 43 35.16"	
Mailing Address: Appaloosa	Method of Lat/Long (circle on			
		USGS quad, Hand-	held GPS Survey-grade GPS	
Varcleave, M	1539565	1/01/4 NW 1/4 Sec /8	7 Twn 755 Rng R71	
City State	Zip code		Nearest Town	
Telephone No. (228) 342-8995		6/4 Miles NW of	Vancleque	
Pump Type Circle one		•	ver Type rele one	
Air Lift Jet	Submersible	Diesel Engine Gasoline	e Engine Natural Gas	
Bucket Piston	Turbine (	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (	specify):	
Other (specify):		Horse Power Rating of Motor: 2 HP		
Date Pump Installed: 3818	Setting Depth: 120FT, Dropfipe feet			
Rated Pump Capacity:	_Gallons Per Minute	Number of Stages:	3	
Pump Test Data		Method of Mes	suring Water Level	
Date Well Tested: 3813		Ci	rcle one	
Static Water Level (A): 105 Feet	Below Land Surface	Air Line Electric Meas Other (specify):	suring Line Steel Tape	
Pumping Water Level (B): N Feet	Below Land Surface	Caron (aboon 1).	. 1	
Drawdown [(B) – (A)]: NA Feet	Below Land Surface	For flowing well, measured shi	ut in head: NA feet	
Test Pumping Rate:	Gallons Per Minute	Well yielded	_GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):	4 hours): 5/4 hours NA feet after N		MA hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of	my knowledge. Ridgelew	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	MAK 1 3 20 3