county: JACKSON	STATE WELL REPORT	·····
	Part 1	For Office Use Only:
Permit.#:	Driller's Log	Well #: <u>FA90</u>
mstubter Welker	Mississippi Department of Environmental Qualit Office of Land and Water Resources	Aquifer:
	P.O. Box 2309	E-Log #:
Date drilling completed: 1-14-14	Jackson, MS 39225-2309 (601)961-5210	
	(601)360-0535 (fax)	
State Law requires that this report Department at the above address w	be prepared by the license holder responsible for vithin 30 days of completion of drilling of the we	r the work and filed with the ll or borehole.
Well Owner Informati	ion Well or Bo	orehole Location
(Landowner if borehole is not for	a water well) Latitude: 30'36'29.46' 1	ongitude: 088 39/1428"
Owner Name: Tim Brewer		_
Mailing Address: Old River Roa	u l	one): Conventional Survey
-	USGS quad Hand-beld	I GPS_ V , Survey-grade GPS
Vancience Ma 30	STATE NEW SEWA. SE	c <u>/4~ T 55 R 7</u> w
City State		of Vancleaue
Telephone No. 225) 326-48	(Distance) (Direction)	of(Nearest Town)
		• • • • • • • • • • • • • • • • • • •
	Well / Borehole Data	
Date drilling started: 1-14-14 Date	drilling completed: 7-14-14 Hole depth: 19	<u>EFI</u> Hole diameter: 2
Location of the source of any surface w	. /	
Location of the source of any surface w	ine used in drilling and development: GALPLY	Innhrillin Valinul
Method of dosing and volume of Chlorin		10000 IIII yasmi 11000
	run) Electric Gamma Ray Density Sonic Neu	tron Other:
	run) Electric Gamma Ray Density Sonic Neu	itron Other:
Logs run (circle all applicable): No log r Name of organization running log(s):		,
Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (circle one: Water	r Well Geotechnical/Geological Investigation	Ground Source Heat Pump
Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (circle one: Water Seism		Ground Source Heat Pump
Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (circle one: Water Seism	r Well Geotechnical/Geological Investigation nic Survey Other (<i>describe</i>) lated to water well construction, skip the remained	Ground Source Heat Pump
Logs run (circle all applicable): No log r Name of organization running log(s): Purpose of borehole (circle one: Water Seism <i>If drilling is not rel</i> Purpose of Well (circle all applicable)	r Well Geotechnical/Geological Investigation nic Survey Other (<i>describe</i>) lated to water well construction, skip the remained	Ground Source Heat Pump der of this block
Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (circle one : Water Seism <i>If drilling is not rel</i> Purpose of Well (circle all applicable) Other (describe):	Geotechnical/Geological Investigation nic Survey Other (describe) Jated to water well construction, skip the remained Home Industrial Public Supply Irrigation	Ground Source Heat Pump der of this block
Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (circle one: Water Seism <i>If drilling is not rel</i> Purpose of Well (circle all applicable) Other (describe):	Geotechnical/Geological Investigation nic Survey Other (<i>describe</i>) <i>lated to water well construction, skip the remainu</i> Home Industrial Public Supply Irrigation lation: Valve Other (<i>describe</i>)	Ground Source Heat Pump der of this block Fish Culture
Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (circle one: Water Seism <i>If drilling is not rel</i> Purpose of Well (circle all applicable) Other (describe):	Geotechnical/Geological Investigation nic Survey Other (<i>describe</i>) <i>lated to water well construction, skip the remainu</i> Home Industrial Public Supply Irrigation lation: Valve Other (<i>describe</i>)	Ground Source Heat Pump der of this block Fish Culture
Logs run (<i>circle all applicable</i>): No log run Name of organization running log(s): Purpose of borehole (<i>circle one</i> : Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level:feet	Geotechnical/Geological Investigation nic Survey Other (describe) lated to water well construction, skip the remain Home Industrial Public Supply Irrigation lation: Valve Other (describe) et [above or below) land surface Date measur (circle one)	Ground Source Heat Pump der of this block Fish Culture ured:7-14-14-
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i> : Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level:feet Method of measurement (<i>circle one</i>): S	r Well Geotechnical/Geological Investigation nic Survey Other (describe) lated to water well construction, skip the remained Home Industrial Public Supply Irrigation lation: Valve Other (describe) et [above or below) land surface Date measured (circle one) Steel tape Electric tape Air line Other (describe)	Ground Source Heat Pump der of this block Fish Culture ared: 7-14-14- be):
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i>): Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level: 108 feet Method of measurement (<i>circle one</i>): S Well depth: 196 F Well grouted to a	r Well Geotechnical/Geological Investigation nic Survey Other (describe) lated to water well construction, skip the remained Home Industrial Public Supply Irrigation lation: Valve Other (describe) tt [above or below) land surface Date measured (circle one) Steel tape Electric tape Air line Other (describe) a depth of: feet Type of grout (circle or	Ground Source Heat Pump der of this block Fish Culture ared: be): he): Neat Cement Bentonite Mix
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i> : Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level:feet Method of measurement (<i>circle one</i>): S	r Well Geotechnical/Geological Investigation nic Survey Other (describe) Nated to water well construction, skip the remained Home Industrial Public Supply Irrigation Itation: Valve Other (describe) Other (describe) Other (describe) Other (describe) Other (describe) Other (describe) Air line Other (describe) Steel tape Electric tape Air line Geother Geother Type of grout (circle on circle on c	Ground Source Heat Pump der of this block Fish Culture red:
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i>): Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level: 108 feet Method of measurement (<i>circle one</i>): S Well depth: 196 Fiwell grouted to a Casing length: 181 feet	r Well Geotechnical/Geological Investigation nic Survey Other (describe) Nated to water well construction, skip the remained Home Industrial Public Supply Irrigation Itation: Valve Other (describe) Other (describe) Other (describe) Other (describe) Other (describe) Other (describe) Air line Other (describe) Steel tape Electric tape Air line Geother Geother Type of grout (circle on circle on c	Ground Source Heat Pump der of this block Fish Culture ared: be): he): Neat Cement Bentonite Mix
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i>): Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level: 108 feet Method of measurement (<i>circle one</i>): S Well depth: 1910 F Well grouted to a Casing length: 181 feet	r Well Geotechnical/Geological Investigation nic Survey Other (describe)	Ground Source Heat Pump der of this block Fish Culture red:
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i>): Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level: 108 feet Method of measurement (<i>circle one</i>): S Well depth: 196 F Well grouted to a Casing length: 18 feet	r Well Geotechnical/Geological Investigation nic Survey Other (describe) Nated to water well construction, skip the remained Home Industrial Home Industrial Public Supply Irrigation Itation: Valve Other (describe)	Ground Source Heat Pump der of this block Fish Culture ared:
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i>): Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level: 108 feet Method of measurement (<i>circle one</i>): S Well depth: 1910 FWell grouted to a Casing length: 181 feet Screen length: 15 feet Screen slot size:	r Well Geotechnical/Geological Investigation nic Survey Other (describe) Nated to water well construction, skip the remained Home Industrial Home Industrial Public Supply Irrigation Itation: Valve Other (describe)	Ground Source Heat Pump der of this block Fish Culture ared:
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i> : Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level: 108 feet Method of measurement (<i>circle one</i>): S Well depth: 1910 FTWell grouted to a Casing length: 181 feet Screen length: 15 feet Screen slot size: <u>COLO</u> inches Type of completion (<i>circle all applicable</i>) Other (<i>describe</i>):	r Well Geotechnical/Geological Investigation nic Survey Other (describe) Mated to water well construction, skip the remained Home Industrial Public Supply Irrigation Home Industrial Public Supply Itation: Valve Other (describe) Itation: Valve Air line Other (describe) Itation Itation Itation: Itation Itation Itation: Valve Itation Itation: Itation Itation Itation: Valve Itation Itation: Valve Itation Itation: Itation Itation Itation: Itation Itation Itatitatitation Itation <	Ground Source Heat Pump der of this block Fish Culture ared:
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i> : Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level: 108 feet Method of measurement (<i>circle one</i>): S Well depth: 1910 FWell grouted to a Casing length: 181 feet Screen length: 165 feet Screen slot size:	r Well Geotechnical/Geological Investigation nic Survey Other (describe) Nated to water well construction, skip the remained Home Industrial Home Industrial Public Supply Irrigation Itation: Valve Other (describe)	Ground Source Heat Pump der of this block Fish Culture ared:
Logs run (<i>circle all applicable</i>): No log r Name of organization running log(s): Purpose of borehole (<i>circle one</i> : Water Seism <i>If drilling is not rel</i> Purpose of Well (<i>circle all applicable</i>) Other (<i>describe</i>): If a flowing well, method of flow regul Static Water Level: 108 feet Method of measurement (<i>circle one</i>): S Well depth: 1910 F Well grouted to a Casing length: 181 feet Screen length: 15 feet Screen slot size: 1000 inches Type of completion (<i>circle all applicable</i>) Other (<i>describe</i>): Top of lap pipe or reduction in casing:	r Well Geotechnical/Geological Investigation nic Survey Other (describe) Mated to water well construction, skip the remained Home Industrial Public Supply Irrigation Home Industrial Public Supply Itation: Valve Other (describe) Itation: Valve Air line Other (describe) Itation Itation Itation: Itation Itation Itation: Valve Itation Itation: Itation Itation Itation: Valve Itation Itation: Valve Itation Itation: Itation Itation Itation: Itation Itation Itatitatitation Itation <	Ground Source Heat Pump der of this block Fish Culture ared:

. .	Jackson	
County:	JUCKA	

Permit #: _

For Office Use Only:

Well #: ______ F490

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

If well telescopes.	<u>show</u>	depths	on sketch.
---------------------	-------------	--------	------------

<u>It well telescopes, show depths on sketch.</u>	Description of Formations Encountered	From (depth)	To (depth)
Ground Level	TOPSpil	Ground level	3
	Orange Coarse Sand W Clay Stre		50
	orange.clay	50	70
	Bueclay	70	179
	Gray Coolise Sand	119	190
	1		
	· · · · · · · · · · · · · · · · · · ·		
	· · · · · · · · · · · · · · · · · · ·		
	· · · · · · · · · · · · · · · · · · ·		
	e - 1		
ν.			
If more than one screen, show location of each on sketch		`	I
WADE VANcheane	House Ro		
			AND KOM
			and the second second
		0 775 /	
Landowner Name: Tim Brewer			
		nce with all appl rtment of Health	icable regulations,
Landowner Name: Tim Brewer I HEREBY CERTIFY that the well/borehole was drille requirements of the Mississippi Department of Envir	7-15-14 Jane		icable regulations,

Permit #: Drillet: <u>COSH WATEY UP</u> Date completed: <u>7-14-14</u> SRV- <u>Copy information from block on Part 1</u>	Part 2 Pump Installer's Completion Rep Mississippi Department of Environmental Qu Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210 (601) 360-0535 (fax)	Well #: 1-490 Aquifer:
of the report must be attached and both	d by a licensed water well contractor or a licen parts filed with the Department at the above ad	dress within 30 days of well completion.
Well Owner Information Owner Name: <u>Tim Brewer</u> Mailing Address: <u>DId River Ro</u>	Latitudes 3036 29.	Well Location <u>40</u> ¹¹ Longitude: <u>086 391 14.38</u> ¹¹ eck one): Conventional Survey,
maining Address: <u>CICA INTO GETIN</u>		held GPS, Survey-grade GPS
Vancleave, MS 395 City State	Slo5 NE 4 SE 1/2 Zip Code 6	i, sec_14T_5_5_R_7w ofVAnchescue tion) (Nearest Town)
Telephone No. (205) 326-42	(Distance) (Direct	tion) (Nearest Town)
	Pump Type (circle one)	
Submersible Turbine Air Lift Centrifi Date Pump Installed: <u>7-15-14</u>	ugal Flowing Well Jet Piston Rotary Ot	her (describe):Gallons Per Minute
Is This Pump (circle one): (New) Rep		Gallors Per Minute
is this ruling (checke one). (new) her	Power Type (circle one)	
Electric Diesel Gasoline Natural Gas Horse Power Rating of Motor: 2 HP	Tractor PTO Windmill Other (<i>describe</i>):	2
Drawdown [(B) - (A)]:N/A	t Below Land Surface Pumping Water Level Feet Below Land Surface Test Pumping Rat teel tape Electric tape Air Line Other (desc	(<i>minimum 4 hours</i>): <u>4</u> hours I (B): <u>N/A</u> Feet Below Land Surface te: <u>8</u> Gallons Per Minute cribe):
Measured shut in head:feet.	Pump Test Data for Prowing Well	
Well yielded GPM with a d	1-711	hours of pumping
	Meter Installation	
Meter Manufacturer: Meter Model Number/Name:	Meter Serial Numb	ber:
-	actor (AF x .001, gal x 1000, etc):	
	Meter installed by:	
Is This Meter (circle one): New Rej		
	formation you are certifying that this meter wa	as installed to manufacturer standards.
Important: By submitting the above in	ral wells, a list of approved meters is on the M	DEV websue.