	STATE WELL REPORT	10
county: Jalkson	STATE WELL REFORT Part 1	For Office Use Only:
	Driller's Log	Well #: <u>F567</u>
Permit #:	Driller's Log Mississippi Department of Environmental Qual Office of Land and Water Resources	ity Aquifer:
Date drilling completed: 12-5-18	1.0. DOX 2307	E-Log #:
Date drilling completed: <u>101-2-10</u>	Jackson, MS 39225-2309 (601)961-5210	
	(601)360-0535 (fax)	
State Law requires that this report Department at the above address w	be prepared by the license holder responsible j ithin 30 days of completion of drilling of the w	for the work and filed with the vell or borehole.
Well Owner Informat	ion Well or I	Sorehole Location
(Landowner if borehole is not for $TAmoo P$		Longitude: <u>88-43-15.7</u>
Owner Name: <u>JAMES R. Ford</u> Mailing Address: <u>PINE BLUE</u>	Hethod of Lat/Long (check	one): Conventional Survey,
Mailing Address: <u>FINO JOC</u>	I USGS guad . Hand-he	ld GPS_V, Survey-grade GPS
- TAIDOLGO, LO AVIO	2051 ALLS WALF	30 7 55 0 700

Vanciave, 113 39565 No 4 NE 4, sec. 30 1 35 R/W
City State Zip Code 4 wile NW of Arclenne
Telephone No. 208 218-2372 (Distance) (Direction) (Nearest Town)
Well / Borehole Data Date drilling started: $12-5-18$ Date drilling completed: $12-5-18$ Hole depth: 120 FT Hole diameter: $3''$
N/A
Location of the source of any surface water used for drilling: <u>NTL</u> Method of dosing and volume of Chlorine used in drilling and development: <u>[gal Per 1000.Drilling agal in UC]</u>
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:
Name of organization running log(s):
Purpose of borehole (circle one) Water Well Geotechnical/Geological Investigation Ground Source Heat Pump
Seismic Survey Other (describe)
If drilling is not related to water well construction, skip the remainder of the for CEIVED
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish CulturDEC 26 2018
Other (describe):
If a flowing well, method of flow regulation: Valve Other (describe) DTOLVV
Static Water Level: 40 feet [above or below] land surface Date measured: 13-5-18
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):
Well depth: ACFT Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement (Bentonite) Mix
Casing length: <u>110</u> feet Casing diameter: <u>2</u> inches Type of casing: <u>PVC</u>
Screen length: 10_feet Screen diameter: 2_inches Type of screen: PVC
Screen slot size:inches Setting depth: Fromfeet tofeet tofeet
Type of completion (circle all applicable): Gravel packed Underreamed Open hole (Natural Development)
Other (describe):
Top of lap pipe or reduction in casing:feet

If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13)

County:	Jackson
Permit #:	

If well telescopes, show depths on sketch.

For	Office	Use Only:	
	.	-7	

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Topseil Orange clay Brown Coars Drange + Whit Brown Coarse	e. Sand e. C by Saud		
	e. Sand e. C by Saud Saud		
Brown Coars Drange + Whit Brown Coarse.	e. Sana E. Cay Saud		
Drange + Whi Brewn Ccarsé	e. (' by Saud		
	Saude		
		· · · · · · · · · · · · · · · · · · ·	
1 N N		<u>.</u>	
· · ·			to the second second
	•	*	
V			
aid in Incation the world			
in locating the property and the	well		
	~	NEC ÈN	JED
1	F	KEULI	
/		DEC. 26	2018
H			WR
in 1		BIUL	•••
<i>Y</i> 1			
/		/	
/	~_		
D R	USR RET		
57 - 1000			
VII In			
	sse-		
well	-		
19			
	ed in accordance	with all appli	cable
nmental Quality and the Mis	sissippi Departm	ent of Health	regulations
(1 4	•
Intertion (7.01	~
	Hude 1	norma	
<u>rajis</u>	/ Classic Acres	of Linancas	
Date	Signature	of Lizensee Form: OLWR	SWP-1A (A)
	H W Y Fine 8 10 10 10 10 10 10 10 10 10 10	57 Pine BURE Pert	And in locating the well In locating the property and the well RECEN DEC 26 BY OL 4 57 Pine BUAR And Wedt House

	LL REPORT	
	Part 2	For Office Use Only:
Permit #: Pump Installer	's Completion Report nt of Environmental Quality	Well #:
Driller: WST VUTCI DOLLSUS. Office of Land	and Water Resources	well #: <u> </u>
). Box 2309 , MS 39225-2309	Aquifer:
<u>Copy information from block on Part 1</u> (60)	1)961-5210	· · · · · · · · · · · · · · · · · · ·
(601) 3	860-0535 (fax)	
This part of the report must be completed by a licensed water w of the report must be attached and both parts filed with the Dep	ell contractor or a licensed pur	np installer. A copy of Part 1
Well Owner Information	· Well L	
Owner Name: James R. Forchand	atitude: i on	gitude:
mi a prati i): Conventional Survey,
	•	PS, Survey-grade GPS,
	-	<u>من 7 _ 55 _ R 7 من</u>
Telephone No. (228) 218-2372	<u>(Distance)</u> (Direction)	(Nearest Town)
	(circle one)	
Submersible Turbine Air Lift Centrifugal Flowing Well () Date Pump Installed: $12-5-18$ Rai	et riston kotary Uther (de	CDECEIVED
		Callons Per Minut
Is This Pump (circle one); (New Repaired Replacement		DEC 26 2018
Power Type	e (circle one)	NOINR
Electric Diesel Gasoline Natural Gas Tractor PTO Windm	nill Other (describe):	BYULW
Horse Power Rating of Motor: 147 Setting Depth:	<u>(OCFT_DT_feet_Number</u>	of Stages:
· · ·	r Non Flowing Well	
Date Well Tested:5-18	Duration of Pump Test (minim	um 4 hours): hours
Static Water Level (A): <u>40</u> Feet Below Land Surface	Pumping Water Level (B): _	NIA Feet Below Land Surface
	-	P
Drawdown [(B) - (A)]:Feet Below Land Surfac	ce Test Pumping Rate:	8.5 Gallons Per Minute
	e Test Pumping Rate: e Air line Other (<i>describe</i>):	8.5 Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape	e Test Pumping Rate: e Air line Other (<i>describe</i>):	8.5 Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (<i>circle one</i>): Steel tape Electric tape Pump Test Data	e Test Pumping Rate: e Air line Other (<i>describe</i>):	S.S. Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. / Well yieldedGPM with a drawdown of	ce Test Pumping Rate: e Air line Other (<i>describe</i>): for Flowing Well //A feet after	S.S. Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Meter In	ce Test Pumping Rate: e Air line Other (<i>describe</i>): for Flowing Well //A feet after stallation	S.S. Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tap Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Meter In Meter Manufacturer:N	Test Pumping Rate: e Air line Other (<i>describe</i>): for Flowing Well feet after stallation # Meter Serial Number:	Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Meter Manufacturer:N Meter Model Number/Name:	ce Test Pumping Rate: e Air line Other (<i>describe</i>): for Flowing Well //A feet after stallation //A Meter Serial Number: Type of Meter:	S.S Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Meter Manufacturer:M Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x	ce Test Pumping Rate: e Air line Other (describe): for Proving Well //A feet after stallation Meter Serial Number: Type of Meter:	Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Meter Manufacturer:N Meter Model Number/Name:	ce Test Pumping Rate: e Air line Other (describe): for Proving Well //A feet after stallation Meter Serial Number: Type of Meter:	Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Meter Manufacturer:M Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x	ce Test Pumping Rate: e Air line Other (describe): for Flowing Well //A feet after stallation	Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Wetle yieldedGPM with a drawdown of Meter Manufacturer:Meter In Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacemen Important: By submitting the above information you are cert	t titiving that this meter was insta	S.S. Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Wetle yieldedGPM with a drawdown of Meter Manufacturer:Meter In Meter Manufacturer:Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacemen Important: By submitting the above information you are cert For agricultural wells, a list of appr	t tifying that this meter was insta	S.S. Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Wetle yieldedGPM with a drawdown of Meter Manufacturer:Meter In Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacemen Important: By submitting the above information you are cert	t tifying that this meter was insta	S.S. Gallons Per Minute
Drawdown [(B) - (A)]:Feet Below Land Surface Method of measurement (circle one): Steel tape Electric tape Pump Test Data Measured shut in head:feet. // Well yieldedGPM with a drawdown of Wetle yieldedGPM with a drawdown of Meter Manufacturer:Meter In Meter Manufacturer:Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replacemen Important: By submitting the above information you are cert For agricultural wells, a list of appr	t tifying that this meter was insta	S.S. Gallons Per Minute