	State Well Report	For Office Use Only:
Tackson	Part 1	For Office Use Only:
County: Jackson Mis	sissippi Department of Environmental Quality	Aquifer:
Permit #:	Office of Land and Water Resources	Well #: <u>6203</u>
Drille Crastulater Wellsry.	P.O. Box 10631	Well #:
Driller US Water Wellow.	Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: 5/28/09	(601) 961-5210	
Sale drining completes	(601) 354-6938 (fax)	E-log #:
State Law requires that this report b 30 days of completion of drilling of the	e prepared by the driller in detail and filed v	
Well Owner Information	Wel	l Location
Owner Name Dale Temple		5. Longitude 08.33.860
Mailing Address: 17601 Huy 63	Method of Lat/Long (circle o	
	USGS quad, Hand-held	I GPS.) Survey-grade GPS
Moss Point, Ms.	39562 56 1/4 NE 1/4 Sec 2 7	Z Twn TSS Rng R6 W
Telephone No. 28 218 - 6846	Distance Direction Miles South	Nearest Town of WAPR
	Well Data	
	Wen Data	
Purpose of Well (circle one) Home Industria		Other:
•	Date well drilling completed: _5	
If flowing, method of flow regulation: Valve	Other (describe)	
	or below (circle one) land surface Date measured:	
Method of Measurement (circle one) steel ta	pe electric tape air line other:	
Hole depth: 347FT Well depth:	247 FT. Well grouted to a depth of	10 feet
	entonite Mix	
	nmeter:inches Type of casing: _	
Screen length: 5 feet Screen die	ameter: inches Type of screen: _	P.VC
Screen slot size: • 004 inches S	etting depth: From <u>343</u> feet to <u>6</u>	947 feet
Type of completion (circle all applicable): Gra	avel packed Underreamed Telescoped Oper	n hole Natural Development
	her (describe):	
Top of lap pipe or reduction in casing:	feet. If telescoped or more than one scr	reen, describe on back of page
Logs run (circle all applicable) No log run E	lectric Gamma Ray Density Sonic Neutron	Other:
Name of organization running log(s):	l, and completed in accordance with all applicable	e requirements of the Mississippi

Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

1111 1 2 2119

Ground Level	Description of Formations Encountered	From	To
Ground Level	Toosoil	0	2
	orange clay	la	25
	White: Coarse Sand	125	90
	Blue Clay	90	110
	White Coarse, Sand	110	140
	13/42. Clay	140	240
	Gray Medium Sand	240	247
			<u> </u>
			<u> </u>
			<u> </u>
1			
			L
}			
			<u> </u>
			<u> </u>
			<u> </u>
			<u> </u>
İ			
If more than one screen, show location of	ch on sketch		
etch the property layout and include the folk	ring: 1) the well location; 2) any permanent structures on the proper	ty that may	
aid in locating the well; 3) any ro	ls, power lines, or other items that may aid in locating the property	and the well;	
4) indicate direction.	1		
	}		
2	D		
O	The property		
	and any france		
-			
	20		
	Will-FT		
	well X		

Signature of Water Well Contractor

RECEIVED
JUN 18 2009
BY: OLWR

STATE WELL REPORT Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Qualit Office of Land and Water Resources P.O. Box 10631

	For Office Use Only:		
ity	Aquifer:		
	Well#: <u>G203</u>		
-	Elevation:		

Drille: (105) 100(10 100)		AS 39289-0631	/**** —	
Date completed: 5-08-07) 961-5210 54-6938 (fax)	Elevation:	
	-	` '	L	
This report should be prepared by th	e pump installer in deta	il and filed with the	Department within 30	days of the
installation of pump. Well Owner Informat	ion	Well Location		
		2525		0000: - 1 - N
Owner Name: Due Temple		Latitude: 30 35 952 Longitude: 088 33' 860"		
Mailing Address: 17601 Huy 63		Method of Lat/Long (circle one): Conventional Survey,		
,		USGS quad, (Hand-held GPS,) Survey-grade GPS		
MOSS Point MS 39562		SE 1/4 NE 1/4 Sec 22 Twn T55 Rng R6 W		
City State	Zip Code	Distance Direction Nearest Town		
200		I		
Telephone No. 208) 218 - 6846			STH of WAD	
		<u> </u>		
Pump Type		Power Type		
Circle one			Circle one	
Air Lift Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):		Horse Power Rating of Motor: 1 HP		
Date Pump Installed: 5-27-09		Setting Depth OFT. Drop pipe feet		
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:	2	
		35.4		T1
Pump Test Data		Met	hod of Measuring Wate Circle one	er Feaci
Date Well Tested: 5-29-09				
Static Water Level (A): 45 Feet	Below Land Surface	Air Line El	ectric Measuring Line	Steel Tape
Pumping Water Level (B): Pumping Water Level (B): Feet Below Land Surface		Other (specify):		
Pumping Water Level (B): /// Feet	Below Land Surface			.11.
Drawdown [(B) – (A)]:Feet Below Land Surface		For flowing well, m	easured shut in head:	N/A feet
Test Pumping Rate: 8.5 Gallons Per Minute		Well yielded _ & GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours): 4/2 hours		N/Af	eet after <u>NA</u>	hours of pumping

HEREBY CERTIFY that the above statements are true to the best of my knowledge $0-472$	Jan Riddle	
	nature of Pump installer	JUN 1 8 Z00B