State V	Vell Report			
	Part 1 – Driller's Log			
Parmit # 0 - 780 Mississippi Departmen	Mississippi Department of Environmental Quality			
Office of Land	and Water Resources	Aquifer:		
	Box 10631	Well#: # 1 & D		
	MS 39289-0631)961-5210	L. S. Elevation:		
(001)	54-6938 (fax)	Tiles W		
	· •	E-log #:		
State Law requires that this report be prepared by the lic	ense holder responsible for t	he work and filed with the		
In the above unities within 30 days of completion of drilling of the well or borehole.				
(Landowner if borehole is not for a water well)	Owner Well or Bo			
	Latitude: 88 ° 79 ,066			
Owner Name Corene Herring	Latitude: 88 ° 79 '066 Method of Lat/Long (circle on			
Mailing Address: 17029 He 613	Method of Lat/Long (circle one			
Big Point	By Vout O USGS quad Hand-held			
ms 39555 <u>ΛΕ 1/4 μω) 1/4 Sec 2/ Twn 5 5 Rng 5 ω</u>				
City State Zip Code	Distance Direction	Nearest Lown		
Telephone No. (228) 623 - 1(18	Distance Direction Miles North	of Birtout		
		-		
Well / Bore		<i>3</i> 6		
Date drilling started: 11-9-06 Date drilling completed: 11-9-	06 Hole depth: ///	Trata dia 1 2 1		
	Tiole depth. 700	Hole diameter: 2 (mb)		
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and developments.	Gola, us			
		2000 wales		
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:feet above of below (circle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 100 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 90 feet Casing diameter: 2 inches Type of casing: 5th 40 Plate				
Screen length: 10 feet Screen diameter: 2nd inches Type of screen: 50 80 80				
Screen slot size: 8 inches Setting depth: From 0 feet to 100 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

JAN 0 8 2007

BY: OLWR

The sketch	below	only	required	for	water	wells

If well telescopes, show depths on sketch.
Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	T
white sand	۵	UDET
0,-, 0,		, , , , ,
while sand	40	40FT 95FT
		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the aid in locating the well; 3) any roads, power li 4) a north arrow.	e well location; 2) any permanent structures on the property that may ines, or other items that may aid in locating the property and the well;
Hurd	south Bigloid
	Rodul
Landowner Name: Delet Harry	
Frankling and the second	Form: OLWR-SWR-1

Form: OLWR-SWR-SWR-sissippi Department of Environmental Quality and the Mississippi Department of Health regulations if applicable, and state laws.

Print Name of Responsible Licensee and License No.

Date

JAN 0 8 2007

BY: OLWP

STATE WELL REPORT

Copy information from block on Part 1

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631

Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only: Aquifer: Elevation:

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. $\,A$ copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Latitude: 88-19-066 Longitude: 30 35 429 Method of Lat/Long (check one): Conventional Survey____, Mailing Address: USGS quad____, Hand-held GPS___, Survey-grade GPS___ 5E 1/ 5W 1/ Sec 21 T 55 R 5W

Distance Direction Telephone No. 228) 623 - 1118

Pump Type Power Type Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Electric Moto Bucket Piston Turbine Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): _ Horse Power Rating of Motor: _ Other (specify): __ Number of Stages: 10 Rated Pump Capacity: Gallons Per Minute

Pump Test Data Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Static Water Level (A): 18 Feet Below Land Surface Other (specify): Pumping Water Level (B): 20 Feet Below Land Surface Drawdown [(B) – (A)]: ______ Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: ____Gallons Per Minute Well yielded GPM with a drawdown of Duration of Pump Test (minimum 4 hours): ____ hours of pumping

I HEREBY CERTIEY that the above statements are true to the best of my knowledge

Print Name of Pump Installer and License No. (if applicable)

Agnature of Pump Installer

JAN 0 8 2007

BY: OLWR