| | State W | ell Report | | | | | |
|--|---|---|---------------------------|--|--|--|--|
| County: Jackson | | art 1 | For Office Use Only: | | | | |
| County: (1) | Mississippi Department of Environmental Quality | | Aquifer: | | | | |
| Permit #: | Office of Land and Water Resources P.O. Box 10631 | | Well #: <u>H - J4 7</u> | | | | |
| Driller COST WATER WELL SRV | | IS 39289-0631 | L. S. Elevation: | | | | |
| Date drilling completed: 10-5-07 | (601) | 961-5210 | | | | | |
| | (601)354 | 4-6938 (fax) | E-log #: | | | | |
| State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. | | | | | | | |
| Well Owner Information | | Well Location | | | | | |
| Owner Name Travis Brist | er | Latitude: 30 ° 35 570" Longitude 088° 29 , 149" | | | | | |
| Mailing Address: T.C. Whittington Rd. | | Method of Lat/Long (circle one): Conventional Survey, | | | | | |
| | | USGS quad, (Hand-held | GPS Survey-grade GPS | | | | |
| MOSSHOINT MS 37562 City State Zip Code | | SW1/2 SW1/2 Sec 21 TwnT5 5 Rng R5W | | | | | |
| Distance Direction | | | Nearest Town of Big Point | | | | |
| | Well I | | | | | | |
| Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other: | | | | | | | |
| Date well drilling started: 10-5-07 Date well drilling completed: 10-5-07 | | | | | | | |
| If flowing, method of flow regulation: Valve Other (describe) | | | | | | | |
| Static Water Level: 30 feet above or below (circle one) land surface Date measured: 10-5-07 | | | | | | | |
| Method of Measurement (circle one) steel tape electric tape air line other: | | | | | | | |
| Hole depth: 100 FT Well dep | th: <u>100 FT</u> | Well grouted to a depth of | 10 feet | | | | |
| Type of grout (circle one): Cement | Bentonite Mix | | | | | | |
| Casing length: <u>GO</u> feet Casin | g diameter: | _inches Type of casing: | PVC | | | | |
| Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC | | | | | | | |
| Screen slot size: <u>c COO</u> inches Setting depth: From 90 feet to 100 feet | | | | | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | | | | | |
| • | Other (describe): | | | | | | |
| Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page | | | | | | | |
| Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: | | | | | | | |
| Name of organization running log(s): | | | | | | | |
| I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi | | | | | | | |
| Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. | | | | | | | |
| Jack Ridgelell 0- | 472 | Jak his | Idle | | | | |
| Print Name of Water Well Contractor and License No. Sign | | | Water VIII Continetor | | | | |

| Ground Level | | Description | of Formations En | countered | From | To |
|--|--|---|---|--|--------------|-----|
| | | orange (| Tay | and | 7 | 18 |
| | | Orange + | white cl | ay H | \$ | W |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| If more than one screen, show location of ea | ach on sketch | | | | | |
| etch the property layout and include the follow aid in locating the well; 3) any road 4) indicate direction. | wing: 1) the well loca ds, power lines, or of | ation; 2) any perm ther items that may | anent structures o y aid in locating t | n the property that ne property and the | may well; | |
| well the se | | | | | | |
| TC, h | SHATTINGTON 1 | Ro. | | | | |
| | | | 15 | \wedge | | |
| | | | 3 | [| | |
| | | | 13 (A | \tilde{I} | | |
| | | | | | | |
| | | | thy | | | |
| | | | | | | |
| ndowner Name: Travis Bris | ster | · . | | | | |
| | | | | RECEI | VF-1" |) |
| ach hilder | | | | | | |
| Signature of Water Well Contractor | | / | 1 | NOV 0 5 | | · . |
| £ | | / | | BY, O. | .VV F | 7 |

If well telescopes please sketch below and show depths.

STATE WELL REPORT

Part 2 For Office Use Only: County: DCKSON **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 Date completed: 10-5 Elevation: (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location Well Owner Information Latitude: 30°35′570″ Longitude:088 ravis Brister Mailing Address: T.C. Whittington Rd. Method of Lat/Long (circle one): Conventional Survey, USGS quad, (Hand-held GPS) Survey-grade GPS Sw 1/ Sw 1/ Sec 21 Twn 755 Rng R5W Mos foint, 7/8 3/562 City State Zip Code Distance Direction Nearest Town Telephone No. 008 218 - 6966 1/2 Miles NW of Big Point Pump Type **Power Type** Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas **Bucket** Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Flowing Well Windmill Rotary Other (specify): Horse Power Rating of Motor: Other (specify): 10-10-0 Setting Depth: 601 Date Pump Installed: Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one 10-6-0-Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): NA Feet Below Land Surface For flowing well, measured shut in head: Well yielded 8.5 GPM with a drawdown of Test Pumping Rate: __ Gallons Per Minute

| I HEREBY CERTIFY that the above statements are true to the best of | my kno wle dge. | |
|--|-----------------------------|----------------|
| John Elkins 0-7169 | huthan | RECEIVED |
| Print Name of Pump Installer and License No. (if applicable) | Signature of Pump Installer | MONE DE MOOTE |
| | | PUDY U.C. KOUY |

Duration of Pump Test (minimum 4 hours):

BYCOLWR

NA feet after NA hours of pumping