State Well Report				
County: Jackson	Part 1	For Office Use Only:		
Mississippi Departme	ent of Environmental Quality	Aquifer:		
^	and Water Resources Box 10631	Well #: #- 189		
Driller COUST WATCH WELLSKY. Jackson	MS 39289-0631	L. S. Elevation:		
	l) 961-5210 854-6938 (fox)	E-log #:		
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.				
Well Owner Information	1	Location		
Owner Name Robert Thompson		" Longitude: <u>686 29 . 491 "</u>		
Mailing Address: 20232 Hwy 613	Method of Lat/Long (circle on	ne): Conventional Survey,		
	USGS quad, Hand-held	GPS Survey-grade GPS		
Moss foint, Ms 39562	NE 1/2 SW1/2 Sec 4	Twn T55Rng R5 W		
Telephone No. <u>(288)</u> <u>217 - 2730</u>	Distance Direction Miles 50 TH	Nearest Town of Husley		
Well Data				
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 3/27/09 Date well drilling completed: 3/27/09				
If flowing, method of flow regulation: Valve N/A Other (describe)				
		2/2-/22		
Static Water Level: 15 feet above or below circle one	land surface Date measured:	0/27/09		
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 98 FT Well depth: 98 FT	Well grouted to a depth of	/Ofeet		
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 8 feet Casing diameter: 2	inches Type of casing:	PVC		
Screen length: 10 feet Screen diameter: 2	inches Type of screen:	PVC		
Screen slot size: inches Setting depth: From	88 feet to 9	8 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s):				
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Department of Environmental Quanty and of the Mississippi Department of Health regulations and state laws.				
Jack Ridgold 0-472	Jack	fulflue		
Print Name of Water Well Contractor and License No.	Signature of	Water Well Contractor		

Ground Level		Description of Formations Encountere	d From	To
		TOPSOIL	-+Q	13
		Orangeclay		10
·		White Coarse Sand	122	23
ì		Orangeand White Clay		AC.
		Brown Coarse Sand	80	78
1				
1				
}				
j				
ļ			···	
e property layout and incl	location of each on sketch ude the following: 1) the we	Il location; 2) any permanent structures on the pro	operty that may	
ne property layout and including aid in locating the we 4) indicate direction.	ude the following: 1) the we	Il location; 2) any permanent structures on the pro, or other items that may aid in locating the proper	operty that may rty and the well;	
property layout and incl aid in locating the we	ude the following: 1) the we	Il location; 2) any permanent structures on the pro, or other items that may aid in locating the proper	operty that may try and the well;	
oroperty layout and including in locating the we 4) indicate direction.	ude the following: 1) the we	Il location; 2) any permanent structures on the pro, or other items that may aid in locating the proper	operty that may	
property layout and including aid in locating the we 4) indicate direction.	ude the following: 1) the we	Il location; 2) any permanent structures on the pro, or other items that may aid in locating the proper	operty that may	
roperty layout and incl aid in locating the we 4) indicate direction.	ude the following: 1) the we	Il location; 2) any permanent structures on the proper, or other items that may aid in locating the proper	operty that may	_
e property layout and incl aid in locating the we 4) indicate direction.	ude the following: 1) the we	, or other items that may aid in locating the proper	pperty that may	

APR 08 2003

STATE WELL REPORT			
County: Tockson Pump Installer Mississippi Department Permit #: Office of Land	Part 2 So Completion Report ent of Environmental Quality and Water Resources Box 10631 For Office Use Only: Aquifer:		
Driller Cast Water WEISRY. Jackson,	MS 39289-0631 Well #:		
	Elevation:		
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.			
Well Owner Information	Well Location		
Owner Name: Robert Thompson	Latitude: 30° 38′260″ Longitude 088° 29′491″		
Mailing Address: 20232 Hwylol3	Method of Lat/Long (circle one): Conventional Survey,		
	USGS quad, Hand-held GPS Survey-grade GPS		
Mossfort, Ms 39562 City State Zip Code	NE 1/2 SW 1/4 Sec 4 Twn T5S Rng R5 W Distance Direction Nearest Town		
Telephone No. 208 217 -2730			
Pump Type Circle one	Power Type Circle one		
Air Lift Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: 3/38/09	Setting Depth: 40FT Drop Pipe_feet		
Rated Pump Capacity: Gallons Per Minute	Number of Stages:		
Pump Test Data	Method of Measuring Water Level		
Date Well Tested: 3/38/09	Circle one		
Static Water Level (A):/5 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B): Feet Below Land Surface	Other (specify):		
Drawdown [(B) – (A)]: $\frac{N/A}{C}$ Feet Below Land Surface	Below Land Surface For flowing well, measured shut in head: N/A feet		
Test Pumping Rate:Gallons Per Minute	Gallons Per Minute Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	hours NA feet after NA hours of pumping		

The Ridge O-472

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer