|   | Vell Report  | For Office Use Only:                         |
|---|--|--|
| Part 1  |  |  |
| Mississippi Departine   | Mississippi Department of Environmental Quality   Aquifer: |  |
|   | Box 10631  | Well#: <u>J-337</u>                          |
|   | MS 39289-0631  | L. S. Elevation:                             |
|   | )961-5210<br>54-6938 (fax)                                 | E-log #:                                     |
| and the total to total do since hair  | •  |  |
| State Law requires that this report be prepared by the  | e driller in detail and filed w                            | ith the Department within                    |
| 30 days of completion of drilling of the well.  Well Owner Information Well Location  |  |  |
|   | 1 - 1 - 2 0 0 0 1/08/                                      | " I angitude ( 1800 U5 ' ( 149")             |
| Owner Name Harris Homes   | Lantude: 30 0 41   | <u>o</u> " Longitude: <u>088° 45 ' 049</u> " |
| Mailing Address: 11712 Old FOR+ BayourD   | Method of Lat/Long (circle or                              | ne): Conventional Survey,                    |
|   | -  | GPS, Survey-grade GPS                        |
| Vancleave MS 39565 City State Zip Code  | NE 14 Sec 26   | Twn T65 Rng R8W                              |
| City State Zip Code   | SE NE Direction  | Nearest Town                                 |
| Telephone No. (228) 875-8595  | 41/2 Miles 5W  | Nearest Town of Vancleaue                    |
|   | Data   |  |
|   |  | Other  |
| Purpose of Well (circle one) Home Industrial Public Supply  |  |  |
| Date well drilling started: 10-38-04 Date   |  | i i  |
| If flowing, method of flow regulation: Valve N/A Other  | (describe)   |  |
| Static Water Level:feet above or below circle one   | ) land surface Date measured:                              | 10-28-01                                     |
| Method of Measurement (circle one) steel tape electric tap  | oe air line other:   |  |
| Hole depth: 78' Well depth: 78'   | _ Well grouted to a depth of _                             | feet   |
| Type of grout (circle one): Cement Bentonite Mit  | K  |  |
| Casing length: 68 feet Casing diameter:   | inches Type of casing: _                                   | PVC  |
| Screen length: 10 feet Screen diameter: 2   |  |  |
| Screen slot size: 1000 inches Setting depth: From 68 feet to 78 feet  |  |  |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development  |  |  |
|   |  |  |
| Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page   |  |  |
| Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:  |  |  |
| N/A   |  |  |
| Name of organization running log(s): N/A  I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi |  |  |
| Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.   |  |  |
| $\mathcal{O}$   |  |  |
| Jack Ridgdell 0-472   |  | 2 Kitglell                                   |
| Print Name of Water Well Contractor and License No.   | Sjenature o  | f Water Well Contractor                      |

RECEIVED

WW 15 2004

| Ground Level |      |  |
|--------------|------|--|
|              | <br> |  |

| Description of Formations Encountered  | From         | To   |
|--|--------------|--|
| Top Soil + white Clay White Coarse sand White Clay White Coarse Sand White Coarse Sand | 0            | 5  |
| White Coarse Sand  | 5            | 14   |
| White clay   | 14           | 34   |
| white Coarse Sand  | 194          | 78   |
|  |              | <del>                                     </del> |
|  |              |  |
|  |              |  |
|  |              |  |
|  | <del> </del> | +  |
|  |              | $\vdash$   |
|  |              | -  |
|  |              | 1  |
|  |              |  |
|  |              |  |
|  |              |  |
|  |              |  |
|  |              |  |
|  |              |  |
|  |              |  |
|  |              |  |
|  |              |  |
|  |              |  |
|  |              | لــــــا   |

If more than one screen, show location of each on sketch

| Sketch the property layout and include the following: 1) the wel aid in locating the well; 3) any roads, power lines, 4) indicate direction. | Il location; 2) any permanent structur,<br>or other items that may aid in locatin | es on the property | arty that may<br>and the well; |
|--|---|--------------------|--------------------------------|
|  |   | 6                  | <b>A</b>                       |
|  | 3-1   | Bayou              |                                |
|  | Deveny  | o Fong             |                                |
| Landowner Name: Harris Homes   | ANTIOCH RD  | 000                |                                |

Signature of Water Well Contractor

RECEIVED

NOV 1 9 2004

BY: OLWR

## STATE WELL REPORT

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

| For Office Use Only: |  |  |
|----------------------|--|--|
| Aquifer:             |  |  |
| well #: <u>J 339</u> |  |  |
| Elevation:           |  |  |

Date completed: This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location Well Owner Information Latitude: 30°49'686" Longitude: 088°45'049" Method of Lat/Long (circle one): Conventional Survey, Mailing Address: USGS quad, (Hand-held GPS) Survey-grade GPS NF 1/4 SE 1/4 Sec 26 Twn 765 Rng R8W Direction Nearest Town Distance 4/2 Miles SW of VANderve Telephone No. (208) 875 - 8595 **Power Type Pump Type** Circle one Circle one Natural Gas Diesel Engine Gasoline Engine (Jet ) Submersible Air Lift **Tractor PTO** Electric Motor Hand **Piston** Turbine **Bucket** Other (specify): Flowing Well Windmill Centrifugal Rotary Horse Power Rating of Motor: 1 H.P. Other (specify): Setting Depth: 40 DRop pine feet Date Pump Installed: \_\_ 10-29-04 Number of Stages: Gallons Per Minute Rated Pump Capacity: Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 10-29-04 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 2/ Feet Below Land Surface Other (specify): Pumping Water Level (B): MA Feet Below Land Surface

| I HEREBY CERTIFY that the above statements are true to the be | est of my knowledge.        |
|---|-----------------------------|
| David Moye 0-714P   | Signature of Pump Installer |
| Print Name of Pump Installer and License No. (if applicable)  | Signature of Pump Installer |

Gallons Per Minute

Well vielded

Drawdown [(B) - (A)]: // F \_\_\_ Feet Below Land Surface

Duration of Pump Test (minimum 4 hours):

Test Pumping Rate:

NOV 1 9 2004

GPM with a drawdown of

hours of pumping

For flowing well, measured shut in head:

N/A feet after

BY: OLWR