Part 1 Part 1 Pa						
Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name DON ROBINSON Mailing Address: 5105 1052 107 1002 RC Method of Lat/Long (circle one): Conventional Survey, USGS quad Hand-held GPS, Survey-grade GPS SE 1/2 SE 1/2 Sec 7 Twn 765 RngR 9CU Distance Direction Nearest Town Completed: 10 10 10 10 10 10 10 10 10 10 10 10 10						
Date drilling completed: U - 15 - 06 Date drilling completed: U - 15 - 06 State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name DON ROBINSON Mailing Address: 5165 0524 07 deg Rd Method of Lat/Long (circle one): Conventional Survey, USGS quad Hand-held GPS, Survey-grade GPS State Zip Code Distance Direction Nearest Town Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U - 14 - 014 Date well drilling completed: U - 15 - 04 Other (describe)						
Date drilling completed: U - 15 - 06 Date drilling completed: U - 15 - 06 State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name DON ROBINSON Mailing Address: 5165 POSCY OF GRA Method of Lat/Long (circle one): Conventional Survey, USGS quad Hand-held GPS, Survey-grade GPS State Zip Code Distance Direction Nearest Town Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U - 14 - 01 Date well drilling completed: U - 15 - 01 Other (describe)						
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name DON RODINSON Mailing Address: 5165 POSCY DV COC RO City State Zip Code Telephone No. (238) 393 - 5900 Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 1 - 14 - Other Date well drilling completed: 1 - 15 - Other (describe) Is a completed: 1 - 15 - Other (describe)						
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name DON ROBINSON Mailing Address: 5165 105Cybridec Rol Method of Lat/Long (circle one): Conventional Survey, USGS quad Hand-held GPS, Survey-grade GPS SE 1/2 SE 1/2 Sec 7 Twn 765 RngR 960 Distance Direction Nearest Town Miles NORTH of DEBENHICE Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 1 1/4 Old Date well drilling completed: 1/5 Old If flowing, method of flow regulation: Valve NAP Other (describe)						
Well Owner Information Well Location						
Well Owner Information Well Location						
Well Owner Information Owner Name DON RODINSON Mailing Address: 5165 POSCY BY Idoc Rd Method of Lat/Long (circle one): Conventional Survey, USGS quad Hand-held GPS, Survey-grade GPS SE 1/2 SE 1/2 Sec 7 Twn 765 RngR 960 Distance Direction Nearest Town Well Data Purpose of Well (circle one) Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U - 14 - Old Date well drilling completed: U - 15 - Old If flowing, method of flow regulation: Valve N A Other (describe)						
Method of Lat/Long (circle one): Conventional Survey, USGS quad. Hand-held GPS, Survey-grade GPS State Zip Code Telephone No. (208) 392 - 5900 Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U - 14 - OU Date well drilling completed: U - 15 - OU If flowing, method of flow regulation: Valve NA Other (describe)						
Method of Lat/Long (circle one): Conventional Survey, USGS quad. Hand-held GPS, Survey-grade GPS State Zip Code Telephone No. (208) 392 - 5900 Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U - 14 - OU Date well drilling completed: U - 15 - OU If flowing, method of flow regulation: Valve NA Other (describe)						
USGS quad Hand-held GPS, Survey-grade GPS SE 1/2 Sec 7 Twn 765 RngR 9CO Telephone No. (208) 392 - 5900 Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U - 14 - Other Date well drilling completed: U - 15 - Other If flowing, method of flow regulation: Valve NA Other (describe)						
City State Zip Code Telephone No. (208) 392 - 5900 Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U 14-04 Date well drilling completed: U 15-04 Other (describe)						
City State Zip Code Distance Direction Nearest Town Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: Distance Direction Nearest Town Well Data Other (describe) Distance Direction Nearest Town Other (describe)						
City State Zip Code Distance Direction Nearest Town Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: Distance Direction Nearest Town Well Data Other (describe) Distance Direction Nearest Town Other (describe)						
Telephone No. (28) 392-5900 Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: Date well drilling completed: U-15-06 If flowing, method of flow regulation: Valve NA Other (describe)						
Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U-15-06 If flowing, method of flow regulation: Valve NA Other (describe)						
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: U-15-06 If flowing, method of flow regulation: Valve NA Other (describe)						
Date well drilling started: U-14-04 Date well drilling completed: U-15-04 If flowing, method of flow regulation: Valve NA Other (describe)						
Date well drilling started: U-14-04 Date well drilling completed: U-15-04 If flowing, method of flow regulation: Valve NA Other (describe)						
If flowing, method of flow regulation: Valve NA Other (describe)						
Static Water Level: 45 feet above of below circle one) land surface Date measured: 45-06						
Method of Measurement (circle one) steel tape electric tape air line other:						
Hole depth: 415 Well depth: 415 Well grouted to a depth of 10 feet						
RECEIVED						
Type of groun (entre one). Comon Demonite						
Screen length: 6 feet Screen diameter: 2 inches Type of screen: WBY: OLWR						
Screen slot size: 4008 inches Setting depth: From 400 feet to 415 feet						
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development						
Other (describe):						
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page						
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:						
Name of organization running log(s): N/A						
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi						
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.						
Jack Ridadell 0-472						
Print Name of Water Well Contractor and License No. Signature of Water Well Contractor						

If well telescopes please sketch below and show depths.

Ground Level		

Description of Formations Encountered	From	To
TOP SOIL	0	12
Red Clay	12	15
White medium sand	16	25
Phown Clau	25	US
white Medium Sand Brown Clay Medium Gray Sand Blue Clay Gray Coarse Sand	16	ton
Blife Clay	100	290
BOOLL CHANCE SOUND	13an	UE
Ciray Cours C Suria	13.0	70
	-	
	+	
1	+	
		\vdash
		
		<u> </u>
	 	
		1
		ـــــا

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location aid in locating the well; 3) any roads, power lines, or othe 4) indicate direction.	on; 2) any permanent structures on the property that may ar items that may aid in locating the property and the well;
Posey Baidic Ro	RECEIVED JUL 1 3 2006 BY: OLWR
	House
Landowner Name: DON ROBINSON	

Signature of Water Well Contractor

STATE WELL REPORT

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Owner Information Owner Name: Don Robin/Son. Mailing Address: 5105 1004 bridge Robin/Son. Mailing Address:	County: <u>Tackson</u> Permit #: Driller: <u>Coûst Water Well</u> SVR Date completed: <u>6-15-06</u>	(601)961-5210 (601)354-6938 (fax)		For Office Use Only: Aquifer: Well #: 423 Elevation:			
Owner Name: Don Robivison. Mailing Address: 5165 book by Crick Rd Mailing Address: 5165 book by Crick Rd Discussion Research R	•	e pump installer in deta	il and filed with the Departmen	nt within 30 days of the			
Mailing Address: 5105 NOSH STOCK Method of Lat/Long (circle one): Conventional Survey, USGS quad, (liand-held GPS) Survey-grade GPS SE 1/2 Se 1/3 Se 1/4 Sec 7 Twn T65 RngR 9 W Distance Direction Nearest Town Miles MACTH of DISCREPTIVE Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Date Pump Installed: 4-16-06 Rated Pump Capacity: Gallons Per Minute Number of Stages: 2 Pump Test Data Pump Test Data Date Well Tested: 6-16-06 Static Water Level (A): 45 Feet Below Land Surface Pumping Water Level (B): 14 Feet Below Land Surface Drawdown [(B) - (A)]: 15 Feet Below Land Surface Pumping Rate: 8 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours HEREBY CERTIFY that the above statements are true to the best of my knowledge. Jack & Gallons Per Minute to the best of my knowledge. Jack & Gallons Per Minute to the best of my knowledge. Jack & Gallons Per Minute to the best of my knowledge. Jack & Gallons Per Minute to the best of my knowledge. Jack & Gallons Per Minute to the best of my knowledge. Jack & Gallons Per Minute to the best of my knowledge. Jack & Gallons Per Minute to the best of my knowledge.							
Mailing Address: 5105 NOSH STOCK Method of LavLong (circle one): Conventional Survey, USGS quad, (find-held GPS) Survey-grade GPS State Zip Code Distance Direction Nearest Town Distance Direction Nearest Town Miles MAGTH of DISCRUPTIVE Circle one Air Lift Jet Submersible Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Date Pump Installed: 4-16-06 Rated Pump Capacity: Geet Minute Pump Test Data Date Well Tested: 6-16-06 Static Water Level (A): 45 Feet Below Land Surface Pumping Water Level (B): 16 Feet Below Land Surface Drawdown [(B) - (A)]: 10 Feet Below Land Surface Drawdown [(B) - (A)]: 10 Feet Below Land Surface Pumping Rate: 8 Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours HEREBY CERTIFY that the above statements are true to the best of my knowledge. Jack Kiddell 0-473	Owner Name: Don Kobinso	2N	Latitude: 36 31 381	Longitude: 088° 55' 337"			
Telephone No. (205) 373-5900 State Zip Code	Mailing Address: 5165 Rosey	oridge Rd					
Telephone No. (2015) 3973-5900 Pump Type Circle one Air Lift Get Submersible Diesel Engine Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO Windmill Other (specify): Date Pump Installed: Rated Pump Capacity: B Gallons Per Minute Pump Test Data Pump Test Data Pumping Water Level (A): Static Water Level (B): Natural Gas Electric Motor Hand Tractor PTO Windmill Other (specify): Setting Depth: Quit Accop pipe feet Air Line Electric Measuring Water Level Circle one Natural Gas Electric Motor: HH Setting Depth: Setting Depth: Quit Accop pipe feet Air Line Electric Measuring Water Level Circle one Number of Stages: Quit Accop pipe feet Air Line Diesel Engine Natural Gas Feet Horse Power Rating of Motor: LHH Setting Depth: Setting Depth: Quit Accop pipe feet Other (specify): Other (specify): Static Water Level (A): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface For flowing well, measured shut in head: Method of Measuring Line Steel Tape Other (specify): Other (specify): Therefore Tractor PTO Windmill Other (specify): Setting Depth: Quit Accop pipe feet Air Line Electric Motor: Air Line Electric Motor: Air Line Electric Motor: Air Line Electric Measuring Water Level Circle one Air Line Steel Tape Other (specify): Other (specify): Therefore The Measuring Line Steel Tape Other (specify): Other (specify): Air Line Electric Motor:			USGS quad, (Hand-held GPS,) Survey-grade GPS				
Telephone No. (215) 393-5900 Miles MacH of DIBCANTAL Discount Disc	Bildy MS3	7532 Zip Code	SE 1/3 Sec 7 Twn 765 RngR 9 W				
Pump Type Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Windmill Other (specify): Horse Power Rating of Motor: Jef Rated Pump Installed: Well Tested: Date Well Measuring Water Level Circle one Air Line Diesel Engine Natural Gas Date Well Tractor PTO Windmill Other (specify): Det Jef Date Well Tested: Date Well Measuring Water Level Circle one Date Well Tested: Date Well Measuring Water Level Circle one Date Well Tested: Date Well Measuring Water Level Circle one Date Well Tested: Date Well Measuring Water Level Circle one Date Well Tested: Date Well Measuring Water Level Circle one Date Well Tested: Date Well Measuring Water Level Diesel Engine Date Well Tested: Date Well Measuring Water Level Circle one Date Well Tested: Date Well Tested: Date Well Measuring Water Level Circle one Date Well Tested: Date Well Measuring Water Level Circle one Date Well Measuring Water Level Date Well Measuring Water Leve		•	Distance Direction	Nearest Town			
Air Lift	Telephone No. (2015) 392-5900		MilesNACTH of	DIBURUIK			
Circle one Air Lift	Pump Type		Pow	ver Type			
Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify):			~				
Centrifugal Rotary Flowing Well Other (specify):	Air Lift Jet	Submersible		e Engine Natural Gas			
Other (specify): Date Pump Installed: Rated Pump Capacity: Setting Depth: Other (specify): Setting Dept	Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO			
Date Pump Installed: G-16-06 Rated Pump Capacity: Setting Depth: G0 drop pipe feet Number of Stages: Q Pump Test Data Date Well Tested: G-16-06 Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Drawdown [(B) - (A)]: Gallons Per Minute Duration of Pump Test (minimum 4 hours): Hours Drawdown In Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): Hours Drawdown In Feet Below Land Surface For flowing well, measured shut in head: Mandaway feet after Na hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Jack Riddell D-473	Centrifugal Rotary	Flowing Well	Windmill Other (s	specify):			
Date Pump Installed: G-16-06 Rated Pump Capacity: Gallons Per Minute Pump Test Data Date Well Tested: G-16-06 Static Water Level (A): Gricle one Static Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Drawdown [(B) - (A)]: Gallons Per Minute Duration of Pump Test (minimum 4 hours): Hours Setting Depth: Gold Arc pripe feet Number of Stages: Q Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: N/A feet Feet Below Land Surface For flowing well, measured shut in head: Methodown of Measuring Water Level Circle one Other (specify): For flowing well, measured shut in head: N/A feet Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): Hours Setting Depth: Gold Arc pripe feet Number of Stages: Q Water Level Circle one Other (specify): For flowing well, measured shut in head: N/A feet Feet Below Land Surface For flowing well, measured shut in head: N/A hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Jack Riddell D-473	Other (specify):		Horse Power Rating of Motor:	Horse Power Rating of Motor:			
Pump Test Data Pump Test Data Date Well Tested: Gallons Per Minute Method of Measuring Water Level	Date Pump Installed: (0-16-6	6					
Circle one Static Water Level (A):				• • •			
Circle one Static Water Level (A):							
Date Well Tested:							
Static Water Level (A):	Date Well Tested:	· · · · · · · · · · · · · · · · · · ·					
Pumping Water Level (B): Note Feet Below Land Surface Drawdown [(B) – (A)]: Note Feet Below Land Surface Test Pumping Rate: Sound Gallons Per Minute Duration of Pump Test (minimum 4 hours): Hours Therefore Below Land Surface For flowing well, measured shut in head: Note feet Mell yielded Sound GPM with a drawdown of hours of pumping Therefore Below Land Surface For flowing well, measured shut in head: Note feet Mell yielded Sound GPM with a drawdown of hours of pumping Therefore Below Land Surface For flowing well, measured shut in head: Note feet Mell yielded Sound GPM with a drawdown of hours of pumping Therefore Below Land Surface For flowing well, measured shut in head: Note feet Mell yielded Sound GPM with a drawdown of hours of pumping hours of pumping Therefore Below Land Surface For flowing well, measured shut in head: Note feet Mell yielded Sound GPM with a drawdown of hours of pumping hours hours of pumping hours of pumping hours of pumping hours of pumpi	Static Water Level (A):						
Drawdown [(B) – (A)]:	Pumping Water Level (B): NA Feet B	Below Land Surface	Other (specify):				
Test Pumping Rate:	· .		For flowing well, measured shut in head:feet				
Duration of Pump Test (minimum 4 hours): 4 hours NA feet after NA hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Jack Riddell 0-472	Test Pumping Rate:	Gallons Per Minute	•				
Jack Riddell 0-472 Jack Reglect	Duration of Pump Test (minimum 4 hours):hours			N A hours of pumping			
Jack Riddell 0-472 Jack Reglect							
	I HEREBY CERTIFY that the above statements are true to the best of my knowledge.						
Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer							
	stalle /						