	State W	ell Report	<u> </u>	
Tackson	Part 1		For Office Use Only:	
County: Jackson	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:		Office of Land and Water Resources		
Driller: COOST Water Well SRV.	P.O. I	3ox 10631	well #: <b>T.</b> 450	
		<b>1</b> S 39289-0631	L. S. Elevation:	
Date drilling completed: 1-35-07	1	961-5210 4 (028 (624)	E-log #:	
	] (001)33	4-6938 (fax)	E-log #.	
State Law requires that this rep 30 days of completion of drilling	ort be prepared by the	driller in detail and filed w	rith the Department within	
Well Owner Informa	ation	Wei	Location	
Owner Name Gary Young		Latitude: 30 · 32 · 65	" Longitude: <u>088</u> , <u>43</u> , <u>547</u> "	
Mailing Address: Antioch Ro	<u> </u>	Method of Lat/Long (circle or		
- N	1-20-15	USGS quad, (Hand-held GPS, Survey-grade GPS		
Vancleave M	IS 37563 te Zip Code		$\frac{2}{2}$ Twn $\frac{765}{2}$ Rng $\frac{80}{2}$	
Telephone No. (208) 217 - 708	6	Distance Direction 5/12 Miles WS W	Nearest Town of Nawcleave	
	Well	Data		
Purpose of Well (circle one) (Home) Ind	lustrial Public Supply	Ігтіgation Fish Culture	Other:	
Date well drilling started: 1-25-07 Date well drilling completed: 1-25-07				
If flowing, method of flow regulation: Va	lve $NA$ Other (d	lescribe)		
Static Water Level: 35 feet above on below (circle one) land surface Date measured: 1-25-07				
Method of Measurement (circle one) s	teel tape electric tape	air line other:		
Hole depth: <u>210FT.</u> Well de	pth: <u>210FT.</u>	Well grouted to a depth of	10 feet	
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 200 feet Casing diameter: a inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC				
Screen slot size: 1006 inches Setting depth: From 200 feet to 310 feet				
Type of completion (circle all applicable):	Gravel packed Under	reamed Telescoped Open	hole Natural Development	
Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log ru	n) Electric Gamma Ray	Density Sonic Neutron	Other:	
Name of organization running log(s):  I certify that the well was drilled, constr	U// ucted, and completed in a	accordance with all applicable	requirements of the Mississippi	
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Jack Ridgdell 0-4	72	Jan	c Riffere	
Print Name of Water Well Contractor and	License No.	Signature of	Water Well Contractor	

FLD # 8 7.27  If well telescopes please sketch below and show depths.

ţ

Ground Level				
•				

Description of Formations Encountered	From	To
TOP Soil	Q	2
Drange Clay	La.	30
Brown Coarse Sand	20	75
121	75	115
Gray medium Sand	115	136
I RING CIOU	136	190
Gray Medium Sand	190	aiD
<b>7</b>	ļ	
		<u> </u>
	<b> </b>	
		<u> </u>
	ļ	
	<u> </u>	
	<b></b>	<b></b>
	<u> </u>	
	<b></b>	<b></b>
	ļi	<b>  </b>
	ļ	
	ļ	<b></b>

If more than one screen, show location of each on sketch

Signature of Water Well Contractor

ngrenden Dagspy Dagsty

## STATE WELL REPORT

## Part 2

## Permit #: Driller OST Water Well SKV. Date completed: 1-25-06

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

For Office Use Only:		
Aquifer:		
well #: <b>J-</b> 450		
Elevation:		

,		Elevation:			
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.					
Well Owner Information		Well Location			
Owner Name: Gary Young		Latitude: 30°32' (95" Longitude: 088° 43' 547"			
Mailing Address: Antioch RD.		Method of Lat/Long (circle onc): Conventional Survey,			
	USGS quad, Hand-held GPS Survey-grade GPS				
Vancleave Ms 39565		SW 1/2 Sw 1/2 Sec 22 Twn 765 Rng 8 8 W			
Zip Code	Distance Direction	Nearest Town			
86	5/2 Miles WSW of	Vancleau			
Pump Type Circle one		Power Type Circle one			
Submersible	Diesel Engine Gasoline	Engine Natural Gas			
Turbine	Electric Motor Hand	Tractor PTO			
Flowing Well	Windmill Other (s	pecify):			
	Horse Power Rating of Motor:	1 HP			
Date Pump Installed: 1-26-07		Setting Depth: 6FT. Droppipe feet			
Gallons Per Minute	Number of Stages:				
Pump Test Data  Date Well Tested:		Method of Measuring Water Level Circle one			
	Air Line Flootrie Mann	uring Line Start Tana			
Static Water Level (A): Feet Below Land Surface		uring Line Steel Tape			
Pumping Water Level (B): NA Feet Below Land Surface					
Drawdown [(B) - (A)]:Feet Below Land Surface		For flowing well, measured shut in head:feet			
Test Pumping Rate: 7,5 Gallons Per Minute		Well yielded 7,5 GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours		N/A feet after N/A hours of pumping			
	(601)35  The pump installer in detailon  The pump installer in	Latitude: 30 32 16 5 Method of Lat/Long (circle one USGS quad, Hand-SU / Sup Code Distance Direction  Submersible Diesel Engine Gasoline Turbine Electric Motor Hand Windmill Other (s Horse Power Rating of Motor: Setting Depth: 60 FT. Dr. Setting Depth: 60 FT. Dr. Gallons Per Minute Number of Stages:  Below Land Surface Below Land Surface Gallons Per Minute Well yielded 7.5			

I HEREBY CERTIFY that the above statements are true to the best of	my knowledge	
Jack Ridgdell D-472	Sand Kid fue	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	<u> </u>