	State Well Report	
Talleon	Part 1	For Office Use Only:
County: JACKSON	Mississippi Department of Environmental	Quality Aquifer: <u>3532</u>
Permit #:	Office of Land and Water Resources	S Well #:
(malinhernell	P.O. Box 10631	
Driller: US March March	Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: 10-12-09	(601) 961-5210	E-log #:
	(601) 354-6938 (fax)	<i>D</i> -log <i>n</i> .
State Law requires that this rep	ort be prepared by the driller in detail an	d filed with the Department within
30 days of completion of drilling	g of the well.	Well Location
Well Owner Inform		• • • • •
Owner Name Pat Tanner	Latitude: <u>30° 3</u>	2'201" Longitude 08° 44' 218
Mailing Address: Havens R	d. Method of Lat/Long	(circle one): Conventional Survey,
	USGS quad,	Hand-held GPS Survey-grade GPS
Vancleave, n	<u>ns 39565</u> NW 45E 4 5	Sec 12 - Twn 76 5 Rng R8W
	Distance D	irection Nearest Town
Telephone No. 208) 218 - 01	37Miles	UST of VAnclero
	Well Data	
Purpose of Well (circle one) Home	lustrial Public Supply Irrigation Fish C	Culture Other:
Date well drilling started: $10-12$	Date well drilling completed	10-12-09
·	. 1	-
If flowing, method of flow regulation: Va	lve NA Other (describe)	
Static Water Level: Feet a	bove or below (circle one) land surface Date n	nansurad: 10-12-09
Static Water Level.	bove of below (encie one) hand surface Date in	
Method of Measurement (circle one) s	teel tape electric tape air line) oth	er:
Hole depth: <u>135 FT.</u> Well de	pth: 135 FT. Well grouted to a d	epth of 10 feet
	\frown	
Type of grout (circle one): Cement	Bentonite Mix	
Casing length: <u>125</u> feet Casi	ng diameter: <u>2</u> inches Type of en diameter: <u>2</u> inches Type of s	casing:
Samaan Janatha 10 Gard Sam		PVC
Screen slot size: <u>006</u> inches	Setting depth: Fromfeetfeet	to <u>135</u> feet
Type of completion (circle all applicable):	Gravel packed Underreamed Telescoped	Open hole Natural Development
	Other (describe):	
Top of lap pipe or reduction in casing: _	MA feet. If telescoped or more than	n one screen, describe on back of page
Logs run (circle all applicable). No log ru	n Electric Gamma Ray Density Sonic N	eutron Other:
Name of organization running log(s):	[[A	
I certify that the well was drilled, constr	//+ ucted, and completed in accordance with all a	pplicable requirements of the Mississippi
Department of Environmental Quality a	and/or the Mississippi Department of Health-re	gulations and state laws.
Jack Ridadell 0-4-	12	fact they due
Juch nuguer v		

5532

If well telescopes please sketch below and show depths.

Grou

und Level	Description of Formations Encountered	From	To
	TOP SOIL		175
	prange clay Brown coarse. Sand	15	75
	frame and white clay	75	117
	Brown Coarse Sand		134
			<u> </u>
			
			
			
			<u>† </u>
			<u> </u>
			<u> </u>
			+
			+
			<u>†</u>
			1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; Jim RAnsey 4) indicate direction. Dipt Ro Landowner Name: Hat Tanner e H fue 74 Signature of Water Well Contractor

County: <u>Jackson</u> Permit #:	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631		For Office Use Only:	
Drille Coast Water UEIISRU.			Well #:	
Date completed: 10/12/09	(601) 9	961-5210 I-6938 (fax)	Elevation:	
This report should be prepared by the pump installer in de				
installation of pump.			ell Location	
Well Owner Information		Latitude: 30°32'207" Longitude: 088° 44'218		
Owner Name: Pat Tanner				
Mailing Address: Havens Rd.		Method of Lat/Long (circle one): Conventional Survey,		
			nd-held GPS Survey-grade GPS	
Vancicave, MS 39565 City State Zip Code		<u>NW1/2 SE 1/2 Twn T65 Rng K8W</u> Distance Direction Nearest Town <u>3 Miles West of Vandearre</u>		
				Telephone No. (28) 218 - 013
Ритр Туре		Power Type		
Circle one			Circle one	
Air Lift Jet	Submersible	Diesel Engine Gasol	line Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Othe	r (specify):	
Other (specify):		Horse Power Rating of Moto	or: _ HP	
Date Pump Installed: 10/28/09		Setting Depth: 40FT. Drop pipe feet		
Rated Pump Capacity: 8,5	_Gallons Per Minute	Number of Stages:	2	
Pump Test Data			leasuring Water Level	
Date Well Tested: 10 28 01			Circle one	
	Below Land Surface	Air Line Electric Me	easuring Line Steel Tape	
		Other (specify):	<u> </u>	
		For flowing well, measured	shut in head: <u>N/A</u> feet	
Test Pumping Rate: 8.5 Gallons Per Minute		Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):		NA feet after NA hours of pumping		
I HEREBY CERTIFY that the above statem	nents are true to the best of r	ny knowledge.	<u> </u>	
Jack Ridgdell O- Print Name of Pump Installer and License N	-472	Signature of Pump	Ringden	
The route of the mount and boolist r				

• • •