	all Depart	
	ell Report For Office Use Only:	
	art $\nabla = 1/\dot{\nabla}$	
	nd Water Descurres	
	Box 10631 Well #:	
Jackson, M	IS 39289-0631 L. S. Elevation:	
	961-5210	
(601) 35	E-log #:	
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed with the Department within	n
Well Owner Information	Well Location	
Owner Name Danny Woods	Latitude: 30.31 .38% Longitude 018.52 .12.	54
Mailing Address: 15641Allie Byrd Rd	Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
OCEAN Spirings, MS 39565 City State Zip Code	SE 4 SE 4 Sec 10 Twn T65 Rng R94	<i>s</i>
Telephone No. 228 860 - 1224	Distance Direction Nearest Town <u>10 12 Miles West</u> of <u>Nancle Ave</u>	
Weil I	Data	
Purpose of Well (circle one Home Industrial Public Supply	The second secon	
Date well drilling started: <u><u>4-5-1</u> Date w</u>	Irrigation Fish Culture Other:	
If flowing, method of flow regulation: Valve <u>NA</u> Other (de		
Static Water Level:feet above of below circle one) I	and surface Date measured: 4-611	
Method of Measurement (circle one) steel tape electric tape	air line other:	
Hole depth: <u>495 FT.</u> Well depth: <u>495 FT.</u>	Well grouted to a depth offeet	
Type of grout (circle one): Cement Bentonite Mix		
	_inches Type of casing:	
Screen length: <u>15</u> feet Screen diameter: <u>2</u>	_inches Type of screen: <u>PVC</u>	
Screen slot size: <u></u>	480 feet to <u>495</u> feet	
Type of completion (circle all applicable): Gravel packed Under	eamed Telescoped Open hole Natural Development	>
Other (describe):		
Top of lap pipe or reduction in casing: $\frac{N/A}{4}$ feet. If tell	escoped or more than one screen, describe on back of page	
Logs run (circle all applicable: No log run Electric Gamma Ray	Density Sonic Neutron Other:	
Name of organization running log(s): N/A		
I certify that the well was drilled, constructed, and completed in a Department of Environmental Quality and/or the Mississippi Dep		pi
L Of L L II		
Jack Kidgdell 0-472	Refilen BEC	
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor APR	3 201

~

J548

If well telescopes please sketch below and show depths.

Ground Level

Level	Description of Formations Encountered	From	To
	Topsoil Orange.clay Brown Coarse.Sand Blue.clay Broy Medium Sand	1 1 3 0 450	18 37 450 495

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction. the BYAD ROMD Bilowin Rom Xivell 019 anny Woods Landowner Name:

due Signature of Water Well Contractor

APR 1 3 2011 BY: OLIMP

			ELL REPORT	
-1		_	art 2 s Completion Report	For Office Use Only:
County: Jack	SU1	Mississippi Departmer	t of Environmental Quality	Aquifer:
Permit #:		Office of Land	and Water Resources	
Driller: QAST	Nater Wellsk		Box 10631 15 39289-0631	Well #:
Date completed:	-10-11	(601) 961-5210	Elevation:
Date completed1		(601) 3	54-6938 (fax)	
This report sh installation of		the pump installer in deta	il and filed with the Department	nt within 30 days of the
	Well Owner Information			Location (
	annywoo	<u>ids</u>	Latitude: 30.31.58.86	"Longitude: 0857/3.54"
Mailing Address:	15641 Allie	Byraka.	Method of Lat/Long (circle on	
_			USGS quad, Hand	-held GPS Survey-grade GPS
Ģ	<u>) cean Spri</u> City State	<u>NAS MIS 39565</u> Zip Code		Twn T65 Rng R9W
	-	-	Distance Direction	_
Telephone No. 🥁	28 860-122	<u>.4</u>	1012 Miles West of	E VAncleave
	Ритр Туре			wer Type
	Circle one		Ci	rcle one
Air Lift	Jet	Submersible		e Engine Natural Gas
Bucket	Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill Other (specify):
Other (specify):			Horse Power Rating of Motor:	
Date Pump Installe	d: 4-6-1		Setting Depth: SOFT.DY	OPPIPE feet
Rated Pump Capaci	ity:S	Gallons Per Minute	Number of Stages:	2
	Pump Test Dat		I	
	Pump Test Dat	2	Method of Mea	asuring Water Level
Date Well Tested		2		asuring Water Level rcle one
	4-6-11		Ci	rcle one
	4-6-11	ta tet Below Land Surface	Cir Air Line Electric Meas	rcle one
Static Water Level	(A): 60 Fe		Ci	rcle one
Static Water Level Pumping Water Lev	(A): <u>(O)</u> Fe vel (B): <u>N/A</u> Fe	eet Below Land Surface	Cir Air Line Electric Meas	suring Line Steel Tape
Static Water Level Pumping Water Lev Drawdown [(B) – (.	(A): <u>60</u> Fe vel (B): <u>N/A</u> Fe (A)]: <u>N/A</u> Fe	et Below Land Surface	Cir Air Line Electric Meas Other (specify): For flowing well, measured shu	suring Line Steel Tape
Static Water Level Pumping Water Lev Drawdown [(B) – (Test Pumping Rate	4-6-11 (A): 60 Fe vel (B): <u>N/A</u> Fe (A)]: <u>N/A</u> Fe	eet Below Land Surface et Below Land Surface eet Below Land Surface	Ci Air Line Electric Meas Other (specify): For flowing well, measured shu Well yielded	suring Line Steel Tape
Static Water Level Pumping Water Lev Drawdown [(B) – (Test Pumping Rate: Duration of Pump 7	$\begin{array}{c} 4 - 6 - 4 \\ (A): 6 - 6 - 4 \\ (A): 6 - 6 \\ (A): 7 \\$	eet Below Land Surface et Below Land Surface eet Below Land Surface Gallons Per Minute s):4hours	Cir Air Line Electric Meas Other (specify): For flowing well, measured shu Well yielded N Afeet after	suring Line Steel Tape ut in head: <u>NA</u> feet _GPM with a drawdown of
Pumping Water Lev Drawdown [(B) – (Test Pumping Rate: Duration of Pump 7	$\begin{array}{c} 4 - 6 - 4 \\ (A): 6 - 6 - 4 \\ (A): 6 - 6 \\ (A): 7 \\$	eet Below Land Surface et Below Land Surface eet Below Land Surface Gallons Per Minute	Cir Air Line Electric Meas Other (specify): For flowing well, measured shu Well yielded N Afeet after	rcle one suring Line Steel Tape ut in head:
Static Water Level Pumping Water Lev Drawdown [(B) – (. Test Pumping Rate: Duration of Pump T HEREBY CERTI	$\begin{array}{c} 4 - 6 - 4 \\ (A): 6 - 6 - 4 \\ (A): 6 - 6 \\ (A): 7 \\$	eet Below Land Surface et Below Land Surface et Below Land Surface Gallons Per Minute s):hours ements are true to the best o	Cir Air Line Electric Meas Other (specify): For flowing well, measured shu Well yielded N Afeet after	Incle one Suring Line Steel Tape ut in head: GPM with a drawdown of Mhours of pumping

.

111