CUT A UTITA	WELL DEDOOT	
County: Jackson	WELL REPORT Part 1	For Office Use Only:
County:	riller's Log	Well #: 5612
Permit #: Mississippi Depart	ment of Environmental Quality and and Water Resources	Aquifer:
2016	P.O. Box 2309	E-Log #:
	Jackson, MS 39225-2309 (601)961-5210	
	1)360-0535 (fax)	
State Law requires that this report be prepared by the Department at the above address within 30 days of co	license holder responsible for to impletion of drilling of the well to	he work and filed with the or borehole.
Well Owner Information	Well or Bore	hole Location
(Landowner if borehole is not for a water well)	Latitude: 303333334"Lor	ngitude: (1855) 2.22
Owner Name: Troy Businelle Wilson Road	· ·): Conventional Survey,
Mailing Address: VY (150) ROO	USGS quad, Hand-held G	PS, Survey-grade GPS
Manalessa	NEW NE VI Sec.	3 T 65 R 9W
Vanctave Ns 39565 City State Zip Code	41/2 500	1 LARVE RO.
Telephone No. (<u>208)</u> <u>834</u> <u>0</u> 330	(Distance) (Direction)	(Nearest Town)
Well /	Borehole Data	
Date drilling started: 3-2-16 Date drilling completed		Hole diameter: 2"
Location of the source of any surface water used for drill	ing: NA	
Method of dosing and volume of Chlorine used in drilling	and development: GAIRT 100	Obrilling a Galin Well
Logs run (circle all applicable). No log run Electric Gam		
Name of organization running log(s):		
Purpose of borehole (circle one): Water Well Geotechi	nical/Geological Investigation	Ground Source Heat Pump
Seismic Survey Other	(describe)	
If drilling is not related to water well	construction, skip the remainde	r of this block
Purpose of Well (circle all applicable): Home Industrial	Public Supply Irrigation	Fish Culture
Other (describe):		
If a flowing well, method of flow regulation: Valve	Other (describe)	
Static Water Level: 50 feet [above of belo	waland surface Date measure	d: 3-2-16
Method of measurement (circle one): Steel tape Electric	c tape Air line Other (describe):
Well depth 365 Well grouted to a depth of: 10	feet Type of grout (circle one)	: Neat Cement Bentonite Mix
Casing length: 215feet Casing diameter: _		casing: PVC
Screen length: 10 feet Screen diameter:		f screen: PVC
Screen slot size:inches	h: From <u>215</u> feet	to <u>235</u> feet

Type of completion (circle all applicable): Gravel packed

Top of lap pipe or reduction in casing: ________

Other (describe):_

Form: OLWR-SWR-1A (4/13)

Natural Development

Open hole

Underreamed

_feet

If telescoped or more than one screen, describe on next page

	Is <u>Description of formations encountered must be provided</u>
The sketch below only required for water we	and boreholes, unless specifically exempted by regulation.
If well telescopes, show depths on sketch. Ground Level	Description of Formations Encountered From (depth)
Glodid Level	Tep soil Ground level
	orange Clay
	White Coarse Sand 25
	Bran Medium Sand 195
	Stray McCollege 1.3
ļ	
•	
Ί	
	,
.1	
If more than one screen, show location of each on	ketch
2) any permanent structures on the property th	at may aid in locating the well
3) any roads, power lines, or other items that r 4) north arrow	Step many
3) any roads, power lines, or other items that if the property of the state of the	RD PRIVEWAY A MAR S
3) any roads, power lines, or other items that r 4) north arrow	RD PRIVEWAY A MAR S
Landowner Name: Troy Busine! HEREBY CERTIFY that the well/borehole was	Por priveway X well House MAR S drilled, constructed, and completed in accordance with all applica
Landowner Name: Troy Businel HEREBY CERTIFY that the well/borehole was	RD DRIVEWAY A MAR S

,

STATE WELL REPORT

County: Permit # Date completed: 3 Copy information from block on Pa

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601)961-5210

For Office Use O	nly:
Well #: 5012	
Aquifer:	

(601) 260 0525 (604)					
(601) 360-0535 (fax)					
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1					
of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion Well Location					
Mailing Address: Wilson Bood Method of Lat/Long (check one): Conventional Survey					
USGS quad, Hand-held GPS, Survey-grade GPS					
Vancleave, Ms 39565 NE WE 4, Sec 3 T 65 R 9W					
City State Zip Code					
Telephone No. (208) 234-0230 (Distance) South of Lacus Remo (Nearest Town)					
Pump Type (circle one)					
Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe):					
Date Pump Installed: 3-3-6 Rated Pump Capacity: 17.5 Gallons Per Minu					
Is This Pump (circle one): New Repaired Replacement					
Power Type (circle one)					
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe):					
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): Horse Power Rating of Motor: 2 H Setting Depth: 70FT DP feet Number of Stages: 3					
Horse Power Rating of Motor: 2 HP Setting Depth: 70FT DP feet Number of Stages: 3					
Horse Power Rating of Motor: 2 HC Setting Depth: 70FT DP feet Number of Stages: 3 Pump Test Data for Non Flowing Well					
Horse Power Rating of Motor: 2 HP Setting Depth: 70FT DP feet Number of Stages: 3 Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour					
Horse Power Rating of Motor: 2 HC Setting Depth: 70FT DP feet Number of Stages: 3 Pump Test Data for Non Flowing Well					
Horse Power Rating of Motor: 2 HP Setting Depth: 70FT DP feet Number of Stages: 3 Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Setting Depth: 70FT DP feet Number of Stages: 3 Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minut					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minut Method of measurement (circle one): Steel tape Electric tape (Air line) Other (describe):					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minut Method of measurement (circle one): Steel tape Electric tape (Air line) Other (describe): Pump Test Data for Flowing Well					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 5 Gallons Per Minut Method of measurement (circle one): Steel tape Electric tape (Air line) Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet.					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minut Method of measurement (circle one): Steel tape Electric tape (Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: All Number:					
Setting Depth: 70ft DP feet Number of Stages: 3					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minut Method of measurement (circle one): Steel tape Electric tape (Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: All Number:					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minut Method of measurement (circle one): Steel tape Electric tape (Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Manufacturer: Meter Serial Number: Meter Model Number/Name: Type of Meter:					
Pump Test Data for Non Flowing Well Date Well Tested: 3-3-16 Duration of Pump Test (minimum 4 hours): 5 hour Static Water Level (A): 50 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minut Method of measurement (circle one): Steel tape Electric tape (Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. Well yielded GPM with a drawdown of feet after hours of pumping Meter Manufacturer: Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):					

		والمراجع والم والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراج	
I HEREBY CERTIFY that the above statements are true to the	best of my know	wledge	
Jack Ridadell 0-472	3/2/16	July ded fee	
Print Name of Pump Installer and License No. (if applicable)	Date	Signature of Pump Installe	er
Print Name of Fump instance and decise to: (i) approach		Form: OLWR	