	State Well Report	For Office Use Only:	
Tankson	Part 1		
County: JACKSON Miss	issippi Department of Environmental Quality	Aquifer:	
	Office of Land and Water Resources	Well #: K-420	
Permit #:	P.O. Box 10631	1 ' ' 1	
Driller: COASTWATER WELL SERVER	Jackson, MS 39289-0631	L. S. Elevation:	
0-2-04	(601)961-5210		
Date drilling completed: 8-3-04	(601)354-6938 (fax)	E-log #:	
	<b>\</b>		
State Law requires that this report be prepared by the driller in detail and filed with the Department within			
State Law requires that this report be	prepared by the driner in detail and		
30 days of completion of drilling of th	o well.	eli Location	
Well Owner Information			
Tampe Tiailie	Latitude: 30 · 31 · 9	0" Longitud 688 " 42 . 961"	
Owner Name SA			
Mailing Address: 14105 Seaman Ro Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address:			
		eld GPS, Survey-grade GPS	
Vancleave, Ms.	20515 S SE V 5- S	Twn T65 Rng R 7W	
VANCLEAVE MS.	37363 3 4 36 4 Sec_6	I WII	
City State	Zip Code	Nearest Town	
	Zip Code:  Distance Direction  Miles WCST	of Vancleave	
Telephone No. (228) 8 26 - 2536			
	Well Data		
	al Public Supply Irrigation Fish Culture	Other:	
Purpose of Well (circle one) Home Industri	at Thome Cappey	0-3-04	
Purpose of Well (circle one) Home) industrial 7 dolls of Pp.  Date well drilling started: 8-3-04  Date well drilling started: 8-3-04			
Date well drilling started:	41/4		
If flowing, method of flow regulation: ValveOther (describe)			
Static Water Level: 45 feet above or below (circle one) land surface Date measured: 8-3-04			
Static Water Level: 45 feet above on below (circle one) land surface Date measures.			
cain line / other			
Method of Measurement (circle one) steel tape			
Hole depth: 105' Well depth: 105' Well grou!ed to a depth of			
Hole depth: Well depth: with growth and a second s			
Type of grout (circle one): Cement Bentonite Mix			
PIC SCH 40			
Casing length: 95 feet Casing diameter: 2 inches Type of casing:			
Casing length			
Screen length:			
0 C 5001			
man to O-am halo (Natural Development)			
Type of completion (circle all applicable):	A		
	Other (describe):		
Top of lap pipe or reduction in casing: NA feet. If telescoped or more than one screen, describe on back of page			
Tob of tab hips of regression in annual and annual			
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:			
N/ <sub>4</sub>			
Name of organization running log(s):			
Name of organization running log(s):  I certify that the well was driffed, constructed, and completed in accordance with all applicable requirements of the Mississippl  ONLY AND ADDRESS OF THE PROPERTY OF T			
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.			
Department of Edition of the Control			
Tary-Ripsper 0-472 Juli Kingdell			
TACK RIDEDELL		with the same of t	
- A	icense No.	ture of Water Well Contractor	
Print Name of Water Well Contractor and L	iceliae 140.	UCHIEF	

AUG 1 9 2004 BY: OLWR

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lives, or other items that may aid in locating the property and the well;

4) indicate direction.

The Ranger Roads of Roads

Signature of Water Well Contractor

RECEIVED

AUG 19 2004

BY: OLWR

## STATE WELL REPORT

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: K-429		
Elevation:		

This report should be prepared by the pump installer in detainstallation of pump.	l and filed with the Department within 30 days of the
Well Owner Information	Well Location
Owner Name: JAMES Tibilier	Latitude: 30° 31. 900 Longitude: 088° 42.00/
Iziling Address: 14105 SEAMAN Ro.	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Vanclerve, Ms. 39565 City State Zip Code	5 14 SE 14 Sec 85 Twn 165 Rng R 7W
City State Zip Code	Distance Direction Nearest Town
elephone No. (228) 876 - 2536	_/ Miles West of Vandeque
Pump Type Circle one	Power Type Circle one
di Lift Submersible	Diesel Engine Gasoline Engine Natural Gas
ucket Piston Turbine	Electric Motor Hand Tractor PTO
entrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify): 1 HP Gould's SI-10	Horse Power Rating of Motor: 1 HP
Date Pump Installed: 8-4-04	Setting Depth: 60'DROPPIPE feet
ated Pump Capacity: 7.5 Gallons Per Minute	Number of Stages: 2
Pump Test Data	Method of Measuring Water Level
Pate Well Tested: 8-4-04	Circle one
tatic Water Level (A): 45 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape
umping Water Level (B): W/A Feet Below Land Surface	Other (specify):
Prawciown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
est Pumping Rate: 7.5 Gallons Per Minute	Well yielded 7, 5 GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	feet after hours of puraping
I HEFEBY CERTIFY that the above statements are true to the best	of my knowlenge.

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

To Hary Elkins

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

RECEIVED

AUG 19 2004

BY: OLWR