State W	'ell Report	D. Office Visa Online		
Tackson P	art 1	For Office Use Only:		
Mississippi Departmen	t of Environmental Quality and Water Resources	Aquifer: K-425 059		
	Box 10631	1 '		
	IS 39289-0631	L. S. Elevation:		
	961-5210 4-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed v	vith the Department within		
Well Owner Information	1	I Location		
Owner Name R. D. Bangs	Latitude: 30 . 29 . 52	1" Longitude: 088° 38 '696"		
Mailing Address: 10324 SheepHead DR.	Method of Lat/Long (circle of	ne): Conventional Survey,		
	USGS quad, (Hand-hel	d GPS, Survey-grade GPS		
Vancleave MS 39565	· -	5 Twn TGS RngR 7W		
City State Zip Code	Distance Direction	Nearest Town		
Telephone No. (208) 826-0561	Miles SE	of Vancletre		
	Data			
Purpose of Well (circle one) (Home   Industrial Public Supply	Irrigation Fish Culture	Other:		
Purpose of Well (circle one) Home Industrial Public Supply  Date well drilling started: 9-6-04  Date				
Date well drilling started:	well drilling completed:			
If flowing, method of flow regulation: Valve NA Other (describe)				
Static Water Level: 15 feet above or below (circle one) land surface Date measured: 9-6-04				
Method of Measurement (circle one) steel tape electric tap	e air line other:			
Hole depth: 126 Well depth: 126	Well grouted to a depth of	F 10 feet SEP 1 6 200		
Type of grout (circle one): Cement Bentonite Mi		Nom. a		
Casing length: 116 feet Casing diameter: 2 inches Type of casing: PVC BY OLW				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC				
Screen slot size: 1006 inches Setting depth: From 116 feet to 126 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in easing: NA feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s):				
Name of organization running log(s):  I certify that the well was driffed, constructed, and completed in accordance with all applicable requirements of the Mississippi  I certify that the well was driffed, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Jack Ridgdell 0-472	pck	Kidgdell		
Print Name of Water Well Contractor and License No.	Signatur	e of Water Well Contractor		

Ground Level				
	1			

Description of Formations Encountered	From	To
Top Soil Orange & Blue Clay White Medium to Coarse Sand	0	.3
orange & Blue Clay	3	70
White Medium to Charse Sand	70	120
		,
· ·		
		T
		1

If more than one screen, show location of each on sketch

}	RECE	IVE
	RECE SEP 16	2004
	BY: OL	.WF
Johns BAYOU RO		
Sheephead Das	House A	

Signature of Water Well Contractor

## STATE WELL REPORT

## Part 2

County Jackson

Permit #:

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

P.O. Box 10631 Jackson, MS 39289-0631

F	or Office Use Only:
Aquifer:	
Well #:	K-425
Elevation	1;

Date completed:	(601)	)961-5210 54-6938 (fax) Elevation:		
This report should be prepared by the installation of pump.		ll and filed with the Departme	nt within 30 days of	the
Well Owner Information	n	We	ll Location	**************************************
Owner Name: R.D. Bangs		Latitude 30° 29. 529" Longitude: 088° 38.696"		°38.696"
Mailing Address: 10324 Sheep	Head DR	Method of Lat/Long (circle one): Conventional Survey,		arvey,
		USGS quad, Han	d-held GPS, Survey-	grade GPS
Vancleave MS	39565	NE 14 5W 14 Sec 2	5 Twn 765 p	ing R7W
City State	Zip Code	Distance Direction Nearest Town		
Telephone No. 208) 826-0561		4 Miles SE	of Vanclepa	<u>u</u>
Pump Type Circle one			ower Type Circle one	
Air Lift (Jet)	Submersible	Diesel Engine Gasoli	ne Engine	Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	•	Tractor PTO
Centrifugal Rotary	Flowing Well		(specify):	
Other (specify):		Horse Power Rating of Moto	r: 1/2 HP	RECEIVI
Date Pump Installed: 9-7-04		Setting Depth: 40F	Ti Droppipe	SED 1 A and
Rated Pump Capacity: 7.5	Gallons Per Minute	Number of Stages:		SEP 1 6 200 BY: O! W
Pump Test Data			easuring Water Lev	'el
Date Well Tested: 9-7-04			Incie one	
Static Water Level (A): 15' Feet I			· ·	Steel Tape
Pumping Water Level (B): N/A Feet B	selow Land Surface	Other (specify):		
Drawdown [(B) - (A)]: Feet 1	Below Land Surface	For flowing well, measured s	shut in head:	n_feet
	Gallons Per Minute		GPM with a draw	
Duration of Pump Test (minimum 4 hours):	4_hours	feet after	hour	s of pumping
I HEREBY CERTIFY that the above statem	and and the base	of my knowledge		
4		of thy kilowicage.		
David Moye	o (if applicable)	Signature of Pump	Installer	