| Part Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 1051 Dictive Control Marter Well Services P.O. Box 10531 Dack drilling completed: 10-24-05 Date drilling completed: 10-24-05 Date drilling completed: 10-24-05 Control of drilling of the well. | | | en Keport | For Office Use Only: | | | | |
|--|--|-------------------------|---------------------------------|---------------------------------|--|--|--|--|
| Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)954-6938 (fax) State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name JOSON COMO Mailing Address: Polica w Bayou RD Well Data Well | County: JUCKSON | | | | | | | |
| Date drilling completed: | Permit #: | | | | | | | |
| Date drilling completed: 10-34-00 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-3210 (601)361-6938 (fax) State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name JUSON COMO Mailing Address: Potica wrayou RD Mailing Address: Potica wrayou RD Method of Lat/Long (circle one): Conventional Survey, Outside one): Conventional Survey, Outside one): Conventional Survey, Outside one): Conventional Survey, Outside one): Survey-grade GPS Now 1, 56 / 1/2 No Sec 10 Twn 76 Survey-grade GPS Now 1, 56 / 1/2 No Survey | Driller: COAST WATER WULSK | 1 V | | | | | | |
| State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name Jason Como Mailing Address: Polica at Bayou RD Method of LavLong (circle one): Conventional Survey, USGS quad. Hand-held GPD Survey-grade GPS Note of Law Longitude 1888 40 188 10 188 | | Jackson, ivi | | L. S. Elevation: | | | | |
| Well Owner Information Owner Name JOSON COMO Mailing Address: Potica w Bayou RD Well Of Laving (circle one): Conventional Survey. Well Data Well Data Well Data Purpose of Well (circle one): Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10-24-05 Date well drilling completed: 10-24-05 Static Water Level: 40 feet above or celow circle one) land surface Date measured: 10-34-05 Well depth: 105' Well depth: 105' Well depth: 105' Well grouted to a depth of 10 feet Type of grout (circle one): Cement Bentonite Mix Casing length: 15 feet Casing diameter: 2 inches Type of casing: PVC Screen slot size: 1008 inches Setting depth: From 95 feet to 105 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Owner Name JOSON COMD Method of Laving (circle one): Conventional Survey, 100 Method of Laving (circle one): Co | Date driving completes. | | | E-log #: | | | | |
| Owner Name JASON COMO Mailing Address: Potica at Payou RD Mailing Address: Potica at Payou RD Mailing Address: Potica at Payou RD Method of Lat/Long (circle one): Conventional Survey, USGS quad, (Hand-held GPD) Survey-grade GPS Notice State Zip Code Telephone No. 2088 8246 - 28.71 Well Data Purpose of Well (circle one) Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10-24-05 Date well drilling completed: 10-24-05 If flowing, method of flow regulation: Valve MA Other (describe) Static Water Level: 40 feet above or below circle one) land surface Date measured: 10-34-05 Method of Measuremen (circle one) steel tape electric tape for grout (circle one): Cernent Bentonite Mix Casing length: 105 well depth: 105 well depth: Form 95 feet to 105 feet Type of grout (circle one): Cernent Bentonite Mix Casing length: 95 feet Casing diameter: inches Type of screen: PVC Screen slot size: 1008 inches Setting depth: From 95 feet to 105 feet Type of completion (circle all applicable): Gravel packed Underrearned Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run) Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): N/A feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run) Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): N/A feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run) Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): N/A feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run) Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): N/A feet. If telescoped or more than one screen, describ | | | | | | | | |
| Mailing Address: Potica as Bayour RD Method of Lavilong (circle one): Conventional Survey, USGS quad. (Hand-held GPS) Survey-grade GPS | Well Owner Informa | ation | Well | Location | | | | |
| USGS quad. (Hand-held GPS) Survey-grade GPS Vancleage M.S. 39565 State Zip Code | Owner Name Jason Com | 0 | Latitude: 30 · 32 · 95 | Longitude: 088 · 40 · 180 " | | | | |
| Vancleave Ms 39565 City State Zip Code Telephone No. 2088 8840 - 2871 Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10-24-05 Date well drilling completed: 10-24-05 If flowing, method of flow regulation: Valve NA Other (describe) Static Water Level: 40 feet above or below beine one) land surface Date measured: 10-34-05 Method of Measurement (circle one) steel tape electric tape are fine other: Type of grout (circle one): Cernent Bentonite Mix Casing length: 10 feet Screen diameter: 2 inches Type of casing: 100 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: NA feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): NA Tack Ridgall 0-472 | Mailing Address: Potica w | Bayou RD | Method of Lat/Long (circle or | ne): Conventional Survey, | | | | |
| Telephone No. (2018) 8246 - 2871 Well Data Well Data Purpose of Well (circle one Home) Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10-24-05 Date well drilling completed: 10-24-05 If flowing, method of flow regulation: Valve NA Other (describe) Static Water Level: 40 feet above or below circle one) land surface Date measured: 10-24-05 Method of Measurement (circle one) steel tape electric tape flow feet well grouted to a depth of 10 feet Type of grout (circle one): Cement Bentonite Mix Casing length: 15 feet Casing diameter: 2 inches Type of casing: 10-24-05 Screen length: 10 feet Screen diameter: 3 inches Type of screen: 10-25 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): 5 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other: 10 feet Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Jack Riddell 0-472 Distance Miles Frish Culture Other: 10-24-05 Date well drilling completed: 10-24-05 Date well drilling completed: 10-24-05 Date measured: 10-24-05 Well prouted to a depth of 10 feet Mississippi Department of Health regulations and state laws. | | | USGS quad, Hand-held | GPS Survey-grade GPS | | | | |
| Telephone No. (2018) 8246 - 2871 Well Data Well Data Purpose of Well (circle one Home) Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10-24-05 Date well drilling completed: 10-24-05 If flowing, method of flow regulation: Valve NA Other (describe) Static Water Level: 40 feet above or below circle one) land surface Date measured: 10-24-05 Method of Measurement (circle one) steel tape electric tape flow feet well grouted to a depth of 10 feet Type of grout (circle one): Cement Bentonite Mix Casing length: 15 feet Casing diameter: 2 inches Type of casing: 10-24-05 Screen length: 10 feet Screen diameter: 3 inches Type of screen: 10-25 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): 5 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other: 10 feet Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Jack Riddell 0-472 Distance Miles Frish Culture Other: 10-24-05 Date well drilling completed: 10-24-05 Date well drilling completed: 10-24-05 Date measured: 10-24-05 Well prouted to a depth of 10 feet Mississippi Department of Health regulations and state laws. | Vancieave M. | s 39565 | NW 1/4 SE 1/4 Sec / 10 | Twn T65 Rng R7W | | | | |
| Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 10-24-05 Date well drilling completed: 10-24-05 If flowing, method of flow regulation: Valve | · _ | | Distance Direction Miles Exage | Nearest Town of Vanclessee | | | | |
| Date well drilling started: | | Well I | Data | | | | | |
| Date well drilling started: | Purpose of Well (circle one) Home | lustrial Public Supply | Irrigation Fish Culture | Other: | | | | |
| If flowing, method of flow regulation: Valve | | | | | | | | |
| Static Water Level: | . / | | | | | | | |
| Hole depth: | | | | | | | | |
| Type of grout (circle one): Cement Bentonite Mix Casing length: 95 feet Casing diameter: | Method of Measurement (circle one) s | teel tape electric tape | air line other: | | | | | |
| Casing length: 15 feet Casing diameter: 2 inches Type of casing: PVC Screen length: 10 feet Screen diameter: 3 inches Type of screen: PVC Screen slot size: 1008 inches Setting depth: From 95 feet to 105 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): N/A I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. JACK Ridgell 0-472 Authority | Hole depth: 105' Well de | pth: 105' | Well grouted to a depth of _ | 10 feet | | | | |
| Screen length: | Type of grout (circle one): Cement | Bentonite Mix | | A | | | | |
| Screen slot size: 1008 inches Setting depth: From 95 feet to 105 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: NA feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): NA I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. TACK Ridgdell 0-472 Authority Tack Ridgdell 0-472 Authority Tack Ridgdell 0-472 | | _ | inches Type of casing: | · • | | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. TACK Riddell 0-472 August August 1. | Screen length: 10 feet Screen | een diameter: | inches Type of screen: | PVC | | | | |
| Other (describe): Top of lap pipe or reduction in casing: No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Tack Ridgdell 0-472 Added Added O-472 Added Added O-472 | Screen slot size:inches | Setting depth: From_ | 95feet to/ | OS feet | | | | |
| Top of lap pipe or reduction in casing: | Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | | | | | |
| Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Tack Ridgdell 0-472 Jack Ridgdell 0-472 | | Other (describe): | | | | | | |
| Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Jack Ridgdell 0-472 Jack Ridgell | Top of lap pipe or reduction in casing: NA feet. If telescoped or more than one screen, describe on back of page | | | | | | | |
| I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Jack Ridgdell 0-472 Quila Ridge | Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: | | | | | | | |
| Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Jack Ridgdell 0-472 Jack Ridgell | Name of organization running log(s): | N/A | accordance with all annicable | requirements of the Mississippi | | | | |
| Jack Ridgdell 0-472 Jak Refser | , | | | | | | | |
| Print Name of Water Well Contractor and License No. Signature of Water Well Contractor EIVE | To all O' I do // A |) . (- C | par throat of Month Legaration | . 01. | | | | |
| Print Name of Water Well Contractor and License No. | JUCK Klagdell (| 1-472 | - Jack | EWater Well Contractor | | | | |
| | Print Name of Water Well Contractor and | License No. | Signature of | PECEIVE | | | | |

State Well Report

NOV 17 2005

If well telescopes please sketch below and show depths.

| Ground Level | | | | | |
|--------------|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |

| Description of Formations Encountered | From | To |
|---------------------------------------|------|--|
| 7005011 | 10 | |
| White Clay | 15 | W/ |
| DILLA CLASS | 1/22 | 37 |
| Blue-Clay! White Course Sand | 130 | 1 |
| White Course Dana | 10 | 100 |
| | | \vdash |
| | | \sqcup |
| | | |
| | | L |
| | | |
| | | |
| | | |
| | - | |
| 7000 | - | \vdash |
| | | |
| | | |
| | | \square |
| | | |
| | | 1 1 |
| | | |
| | | |
| | | |
| | | - |
| | | |
| | | |
| | | |
| | | |
| | | |

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

By Maria Ro

Signature of Water Well Contractor

RECEIVED

NOV 17 2005

BY: OLWR

| STATE WELL REPORT | | | | | | |
|--|--|---|---|--|--|--|
| County: JACKSON Permit #: Driller: COAST WATER WELLSRV Date completed: 10-24-05 | Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources | | For Office Use Only: Aquifer: Well #: 477 Elevation: | | | |
| This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. | | | | | | |
| Well Owner Informat | ion | Well Location | | | | |
| Owner Name: JASON COMO | | Latitude: 30°32'054" | Longitude: 088 40 180" | | | |
| Mailing Address: Poticaw Bo | | Method of Lat/Long (circle one): Conventional Survey, | | | | |
| | | USGS quad, Hand-held GPS Survey-grade GPS | | | | |
| Vancteave Ms | 39565 | NW 1/2 5E 1/4 Sec 10 | Twn TES Rng R N W | | | |
| City State | Zip Code | Distance Direction | | | | |
| Telephone No. 228) 826 - 2871 | | | · Vanclance | | | |
| Pump Type Circle one | | Power Type Circle one | | | | |
| Air Lift (et) | Submersible | Diesel Engine Gasolin | e Engine Natural Gas | | | |
| Bucket Piston | Turbine | Electric Motor Hand | Tractor PTO | | | |
| Centrifugal Rotary | Flowing Well | | specify): | | | |
| Other (specify): | ···· | Horse Power Rating of Motor: | 1HP Gowlds | | | |
| Date Pump Installed: 10-25-05 Setting Depth: 60 FT Drop Pipe feet | | | | | | |
| Rated Pump Capacity: | Gallons Per Minute | Number of Stages: | | | | |
| Pump Test Data Method of Measuring Water Level | | | | | | |
| Date Well Tested: 10-25-05 | • | | rele one | | | |
| | | Air Line Electric Mean | suring Line Steel Tape | | | |
| Static Water Level (A): 4 Feet Below Land Surface Pumping Water Level (B): 7 Feet Below Land Surface | | Other (specify): | | | | |
| Drawdown [(B) – (A)]: Feet | | For flowing well, measured shut in head: | | | | |
| Test Pumping Rate: Gallons Per Minute | | | | | | |
| Duration of Pump Test (minimum 4 hours): hours | | | | | | |
| I HEREBY CERTIFY that the above statements are true to the best of my knowledge. | | | | | | |

Print Name of Pump Installer and License No. (if applicable)

Signature of Fump Installer

RECEIVED

NOV 17 2005

BY: OLWR