

# State Well Report

## Part 1

Mississippi Department of Environmental Quality  
Office of Land and Water Resources  
P.O. Box 10631  
Jackson, MS 39289-0631  
(601)961-5210  
(601)354-6938 (fax)

### For Office Use Only:

Aquifer: \_\_\_\_\_  
Well #: K-488  
L. S. Elevation: \_\_\_\_\_  
E-log #: \_\_\_\_\_

County: Jackson  
Permit #: \_\_\_\_\_  
Driller: Const Water Well Serv.  
Date drilling completed: 1-9-06

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

Well Owner Information	Well Location
Owner Name: <u>DJuan Jackson</u>	Latitude: <u>30° 32' 693"</u> Longitude: <u>088° 41' 925"</u>
Mailing Address: <u>5412 Burney RD.</u>	Method of Lat/Long (circle one): <u>41</u> Conventional Survey, <u>55</u>
<u>Vanceleave MS 39566</u>	USGS quad: <u>Hand-held GPS</u> Survey-grade GPS
City State Zip Code	<u>NW 1/4 NW 1/4 Sec 9 Twn T65 Rng R7W</u>
Telephone No. <u>228 596-5800</u>	Distance Direction Nearest Town <u>1</u> Miles <u>NW</u> of <u>Vanceleave</u>

### Well Data

Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: \_\_\_\_\_

Date well drilling started: 1-9-06 Date well drilling completed: 1-9-06

If flowing, method of flow regulation: Valve N/A Other (describe) \_\_\_\_\_

Static Water Level: 50 feet above or below (circle one) land surface Date measured: 1-9-06

Method of Measurement (circle one) steel tape electric tape air line other: \_\_\_\_\_

Hole depth: 290' Well depth: 290' Well grouted to a depth of 10 feet

Type of grout (circle one): Cement Bentonite Mix

Casing length: 280 feet Casing diameter: 2 inches Type of casing: PVC

Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC

Screen slot size: .008 inches Setting depth: From 280 feet to 290 feet

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

Other (describe): \_\_\_\_\_

Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page

Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_

Name of organization running log(s): N/A

I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

Jack Ridgdell 0-472

Print Name of Water Well Contractor and License No.

Jack Ridgdell

Signature of Water Well Contractor

RECEIVED

JAN 26 2006

BY: OLWR



# STATE WELL REPORT

## Part 2

**Pump Installer's Completion Report**  
Mississippi Department of Environmental Quality  
Office of Land and Water Resources  
P.O. Box 10631  
Jackson, MS 39289-0631  
(601)961-5210  
(601)354-6938 (fax)

For Office Use Only:

Aquifer: \_\_\_\_\_

Well #: 12-488

Elevation: \_\_\_\_\_

County: Jackson

Permit #: \_\_\_\_\_

Driller: Coast Water Well Serv.

Date completed: 1-9-06

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.

### Well Owner Information

Owner Name: D'Juan Jackson

Mailing Address: 5412 Burney Rd.

Vandave MS 39565  
City State Zip Code

Telephone No. 228-596-5800

### Well Location

Latitude: 30°32'693" Longitude: 088°41'925"

Method of Lat/Long (circle one): Conventional Survey,

USGS quad, (Hand-held GPS), Survey-grade GPS

NW  $\frac{1}{4}$  NW  $\frac{1}{4}$  Sec 9 Twn T6S Rng R7W

Distance Direction Nearest Town

1 Miles NW of Vandave

### Pump Type Circle one

Air Lift  Jet  Submersible  
Bucket  Piston  Turbine  
Centrifugal  Rotary  Flowing Well

Other (specify): \_\_\_\_\_

Date Pump Installed: 3-28-06

Rated Pump Capacity: 7.5 Gallons Per Minute

### Power Type Circle one

Diesel Engine  Gasoline Engine  Natural Gas   
(Electric Motor)  Hand  Tractor PTO   
Windmill  Other (specify): \_\_\_\_\_

Horse Power Rating of Motor: 1 HP

Setting Depth: 80 FT. Droppipe feet

Number of Stages: 2

### Pump Test Data

Date Well Tested: 3-28-06

Static Water Level (A): 50 Feet Below Land Surface

Pumping Water Level (B): N/A Feet Below Land Surface

Drawdown [(B) - (A)]: N/A Feet Below Land Surface

Test Pumping Rate: 7.5 Gallons Per Minute

Duration of Pump Test (minimum 4 hours): 4 hours

### Method of Measuring Water Level Circle one

(Air Line)  Electric Measuring Line  Steel Tape   
Other (specify): \_\_\_\_\_

For flowing well, measured shut in head: N/A feet

Well yielded 7.5 GPM with a drawdown of

N/A feet after N/A hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Jack Ridgell 0-472

Print Name of Pump Installer and License No. (if applicable)

Jack Ridgell  
Signature of Pump Installer

RECEIVED

MAY 03 2006

BY: OLWR