| State Well Report | | | | |
|---|---|--------------------|--|--|
| Country | Part 1 | r Office Use Only: | | |
| Mississippi Departme | nt of Environmental Quality Aquifer: | | | |
| Permit #: Office of Land | and Water Resources Box 10631 Well #: | K-499 | | |
| Driller OHS WILTEY WELL JAN Jackson. | | ation: | | |
| Date drilling completed. |)961-5210 | | | |
| (601)3 | 54-6938 (fax) E-log #: _ | | | |
| State Law requires that this report be prepared by the 30 days of completion of drilling of the well. | | partment within | | |
| Well Owner Information | Well Location | | | |
| Owner Name Debbie Cornish | Latitude: 30 ° 32 '215" Longitud | le: 088° 42 605° | | |
| Mailing Address: 11504 Hazel Bounds Rd | Method of Lat/Long (circle one): Conver | | | |
| | USGS quad, (Hand-held GPS,) Surv | ey-grade GPS | | |
| Vancleave, NS 39565 City State Zip Code | NW 1/2 5W 1/4 Sec 8 Twn T | ES Rng 703 | | |
| Telephone No. 228217-7310 | Distance Direction Neares | st Town Leave | | |
| Wel | Data | | | |
| Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other: | | | | |
| Date well drilling started: 3-8-06 Date | well drilling completed: 3-9-06 | | | |
| If flowing, method of flow regulation: ValveOther | describe) | | | |
| Static Water Level: 6 feet above on below circle one | | | | |
| Method of Measurement (circle one) steel tape electric tap | e air line other: | | | |
| Hole depth: 315FT. Well depth: 315FT. | Well grouted to a depth of | feet | | |
| Type of grout (circle one): Cement Gentonite Mix | | | | |
| Casing length: 305 feet Casing diameter: | | | | |
| Screen length: 10 feet Screen diameter: | inches Type of screen: PUC | | | |
| Screen slot size: | | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | | |
| Other (describe): | | | | |
| Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page | | | | |
| Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: | | | | |
| Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi | | | | |
| Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. | | | | |
| Jack Ridadell 0-472 | Jack Rilde | u | | |
| Print Name of Water Well Contractor and License No. | Signature of Water Well | Contractor | | |
| <u> </u> | <i>V</i> | RECEIVED | | |

APR 1 0 2006

| Ground Level | | |
|--------------|---|--|
| | | |
| • | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | l | |

| Description of Formations Encountered | From | To |
|---|--|------------------------|
| 760Soil | 0 | 3 |
| Orangeclay | 2 | 2Q |
| Blueclay | ay | 70 |
| Brown Coarse Sandw/Deagravel Blue Clay Gray Coarse Sand | 70 | 174 |
| Blueclay | 1/3 | 372 |
| GrayCoarse Sand | α <i>1</i> 5 | 213 |
| | | \vdash |
| | · · · · · · · | $\vdash \vdash \vdash$ |
| | l | \vdash |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | \sqcup |
| | | \vdash |
| | | \vdash |
| | | |
| | | |
| | | $\vdash \vdash$ |
| | <u> </u> | $\vdash \vdash$ |
| L | Ь | |

If more than one screen, show location of each on sketch

Signature of Water Well Contractor

RECEIVED

APR 1 0 2006

BY: OLWR

STATE WELL REPORT

County: Jackson Permit #: Driller Cast Water Well SRV. Date completed: 3-9-06

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

e of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

| For Office Use Only: | | |
|----------------------|--|--|
| Aquifer: | | |
| Well #: K-499 | | |
| Elevation: | | |

| (001)33 | | | | |
|--|---|--|--|--|
| This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. | | | | |
| Well Owner Information | Well Location | | | |
| Owner Name: Debbie Cornish | Latitude: 3033'315" Longitude: 088°42'605" | | | |
| Mailing Address: 11504 Hazel Bounds RD. | Method of Lat/Long (circle one): Conventional Survey, | | | |
| | USGS quad, Hand-held GPS, Survey-grade GPS | | | |
| Vancleave Ms 39565 | NW 1/2 SW 1/2 Sec 8 Twn 765 Rng R7W | | | |
| City State Zip Code | Distance Direction Nearest Town | | | |
| Telephone No. <u>228) 217 - 7310</u> | 1/2-Miles West of VANCLEAUR | | | |
| Pump Type Power Type | | | | |
| Circle one | Circle one | | | |
| Air Lift Jet Submersible | Diesel Engine Gasoline Engine Natural Gas | | | |
| Bucket Piston Turbine | Electric Motor Hand Tractor PTO | | | |
| Centrifugal Rotary Flowing Well | Windmill Other (specify): | | | |
| Other (specify): | | | | |
| Date Pump Installed: 3-29-06 | Setting Depth: 160FT Drop Pipe feet | | | |
| Rated Pump Capacity: 20 Gallons Per Minute | Number of Stages: | | | |
| | | | | |
| Pump Test Data | Method of Measuring Water Level Circle one | | | |
| Date Well Tested: 3-29-06 | Air Line Electric Measuring Line Steel Tape | | | |
| Static Water Level (A): Feet Below Land Surface | Other (specify): | | | |
| Pumping Water Level (B): NA Feet Below Land Surface | | | | |
| Drawdown [(B) - (A)]: Feet Below Land Surface | For flowing well, measured shut in head:feet | | | |
| Test Pumping Rate: 24 Gallons Per Minute | Well yielded 24 GPM with a drawdown of | | | |
| Duration of Pump Test (minimum 4 hours): 15 hours N/A feet after N/A hours of pumping | | | | |
| | | | | |

| I HEREBY CERTIFY that the above statements are true to the best of | my knowledge | |
|--|-----------------------------|----------|
| John Elkins 0-716P | Julian | |
| Print Name of Pump Installer and License No. (if applicable) | Signature of Pump Installer | <u> </u> |
| | | |