| State W | ell Report |
|--|--|
| _ | eart 1 For Office Use Only: |
| County: UI AL (L/N.) | t of Environmental Quality Aquifer: |
| | and Water Resources Well #: K - 505 |
| 1 5 91 I IVINA INJIATI I I MILI MANA | 30x 10031 |
| | fS 39289-0631 L. S. Elevation: |
| | 961-5210 4-6938 (fax) E-log #: |
| | |
| State Law requires that this report be prepared by the 30 days of completion of drilling of the well. | driller in detail and filed with the Department within |
| Well Owner Information | Well Location |
| Owner Name <u>Fichard SOWCYS</u> | Latitude: 30 · 32 · 139 Longitude: 088 · 40 · 120 |
| Mailing Address: P.OBOX 5234 | Method of Lat/Long (circle one): Conventional Survey, |
| | USGS quad, (Hand-held GPS,) Survey-grade GPS |
| City State Zip Code | SE 1/4 Sec 10 Twn 765 Rng R7W |
| Telephone No. 286 383 - 3990 | Distance Direction Nearest Town 1 2 Miles EAST of Vanclague |
| | |
| Well | Data |
| Purpose of Well (circle one) Home Industrial Public Supply | Irrigation Fish Culture Other: |
| Date well drilling started: 3-30-00 Date w | well drilling completed: 3-30-0U |
| If flowing, method of flow regulation: Valve MA Other (d | |
| Static Water Level:feet above or below circle one) | land surface Date measured: 3-30-00 |
| Method of Measurement (circle one) steel tape electric tape | |
| Hole depth: 124 Well depth: 124 | Well grouted to a depth offeet |
| Type of grout (circle one): Cement Bentonite Mix | |
| Casing length:feet Casing diameter: | inches Type of casing: PVC |
| Screen length:feet Screen diameter: | inches Type of screen: PVC |
| Screen slot size: () inches Setting depth: From | feet to feet |
| Type of completion (circle all applicable): Gravel packed Under | rreamed Telescoped Open hole Natural Development |
| Other (describe): | |
| Top of lap pipe or reduction in casing:feet. If te | lescoped or more than one screen, describe on back of page |
| Logs run (circle all applicable): No log run Electric Gamma Ray | Density Sonic Neutron Other: |
| Name of organization running log(s): I certify that the well was drilled, constructed, and completed in | accordance with all applicable requirements of the Ministral |
| Department of Environmental Quality and/or the Mississippi De | |
| Jack Ridadell 0-492 | Joseph Riddelle |
| Print Name of Water Well Contractor and License No. | Signature of Water Well Contractor |
| | RECEIVE |

MAY 0 3 2006

BY: OLWR

| Ground Level | | From | To |
|--------------|--------------------|---------|----------|
| | TOP 5011 | Q | a |
| | rea clay | 4 | 77 |
| · • | White coarse sand | 4 | |
| | Medium Aunite Cand | ai | 95 |
| | MENIUM WHILL SAFIA | US | bd |
| | | | |
| | | | |
| | | | |
| ļ | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| ! | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| İ | | | |
| | | | |
| | | | \vdash |
| | | | |
| | <u> </u> | | L |

If more than one screen, show location of each on sketch

| Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction. Met3: le Home S: Te R Patteau Bayor RD |
|--|
| Landowner Name: Pichard Sowers |

Signature of Water Well Contractor

RECEIVED

MAY 0 3 2006

BY: OLWR

| | STATE WELL REPORT | | | | | |
|--|---|---|---|--|--|--|
| County: <u>Jackson</u> Permit #: Driller: <u>Coastwater wellsky</u> Date completed: <u>3-30-06</u> | (601)961-5210 (601)354-6938 (fax) | | For Office Use Only: Aquifer: Well #: 4 505 Elevation: | | | |
| This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. | | | | | | |
| Well Owner Information | n | Well Location | | | | |
| Owner Name: Richard Sowers | <u> </u> | Latitude: 30°33'139'' Longitude: 088°40'120'' | | | | |
| Mailing Address: <u>F.O. BOX 523</u> | 34 | Method of Lat/Long (circle one): Conventional Survey, | | | | |
| | | | -held GPS, Survey-grade GPS | | | |
| VANCLEAVE MS- City State | 39565 Zin Code | SE 1/4 NE 1/4 Sec /19 | 16 % Sec 10 Twn T65 Rng R7W | | | |
| Chy Suite | 2.p 0000 | Distance Direction | Nearest Town | | | |
| Telephone No. (288) 280 399 | 0 | 1/2 Miles #35 0 | f Vancleave | | | |
| Pump Type | | Por | wer Type | | | |
| Circle one | | | ircle one | | | |
| Air Lift Jet | Submersible | Diesel Engine Gasolin | ne Engine Natural Gas | | | |
| Bucket Piston | Turbine | Electric Motor Hand | Tractor PTO | | | |
| Centrifugal Rotary | Flowing Well | Windmill Other (| (specify): | | | |
| Other (specify): | | Horse Power Rating of Motor: | | | | |
| Date Pump Installed: 4-5-0 V | | Setting Depth: 40 A. Oroppipe feet | | | | |
| Rated Pump Capacity: | Gallons Per Minute | Number of Stages: | 2 | | | |
| Pump Test Data | | Method of Me | asuring Water Level | | | |
| Date Well Tested: 4-5-00 | | | ircle one | | | |
| 110 | selow Land Surface | Air Line Electric Mea | suring Line Steel Tape | | | |
| * 1.A | elow Land Surface | Other (specify): | | | | |
| Drawdown [(B) – (A)]: N/A Feet B | t Below Land Surface For flowing well, measured | | out in head:feet | | | |
| Test Pumping Rate: 8 | Gallons Per Minute Well yieldedGPM with a drawdown of | | | | | |
| Duration of Pump Test (minimum 4 hours): | tion of Pump Test (minimum 4 hours):hours | | | | | |

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Jack Pidgdell 0-472 Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

MAY 0 3 2006

BY: OLWR