| State V | Vell Report | T OT II O II |
|--|----------------------------------|---------------------------------|
| Country (M.M. K. (N. A. 1 | Part 1 | For Office Use Only: |
| Mississippi Departme | nt of Environmental Quality | Aquifer: |
| | and Water Resources | Well #: \(\sigma -509 |
| PS-211 | Box 10631 MS 39289-0631 | L. S. Elevation: |
| · · · · · · · · · · · · · · · · · · · |)961-5210 | L. S. Elevation. |
| (601)3. | 54-6938 (fax) | E-log #: |
| State Law requires that this report be prepared by th 30 days of completion of drilling of the well. | e driller in detail and filed w | rith the Department within |
| Well Owner Information | | l Location |
| Owner Name Go Evans | Latitude: 30.29 .535 | |
| Mailing Address: RUSS JR | Method of Lat/Long (circle or | ne): Conventional Survey, |
| | USGS quad, Hand-held | GPS Survey-grade GPS |
| Vancleave MS 39565 City State Zip Code | NW 145E 1/4 Sec 25 | Twn 765 Rng R7 W |
| Telephone No. (601) 938 -3571 | Distance Direction 31/2 Miles SE | Nearest Town of Vancleure |
| Well | Data | |
| Purpose of Well (circle on Home Industrial Public Supply | Irrigation Fish Culture | Other: |
| Date well drilling started: 5-12-06 Date | _ | |
| If flowing, method of flow regulation: ValveOther (| | |
| Static Water Level:feet above on below (circle one) | land surface Date measured: | 5-12-00 |
| Method of Measurement (circle one) steel tape electric tap | e air line other: | |
| Hole depth: 135' Well depth: 135' | Well grouted to a depth of | 10 feet MECE |
| Type of grout (circle one): Cement Bentonite Mix | | JUN 15 2 |
| Casing length: 15 feet Casing diameter: 2 | inches Type of casing: | PUC BY: OLU |
| Screen length: 10 feet Screen diameter: 2 | inches Type of screen: | PVC |
| Screen slot size: inches Setting depth: From | | feet feet |
| Type of completion (circle all applicable): Gravel packed Unde | • • | hole Natural Development |
| Other (describe): | | |
| Top of lap pipe or reduction in casing: NA feet. If t | elescoped or more than one scr | een, describe on back of page |
| Logs run (circle all applicable): No log run Electric Gamma Ra | y Density Sonic Neutron | Other: |
| Name of organization running log(s): I certify that the well was drilled, constructed, and completed in | accordance with all applicable | requirements of the Mississippi |
| Department of Environmental Quality and/or the Mississippi De | epartment of Health regulation | s and state laws. |
| Jack Ridgdell 0-472 | Ind | Pardul |
| Print Name of Water Well Contractor and License No. | Samatura of | Water Well Contractor |

| Ground Level | | | |
|--------------|--|--|--|
| | | | |
| • | | | |
| | | | |
| | | | |

| Description of Formations Encountered | From | To |
|--|---------------|--|
| TOPSOIL | | 3 |
| white Charse Sand Blue Clay Gray Coarse Sand | 19 | 122 |
| white coarse sand | 144 | 99 |
| Blue Clay | 700 | 190 |
| Gray Chuse Sana | 100 | 100 |
| | - | \vdash |
| | + | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | <u> </u> | ↓ |
| | | |
| | | |
| | + | + |
| | + | + |
| | | 1 |
| | 1 | |
| | | |
| | | |
| | | |

If more than one screen, show location of each on sketch

| aid in | layout and include the following: 1) the well locating the well; 3) any roads, power lines, of licate direction. To HWS Bayou Ro | | |
|-----------------|---|-------------|--------------------------------------|
| | well x | BASS DA | RECEIVEL JUN 1 5 2006 BY: OLWR |
| Landowner Name: | Ed Evans | | |

Signature of Water Well Contractor

STATE WELL REPORT

Part 2 For Office Use Only: County: Jackson **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 K-509 Driller DOIST WOHON WEll STV. Jackson, MS 39289-0631 (601)961-5210 Date completed: 5-12-00 Elevation: (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location Well Owner Information Longitude: Owner Name: Method of Lat/Long (circle one): Conventional Survey. Mailing Address: USGS quad, (Hand-held GPS, Survey-grade GPS NW 4 SE 4 Sec 25 Twn TGS Rng R7 W Distance Direction Nearest Town Telephone No. (601) 928 - 3571 **Power Type** Pump Type Circle one Circle one Submersible Diesel Engine Gasoline Engine Air Lift Natural Gas **Piston Turbine** Electric Motor Hand **Tractor PTO** Bucket Flowing Well Windmill Centrifugal Rotary Other (specify): Other (specify): Horse Power Rating of Motor: Date Pump Installed: Gallons Per Minute Rated Pump Capacity: Number of Stages: JUL 1 3 2006 **Pump Test Data** Method of Measuring Water Circle one Date Well Tested: Air Line **Electric Measuring Line** Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): NA Feet Below Land Surface Drawdown [(B) – (A)]: VA Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of NIA feet after NIA hours of pumping Duration of Pump Test (minimum 4 hours):

| I HEREBY CERTIFY that the above statements are true to the best of | my knowledge. | |
|---|-----------------------------|---|
| Ben Ridgell 0-713P Print Name of Pump Installer and License No. (if applicable) | B. Ridgled | |
| Print Name of Pump Installer and License No. (if applicable) | Signature of Pump Installer | _ |