	State wen keport		For Office Use Only:	
County: Jackson		art 1		
Permit #:	Mississippi Department Office of Land a	t of Environmental Quality nd Water Resources	Aquifer:	
Driller: Coast water Well SN.	P.O. E	lox 10631		
		(S 39289-0631 961-5210	L. S. Elevation:	
Date drilling completed: 11-29-00		4-6938 (fax)	E-log #:	
			ith the Denoutment within	
State Law requires that this rep 30 days of completion of drilling	ort be prepared by the of the well.	driller in detail and liled w	ith the Department within	
Well Owner Informa		Well	Location	
Owner Name Ruby New +	on	Latitude: 30 • 28 · \$30	" Longitude: 08850 974"	
Mailing Address: Joty Lan		Method of Lat/Long (circle or	ne): Conventional Survey,	
		USGS quad Hand-held	GPS, Survey-grade GPS	
Vancteave, n	15 39565 te Zip Code	5w 1/2 NE 1/2 Sec 14	Twn T65 Rng R 76	
Telephone No. 24() 32 U - 11	•	Distance Direction Miles	Nearest Town of Variation	
	Weil I	Data		
Purpose of Well (circle one Home Ind	<u> </u>	_	Other:	
Date well drilling started:	Date w	vell drilling completed:	<u>a9700</u>	
If flowing, method of flow regulation: Valve Other (describe)				
Static Water Level: 35 feet above or below circle one) land surface Date measured: 1-39-06				
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 135 Well dep	oth:135 T	Well grouted to a depth of	1Dfeet	
Type of grout (circle one): Cement	Bentonite Mix			
Casing length: 25 feet Casing diameter:inches Type of casing:				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: DVC				
Screen slot size: <u>DO8</u> inches Setting depth: From <u>I35</u> feet to <u>I35</u> feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:	feet. If tel	escoped or more than one scre	en, describe on back of page	
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): N	JA.			
I certify that the well was drilled, constr				
Department of Environmental Quality a	nd/or the Mississippi Dep	artment of Health regulations	and state laws.	
Jack Ridadell O.	-472	_ hrh	Polypule DENIET	
Print Name of Water Well Contractor and	License No.	Signature of	Water Well Contractor	
			DEC 2 2008	

BY: OLWF

Ground Level		
	! !	

TOP SOIL OYANGE CLAY White Charsesand Pranges White clay Brown coarsesand 90 185	Description of Formations Encountered	From	То
white charses and 18 40 pranaes white clay 40 90	TOD SOIL	Q	3
	orange clay	13	18
	white coarses and	1X	40
BOWN COUNSESCILL TO 100		an	125
	Blown Coursesaid	10	100
		<u> </u>	
		 	
		ļ	
		ļ	ļ
		ļ	
		 	
		 	-

If more than one screen, show location of each on sketch

	Poricke Bu	100 Rp
^		derme lot

Signature of Water Well Contractor

DEC 21 2006 BY: OLWF

STATE WELL REPORT

county: JACKSON Permit #: Date completed:

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

For Office Use Only:		
Aquifer:		
well #: K - 533		
Elevation:		

(601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location Well Owner Information Longitude: 088° 39 Method of Lat/Long (circle one): Conventional Survey, Mailing Address: JOEY Lane USGS quad, (Hand-held GPS) Survey-grade GPS .SW4 NF4 Sec 14 Twn 765 Rng R 7W Distance Direction Nearest Town 2 Miles EAST of VANclean Telephone No. (2018) 326 - 1680 Power Type Pump Type Circle one Circle one Submersible Diesel Engine Gasoline Engine Natural Gas Air Lift Jet Bucket Piston **Turbine** Electric Motor Hand Tractor PTO Flowing Well Windmill Centrifugal Rotary Other (specify): Horse Power Rating of Motor: Other (specify): Date Pump Installed: $\partial -\partial (c - f)$ Setting Depth: Rated Pump Capacity: __ Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 2-26-07 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 55 Feet Below Land Surface Other (specify): Pumping Water Level (B): N/A Feet Below Land Surface Drawdown [(B) - (A)]: N/A Feet Below Land Surface For flowing well, measured shut in head: New feet Test Pumping Rate: 8.5 Gallons Per Minute Well yielded S. GPM with a drawdown of N/A feet after N/A hours of purnping Duration of Pump Test (minimum 4 hours): 4 hours

-	I HEREBY CERTIFY that the above statements are true to the best		
	Jack Ridadell 0-472	Jack Kithe	DECEMBE
l	Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	TILULI VILLE
			and a second

MAR 26 200/