State W	Vell Report						
	Oriller's Log For Office Use Only:						
Parmit # 0 - 780 Mississippi Departmen	t of Environmental Quality Aquifer						
Office of Land a	and Water Resources						
	IS 39289-0631 961-5210 L. S. Elevation:						
(001)	4-6938 (fax) E-log #:						
State Law requires that this report be prepared by the lice	onea haldar rasponsible for d						
Department at the above address within 30 days of comp	letion of drilling of the well or borehole.						
(Landowner if borehole is not for a water well)	Well or Borehole Location						
Owner Name Fargut Allow al Caw	Latitude Bo 92 , 200 Longitude 30 . 30 , 196						
Mailing Address: Method of Lat/Long (circle one): Conventional Survey,							
\mathcal{O}	USGS quad, Hand-held GPS Survey-grade GPS						
1/2 //2 22/11	04 1/4 5E 1/4 Sec 21 Twn 165 Rng R7W						
Vauleau un 39555 City State Zip Code	St.						
_	Distance Direction Nearest Town Miles South of Vandenul						
Telephone No. 238 <u>826 - 2500</u>							
WI II ()							
Well / Borel							
Date drilling started: 2-25-07 Date drilling completed: 2-25-	Hole depth: 120 Hole diameter: 2						
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: Wall 2000 Wales							
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):							
Purpose of borehole (check one): Water WellGeotechnical/Geolo	gical Investigation Ground Source Heat Pump						
Seismic Survey Other (describe)							
If drilling is not related to water well construction	skip the remainder of this block						
Purpose of Well (check one): Home Industrial Fublic Supply_							
If a flowing well, method of flow regulation: Valve Other (describe)							
Static Water Level: feet above or below circle one) land surface Date measured: 2-25-07							
Method of Measurement (circle one) steel tape electric tape air line other:							
Well depth: 120 Well grouted to a depth of 10 feet Type of	of grout (circle one): Neat Cement Bentonite						
Casing length: 110 feet Casing diameter: 2							
Screen length: 10 feet Screen diameter: 2	inches Type of screen: Sch 80 Pla						
	0 feet to 120 feet						
Type of completion (circle all applicable: Gravel packed) Underre							
Other (describe):							

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: _

Form: OLWR-SWR-1A

RECEIVED

MAR 1 3 2007

BY: OLWR

.			Sketch the property layout and aid in locating th 4) a north arrow.	If more than one screen,)	人-	5	49	1	Ground Level	If well telescopes, show denths on sketch
The state of the s	mul TEXONO STOTION	Hugh Fax Rd	Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.	If more than one screen, show location of each on sketch						Speed from 30 120		Yallon 5 0 15	Ground Level (depth) 10 (depth)	Description of Formations Encountered From (Janth)	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

RECEIVED

MAR 1 3 2007

BY: OLWR

STATE WELL REPORT									
Permit #: 0 - 780 Driller: W. 500 Pierde Date completed: 2-25-07 Pump Installer's Mississippi Departmen Office of Land a P.O. H. Jackson, N. (601)	For Office Use Only: Aquifer: Aquifer: Well #:								
Telephone No. (228) 826 - 2500	1 Miles South of Varietare								
Pump Type Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 2-25-07 Rated Pump Capacity: 10 Gallons Per Minute	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: Yor Setland feet Number of Stages: 2								
Pump Test Data Date Well Tested: 2-25-07 Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: Well yielded GPM with a drawdown of feet after hours of pumping								
I HEREBY CERTIFY that the above statements are true to the best of the best of the least of Print Name of Pump Installer and License No. (if applicable)	f my knowledge. Signature of Pump Installer Form: OLWR-SWR-1B								

RECEIVED

MAR 1 3 2007

BY: OLWR