State W	ell Report	
_ A I	art 1	For Office Use Only:
Mississippi Departmen	t of Environmental Quality	Aquifer:
• • • • • • • • • • • • • • • • • • • •	nd Water Resources	Well #: \(\(\) \(
Drillord (1) T Will TT () A IC 11; Dr. V	Box 10631 IS 39289-0631	
4 ~~ ^7 l	961-5210	L. S. Elevation:
(601)354	4-6938 (fax)	E-log #:
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed w	ith the Department within
MS METHOD IST COFFERENCE	Well	Location
Owner Name Vancleave Methodist Church	Latitude: 30 • 32 :37	7" Longitude: <u>188° 41' 190</u> "
Mailing Address: Hwy 57	Method of Lat/Long (circle or	e): Conventional Survey,
		GPS Survey-grade GPS
Vancleave NIS 39565 City State Zip Code		Twn
Telephone No. 2834-3346	Distance Direction Miles	Nearest Town of Vancleave
Well I	Data	
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture	Other:
Date well drilling started: 3-21-07 Date w	vell drilling completed: 3 -	22-07
If flowing, method of flow regulation: Valve NA Other (de	escribe)	
Static Water Level:feet above or oelow circle one) le	and surface Date measured:	3-22-07
Method of Measurement (circle one) steel tape electric tape	air line other:	
Hole depth: 255 FT Well depth: 255 FT Well grouted to a depth of 10 feet		
Type of grout (circle one): Cement Bentonite Mix		,
Casing length: 45 feet Casing diameter:	_inches Type of casing:	PVC
Screen length: 10 feet Screen diameter: 4	_	PVC
Screen slot size: 1008 inches Setting depth: From 345 feet to 355 feet		
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open	hole Natural Development
Other (describe):		
Top of lap pipe or reduction in casing:feet. If telescoped or morε than one screen, describe on back of page		
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:		
Name of organization running log(s): N/A		
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi		
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.		
Jack Ridadell 0-472		COMPECEIVED
Print Name of Water Well Contractor and License No.	Signature of	Water Well Contractor 1 9 2007

If well telescopes please sketch below and show depths.

Ground Level		
·		

Description of Formations Encountered	From	То
TopSoil	0	2
White Clay	13	<u>aa</u>
White Coarse Sand	100	35,
Brown Coarse Sand + Trash	122	871
Blue Clay	194	12
Blue Clay Gray Coarse Sand	23	365
		مرر
		
	 	
	<u> </u>	 -
	1	
	<u> </u>	
	1	
	 	
	-	
	 	
	<u> </u>	L

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;		
4) indicate direction.		
Hwy 57	METHODIST CHURCH Well X Directorist Direct	MASONIC LODGE
		20098
Landowner Name: Vancleave	I methodist Church	

Signature of Water Well Contractor

RECEIVED

APR 13 2007

BY: OLWR

STATE WELL REPORT

Part 2

County: Jackson Permit #:

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:	
Aquifer:	
Well #: K-553	_
Elevation:	

	O. Box 10631 n, MS 39289-0631 Well #: 4-553		
	01)961-5210)354-6938 (fax) Elevation:		
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the			
installation of pump. Well Owner Information	Well Location		
1 '	Latitude: 3032 377" Longitude: 088°41' 190"		
Mailing Address: Hwy 57	Method of Lat/Long (circle one): Conventional Survey,		
	USGS quad, Hand-held GPS Survey-grade GPS		
Vancleave Ms 395125	SE 1/2 NE 1/4 Sec 9 Twn 765 Rng R 7W		
City State Zip Code	Distance Direction Nearest Town		
Telephone No. <u>228</u>) <u>234</u> – <u>3346</u>			
	D. T.		
Pump Type Circle one	Power Type Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor: 11/2 HP		
Date Pump Installed: 3-38-07	Setting Depth: 120FT, Droppipe feet		
Rated Pump Capacity: 20 Gallons Per Minute	Number of Stages:		
Down Took Date	Malada SM		
Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested: 3-28-07	AIT Line Electric Measuring Line Steel Tape		
Static Water Level (A): 50 Feet Below Land Surface	Other (specify):		
Pumping Water Level (B): N/A Feet Below Land Surface	· ·		
Drawdown [(B) – (A)]: NA Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: 20 Gallons Per Minute	Well yielded ZO GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	N/A feet after N/A hours of pumping		

I HEREBY CERTIFY that the above statements are true to the best of n	ny knowledge. July Right	MECEIVED
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	ADD 19 2007

BY: OLWR