State W	ell Report	rı		
	art 1	For Office Use Only:		
Mississippi Departmen	t of Environmental Quality	Aquifer:		
	nd Water Resources Box 10631	Well #: K-554		
Driller, ULST WUTER WELLSNV Jackson, M	IS 39289-0631	L. S. Elevation:		
	961-5210 4-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.				
Well Owner Information		Location		
Owner Name_Wes.SMall	Latitude: 30.30 337	" Longitude: 088 • 40 · 385		
Mailing Address: Paige Bayou Rd.	Method of Lat/Long (circle or	ne): Conventional Survey,		
		GPS, Survey-grade GPS		
Vancleave MS 39565	50 1/4 SE 1/4 Sec 22	<u>5 Twn 775 Rng R7</u>		
City State Zip Code Telephone No. 238 217 - 1193	Distance Direction	Nearest Town of VANCLEARE		
Well Data				
Purpose of Well (circle one Home) Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: $3 - 2(e - 0)$ Date well drilling completed: $3 - 2(e - 0)$				
If flowing, method of flow regulation: Valve N/A Other (describe)				
Static Water Level: <u>5</u> feet above or below (circle one) land surface Date measured: <u>3-26-07</u>				
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: <u>125'</u> Well depth: <u>125'</u> Well grouted to a depth of <u>10</u> feet				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 15 feet Casing diameter: A inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 4VC				
Screen slot size: • 008 inches Setting depth: From _	115 feet to 13	feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: <u>N/A</u> feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): NLA	coordance with all annlicable	requirements of the Mississiani		
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Jack Ridadell 0-472		holden RECEIVED		
Print Name of Water Well Contractor and License No.	Signature of	Water Well Contractor APR 1 9 2007		
		BY: OLW F		

e ³ i 2

K- 554

If well telescopes please sketch below and show depths.

Ground Level

•

۰.

.

Description of Formations Encountered	From To
 Top Soll	Da
White Clay	210
White marse Sand	<u> </u>
White Clay	3035
white course sand	35 83
Whiteclay	- 23 88
Brown Coarse Sand	<u>88/a</u> 0
1	
	-+
l	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction. WATER OAK LAME DRIVEN well, Small Landowner Name: RECEIVED lur APR 19 2007 A Signature of Water Well Contractor BY: OLWR

STATE	WELL REPORT
Permit #: Driller: COAST WATER WELSRV . P Jackso	Part 2 For Office Use Only: Iler's Completion Report Aquifer: tment of Environmental Quality Aquifer: and and Water Resources Well #: 0.0. Box 10631 Well #: 001)961-5210 Elevation:
	detail and filed with the Department within 30 days of the
installation of pump. Well Owner Information	Well Location Latitude: 30°30'327" Longitude: 088°40'285"
Mailing Address: Paige Bayourd.	Latitude: 30°30'A27" Longitude: 088°40'285" Method of Lat/Long (circle one): Conventional Survey,
Vancleave MS 39565 City State Zip Code	USGS quad, fand-held GPS Survey-grade GPS <u>Sw 4 SE 4 Sec 22 Twn T65 Rng R7W</u> Distance Direction Nearest Town 2 Miles SE of Variabeure
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 3-37-07	Windmill Other (specify): Horse Power Rating of Motor: Image: Comparison of the specific property of
Rated Pump Capacity: Gallons Per Minute	Number of Stages:
Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: <u>3-37-07</u> Static Water Level (A): <u>15</u> Feet Below Land Surface Pumping Water Level (B): <u>N/A</u> Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	N/A feet after N/A hours of pumping
HEREBY CERTIFY that the above statements are true to the be TACK RIGGED 0-472 Print Name of Pump Installer and License No. (if applicable)	est of my knowledge. Signature of Pump Installer RECEN APR 1-9
	BY: OL

e • •