| State V | Well Report | | | |
|--|--|--|--|--|
| · · · · · · · · · · · · · · · · · · · | Part 1 For Office Use Only: | | | |
| County Mississippi Departme | ent of Environmental Quality Aquifer: | | | |
| 1 | l and Water Resources Box 10631 Well #: We | | | |
| | . Box 10631 MS 39289-0631 L. S. Elevation: | | | |
| | 1) 961-5210 | | | |
| (601) | 354-6938 (fax) E-log #: | | | |
| State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. | | | | |
| Well Owner Information | Well Location | | | |
| Owner Name Frank Mallette | Latitude: 30-31-997" Longitude 08-43-579 | | | |
| Mailing Address: Little Bluff Place | Method of Lat/Long (circle one): Conventional Survey, | | | |
| | USGS quad, Hand-held GPS Survey-grade GPS | | | |
| Vancleave MS 39565 City State Zip Code | SF 1/2 SW 1/2 Sec 7 Twn T65 Rng R7W | | | |
| Telephone No. 328 2 11 - 6285 | Distance Direction Nearest Town 214 Miles West of Vancleau | | | |
| Wel | l Data | | | |
| Purpose of Well (circle one Home Industrial Public Supply | Irrigation Fish Culture Other: | | | |
| Date well drilling started: 4-30-08 Date well drilling completed: 5-1-08 | | | | |
| If flowing, method of flow regulation: Valve N/A Other (describe) | | | | |
| Static Water Level:feet above or below circle one | Static Water Level: 100 feet above or below circle one) land surface Date measured: 5-1-08 | | | |
| Method of Measurement (circle one) steel tape electric tap | oe air line other: | | | |
| Hole depth: 305 FT Well depth: 305 FT | Well grouted to a depth of 10 feet | | | |
| Type of grout (circle one): Cement Bentonite Mix | · · | | | |
| Casing length: 300 feet Casing diameter: 4 | inches Type of casing: PVC | | | |
| Screen length: 25 feet Screen diameter: 4 | inches Type of screen: | | | |
| Screen slot size: • OOK inches Setting depth: From 300 feet to 305 feet | | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | | |
| Other (describe): | | | | |
| Top of lap pipe or reduction in casing: LA feet. If telescoped or more than one screen, describe on back of page | | | | |
| Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: | | | | |
| Name of organization running log(s): NA I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi | | | | |
| Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. | | | | |
| Jack Ridadell 0-472 | Q Red du | | | |
| Print Name of Water Well Contractor and License No. | | | | |

MAY 1 4 2008

If well telescopes please sketch below and show depths.

| Ground | Level |
|--------|--------|
| Olound | DC TC. |

| Description of Formations Encountered | From | 10 |
|---|---------------|----------|
| Topsoil White Coarse, Sand Blue Clay Gray Coarse, Sand | | \Box |
| William Charse, Sand | 7.3 | 98 |
| Divid Clay | as | 1/2 |
| Blue City | 100 | 336 |
| Gray Coarse Suna | 200 | 300 |
| • | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | <u> </u> |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | L |
| | | L |
| | | i . |
| | | |
| | —— | |
| | - | - |
| | + | |
| , | | |

If more than one screen, show location of each on sketch

| aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property a 4) indicate direction. The Ransey Ro Listle Bloss Ro Ross Ro Ross Ro House Sire House Sire | H WY |
|---|------|
| Landowner Name: Frank Mallette | |

Signature of Water Well Contractor

RECEIVED

MAY 14 2008

BY: OLWR

| STATE WELL REPORT | | | | |
|--|--|--|--|--|
| County: Jackson Pump Installer Mississippi Departme | eart 2 S Completion Report Int of Environmental Quality Aquifer: | | | |
| P.O. | and Water Resources Box 10631 MS 39289-0631 Well #: K-606 | | | |
| Data completed: 5-1-08 (601 |)961-5210 54-6938 (fax) Elevation: | | | |
| This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the | | | | |
| installation of pump. Well Owner Information | Well Location | | | |
| Owner Name: Frank Mallette | Latitude: 30° 31′ 939″ Longitude: 088° 43′ 579″ | | | |
| Mailing Address: <u>Little Bluff Place</u> | Method of Lat/Long (circle one): Conventional Survey, | | | |
| Vancteaux Ms 395105 | USGS quad, (Hand-held GPS,) Survey-grade GPS SE 1/4 SW 1/4 Sec 7 Twin TGS Rng R 7 W | | | |
| Vancleave Ms 39565 City State Zip Code | Distance Direction Nearest Town | | | |
| Telephone No. <u>228</u> 217-6285 | 3'14 Miles West of Vancleave | | | |
| | | | | |
| Pump Type Circle one | Power Type Circle one | | | |
| Air Lift Jet Submersible | Diesel Engine Gasoline Engine Natural Gas | | | |
| Bucket Piston Turbine | Electric Motor Hand Tractor PTO | | | |
| Centrifugal Rotary Flowing Well | Windmill Other (specify): | | | |
| Other (specify): | Horse Power Rating of Motor: 3 HP | | | |
| Date Pump Installed: 5-8-08 | Setting Depth: 180FT. Droppipe feet | | | |
| Rated Pump Capacity: 35 Gallons Per Minute | Number of Stages: 12 | | | |
| Pump Test Data | Method of Measuring Water Level | | | |
| Date Well Tested: 5-8-08 | Circle one | | | |
| Static Water Level (A): 90 Feet Below Land Surface | Air Line Electric Measuring Line Steel Tape | | | |
| Pumping Water Level (B): MA Feet Below Land Surface | Other (specify): | | | |
| Drawdown [(B) - (A)]:Feet Below Land Surface | For flowing well, measured shut in head:feet | | | |
| Test Pumping Rate: 40 Gallons Per Minute | Well yielded / OO GPM with a drawdown of | | | |
| Duration of Pump Test (minimum 4 hours):hours | NA feet after NA hours of pumping | | | |
| | | | | |
| Tack Ridadell 0-472 Jan Ridder | | | | |
| Print Name of Pump Installer and License No. (if applicable) | Signature of Pump Installer | | | |
| | | | | |

WAR OLVAR