State Well Report				
Taleson	Part 1	For Office Use Only:		
County Mississippi Departm	ent of Environmental Quality	Aquifer: K 664		
A	d and Water Resources	Well #:		
	D. Box 10631 L MS 39289-0631			
	01) 961-5210	L. S. Elevation:		
Dute drining completed	354-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the driller in detail and filed with the Department within				
30 days of completion of drilling of the well. Well Owner Information	Wel	l Location		
Owner Name Bruce Waltman	Latitude: 30 · 32 : 34.8	4" Longitude:088. 40.59.16"		
Mailing Address: Breland Rd.	Method of Lat/Long (circle o	ne): Conventional Survey,		
	USGS quad, Hand-held	GPS, Survey-grade GPS		
Vancleave, Ms 39565	SE 1/4 NE 1/4 Sec 9	Twn 765 Rng 27W		
Telephone No. 28 217 - 0687	Distance Direction Miles	Nearest Town of Vandear		
Well Data				
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: 2-22-1				
If flowing, method of flow regulation: Valve Other (describe)				
Static Water Level: 45 feet above of below circle one) land surface Date measured: 2-22-11				
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 347FT, Well depth: 347FT, Well grouted to a depth of 10 feet				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: <u>037</u> feet Casing diameter:inches Type of casing:				
Screen length: 10 feet Screen diameter: inches Type of screen: PVC				
Screen slot size: . CO(p_inches Setting depth: From				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				

FEB 2 8 2011

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

Brack Prime Pri

Signature of Water Well Contractor

RECEIVED

FEB 2 8 2011

BY: OLWR

STATE WELL REPORT				
County: Tickson	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631		For Office Use Only: Aquifer:	
Drille Cast Water WELLSRV.	Jackson, MS 39289-0631		Well #:	
Date completed: 2-22-11	(601) 961-5210 (601) 354-6938 (fax)		Elevation:	
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.				
Well Owner Informat	I I I I I I I I I I I I I I I I I I I		Location	
Owner Name: Bruce Waltma			Longitude: 088 40 59.16"	
Mailing Address: Breland Rd.	. Method of Lat/Long (circle one		e): Conventional Survey,	
	USGS quad, Hand		-held GPS Survey-grade GPS	
Vancleave, M.	15 39565 SF 1/4 NF 1/4 Sec. 9		7 Twn 765 Rng R 7W	
City State	Dip code	Distance Direction	Nearest Town	
Telephone No. (2008) 217-0687 /N Miles of Vandepue		s Vandeme		
Pump Type Circle one			wer Type ircle one	
Air Lift Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well		(specify):	
Other (specify):		Horse Power Rating of Motor:		
Date Pump Installed: 2-33-1		Setting Depth: (QOFT. Drop Pipe feet		
Rated Pump Capacity: 8.5	Gallons Per Minute	Number of Stages: 2		
		17.12.12.12.12.12.12.12.12.12.12.12.12.12.		
		asuring Water Level ircle one		
Date Well Tested: 2-23-1		suring Line Steel Tape		
Static Water Level (A): 45 Feet Below Land Surface Other (specify):			·	
Pumping Water Level (B): NA Feet Below Land Surface		4)/.		
Drawdown [(B) – (A)]: NA Feet	t Below Land Surface For flowing well, measured shut		out in head: MA feet	
Test Pumping Rate: 8.5	Gallons Per Minute Well yielded 22 GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):	hours):hoursNAhours of pumping			

I HEREBY CERTIFY that the above statements are true to the best of my knowledge

Tack Ridgdell 0-472
Print Name of Pump Installer and License No. (if applicable)

FEB 2 8 2011

Signature of Pump Installer