CUT A THE XX/E	
County: Jackson Pa Permit #: Mississippi Department	LL REPORT rt 1 r's Log of Environmental Quality Well #: K724 Aquifer:
Date drilling completed: 1-1-14 (601)9	Aquiter lox 2309 E-Log #: 61-5210 -0535 (fax)
State Law requires that this report be prepared by the licen Department at the above address within 30 days of complete	se holder responsible for the work and filed with the tion of drilling of the well or borehole.
Well Owner Information (Landowner if borehole is not for a water well) Owner Name: Elizabeth anizaro 12521 Jericho Ra	Well or Borehole Location tude: $3^{\circ}32'27.4^{\circ}$ Longitude: $088'43'3.18''$ hod of Lat/Long (check one): Conventional Survey,
Vancleave M5 395/05	is quad, Hand-held GPS_V_, Survey-grade GPS <u>VF_V</u> _NE_V, Sec_7 <u>V</u> T_65 <u>R</u> 7 <u>W</u> <u>V12</u> Miles <u>Wess</u> of <u>Vancleance</u> (Direction) (Nearest Town)
Well / Borel	nole Data
Date drilling started: $1-4-14$ Date drilling completed: $1-4$ Location of the source of any surface water used for drilling: A Method of dosing and volume of Chlorine used in drilling and d	<i>i i</i>
Logs run (circle all applicable). No log run Electric Gamma R	ay Density Sonic Neutron Other:
Name of organization running log(s):	Geological Investigation Ground Source Heat Pump
Purpose of borehole (circle one: Water Well Geotechnical/	Geological investigation Clound sounds now any
Seismic Survey Other (des	
If drilling is not related to water well const	
Purpose of Well (circle all applicable) Home Industrial P	ublic Supply Irrigation Fish Culture
Other (describe):	
If a flowing well, method of flow regulation: Valve	
Static Water Level:	nd surface Date measured: <u>1-7-14</u>
Method of measurement (circle one): Steel tape Electric tape	
	Type of grout (<i>circle one</i>): Neat Cement Bentonite Mix inches Type of casing:
Screen length: <u>Screen diameter</u> <u>Screen diameter</u> <u>Screen slot size</u> : <u>Screen slot size</u>	
	Underreamed Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:	
If telescoped or more than one	screen, describe on next page

- - - - -

Form: OLWR-SWR-1A (4/13)

County:	Jackson
Permit #	:

.

For Office U	se Only:
--------------	----------

Well #: ____K 7.24

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

If well telescopes, show depths on sketch.

		Description of Format	1005 Encountered	From (depth)	
Ground Level		TODSOIL		Ground level	To (depth)
		Brown 3a	nd -	a	TO.
		Drangeci	21 <u>4</u>	To	[00]
		White Coa	Ise Sand	.100	193
		BlueCla		122	ୢୄୠୄୄୄୢଽୄ
		Gray coarse	sand	289	34
	• •	· · · · · · · · · · · · · · · · · · ·			
		-			
	•	· · · ································			
if more than one screen, show	w location of each on sketch	L	1	I	
	Darmenay				
Jin R	An En to no	A CAL			
andowner Name: Eliz HEREBY CERTIFY that the	abeth Caniza well/borehole was drilled,	constructed, and com	e Mississippi Depart	e with all appli ment of Health	cable regulations

County: JOCKSOO	Part 2	For Office Use Only:
Permit #:	Pump Installer's Completion Report	
priller MSt Water Wellsky	Mississippi Department of Environmental Quality	Well #:K724
	Office of Land and Water Resources P.O. Box 2309	
Date completed:	Jackson, MS 39225-2309	Aquifer:
<u>Copy information from block on Part 1</u>	(601)961-5210	
	(601) 360-0535 (fax)	
	d by a licensed water well contractor or a licensed p parts filed with the Department at the above addres	
Well Owner Informati		Location
Owner Name: Elizabeth lan	17Arn 1, 111 10 30 32'27 48	ongitude. 088 48 3.18"
Mailing Address: 13521 Jeric		• · · · · · · · · · · · · · · · · · · ·
Mailing Address:		ne): Conventional Survey,
Atopala, in al		GPS_V, Survey-grade GPS
Vancleave, NS 34		<u>7 T 65 R 700</u>
	Zip Code //2_Miles wer	of Vandem
Telephone No. (251) 366-2	(Distance) (Direction)	(Nearest Town)
	Pump Type (circle one)	<u></u>
Cubmanikia Turkina di lifa Const	ugal Flowing Well Jet Piston Rotary Other (describe).
Date Pump Installed: <u>1-8-14</u>		Gallons Per Minute
Is This Pump (circle one): (New) Re		
	Power Type (circle one)	
	Tractor PTO Windmill Other (describe):	
Electric Diesel Gasoline Natural Gas		·
	PSetting Depth: 100FT DP_feet Numb	
Horse Power Rating of Motor: <u>A H</u>		er of Stages: <u>3</u>
Horse Power Rating of Motor: <u>2 H</u>	Pump Test Data for Non Flowing Well Duration of Pump Test (min	er of Stages: <u>3</u>
Horse Power Rating of Motor: <u>2 H</u> Date Well Tested: <u>1-8-14</u> Static Water Level (A): <u>75</u> Fee	P	nimum 4 hours): hours : Feet Below Land Surface
Horse Power Rating of Motor: <u>2 H</u> Date Well Tested: <u>1-8-14</u> Static Water Level (A): <u>75</u> Fee Drawdown [(B) - (A)]: <u>N/A</u>	Pump Test Data for Non Flowing Well Duration of Pump Test (min t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	timum 4 hours): hours : Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: <u>2 H</u> Date Well Tested: <u>1-8-14</u> Static Water Level (A): <u>75</u> Fee Drawdown [(B) - (A)]: <u>N/A</u>	Pump Test Data for Non Flowing Well Duration of Pump Test (mining the Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: teel tape Electric tape	timum 4 hours): hours : Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: $3H$ Date Well Tested: $1-8-14$ Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A Method of measurement (circle one): S	P	timum 4 hours): hours : Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: Date Well Tested:8-14 Static Water Level (A):75Fee Drawdown [(B) - (A)]:N/A Method of measurement (<i>circle one</i>): S Measured shut in head:feet	Pump Test Data for Non Flowing Well Duration of Pump Test (min t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: teel tape Electric tape (Air line) Other (describe Pump Test Data for Ptowing Well N/A	timum 4 hours): hours Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: $3H$ Date Well Tested: $1-8-14$ Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A Method of measurement (circle one): S	Pump Test Data for Non Flowing Well Duration of Pump Test (min t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: teel tape Electric tape (Air line) Other (describe Pump Test Data for Ptowing Well N/A	timum 4 hours): hours : Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: Date Well Tested:8-14 Static Water Level (A):75Fee Drawdown [(B) - (A)]:N/A Method of measurement (<i>circle one</i>): S Measured shut in head:feet	Pump Test Data for Non Flowing Well Duration of Pump Test (min t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: teel tape Electric tape (Air line) Other (describe Pump Test Data for Ptowing Well N/A	timum 4 hours): hours Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: <u>2</u> H Date Well Tested: <u>1-8-14</u> Static Water Level (A): <u>75</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head: <u>feet</u> Well yielded <u>GPM with a construction</u>	Pump Test Data for Non Flowing Well Duration of Pump Test (mining the Below Land Surface Pump Test Data for Non Flowing Well	timum 4 hours): hours Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: <u>2</u> <u>H</u> Date Well Tested: <u>1-8-14</u> Static Water Level (A): <u>75</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head: <u>feet</u> Well yielded <u>GPM with a construction</u>	Pump Test Data for Non Flowing Well Duration of Pump Test (min t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Water Level (B): teel tape Electric tape Air line Pump Test Data for Ptowing Well Other (describe Pump Test Data for Ptowing Well Meter Installation	hours of pumping
Horse Power Rating of Motor: 2 Date Well Tested: 1 Date Well Tested: 75 Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a compared Meter Manufacturer:	Pump Test Data for Non Flowing Well Duration of Pump Test (min t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: _ teel tape Electric tape Air line Pump Test Data for Ptowing Well Other (describe Pump Test Data for Ptowing Well Meter Installation Meter Serial Number: Meter:	her of Stages:
Horse Power Rating of Motor: 2 Date Well Tested: 1 Date Well Tested: 75 Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a compared Meter Manufacturer:	Pump Test Data for Non Flowing Well Duration of Pump Test (min t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Water Level (B): teel tape Electric tape Air line Pump Test Data for Ptowing Well Other (describe Pump Test Data for Ptowing Well Meter Installation	her of Stages:
Horse Power Rating of Motor: <u>2</u> <u>H</u> Date Well Tested: <u>1-8-14</u> Static Water Level (A): <u>75</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head: <u>feet</u> Well yielded <u>feet</u> Well yielded <u>feet</u> Meter Manufacturer: <u></u> Meter Model Number/Name: <u></u> Totalizer Register Unit and Multiplier F	Pump Test Data for Non Flowing Well Duration of Pump Test (min t Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: _ teel tape Electric tape Air line Pump Test Data for Ptowing Well Other (describe Pump Test Data for Ptowing Well Meter Installation Meter Serial Number: Meter:	imum 4 hours): hours Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: <u>2</u> <u>H</u> Date Well Tested: <u>1-8-14</u> Static Water Level (A): <u>75</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head: <u>feet</u> Well yielded <u>feet</u> Well yielded <u>feet</u> Meter Manufacturer: <u></u> Meter Model Number/Name: <u></u> Totalizer Register Unit and Multiplier F	Pump Test Data for Non Flowing Well Duration of Pump Test (minimate and Surface Pump Test Data for Non Flowing Well	imum 4 hours): hours Feet Below Land Surface /Z_ Gallons Per Minute
Horse Power Rating of Motor: 2 4 Date Well Tested: 1-8-14 Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A Method of measurement (circle one): S Measured shut in head: feet Well yielded feet Meter Manufacturer:	Pump Test Data for Non Flowing Well Pump Test Data for Non Flowing Well	hours of pumping
Horse Power Rating of Motor: 2 4 Date Well Tested: 1-8-14 Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A Method of measurement (circle one): S Measured shut in head:	Pump Test Data for Non Flowing Well Duration of Pump Test (minimate and Surface Pump Test Data for Non Flowing Well	stalled to manufacturer standards.
Horse Power Rating of Motor: 2 4 Date Well Tested: 1 8 14 Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A 14 Method of measurement (circle one): S Measured shut in head: feet Well yielded Meter Manufacturer: Meter Model Number/Name:	P	timum 4 hours):hours
Horse Power Rating of Motor: 2 4 Date Well Tested: 1 8 14 Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A 14 Method of measurement (circle one): S Measured shut in head: feet Well yielded Meter Manufacturer: Meter Model Number/Name:	P	timum 4 hours):hours
Horse Power Rating of Motor: 2 4 Date Well Tested: 1-8-14 Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A Method of measurement (circle one): S Measured shut in head:	Pump Test Data for Non Flowing Well	per of Stages:
Horse Power Rating of Motor: 2 4 Date Well Tested: 1 8 14 Static Water Level (A): 75 Fee Drawdown [(B) - (A)]: N/A 14 Method of measurement (circle one): S Measured shut in head: feet Well yielded Meter Manufacturer: Meter Model Number/Name:	Pump Test Data for Non Flowing Well	timum 4 hours):hours

· . .