County: Jackson Permit #: Driller OSt Water Wellsvc . Date drilling completed: 4-1.5-15	J (601)961-5210	For Office Use Only: Well #:Aquifer: E-Log #:
	(601)360-0535 (fax)	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Well Owner Information	Well or Borehole Location
(Landowner if borehole is not for a water well)	Latitude: 30 31' 4.42" Longitude: 088 41' 26.16"
Owner Name: Lawri Cole	Method of Lat/Long (check one): Conventional Survey,
Mailing Address: Little Bluff ROAD	USGS quad, Hand-held GPS, Survey-grade GPS
Vancleave, MS 39565 City State Zip Code	<u>SE 1/2 SW1/4, Sec 16 T65 R7W</u>
•	(Distance) (Direction) of Venchease (Nearest Town)
Telephone No. 208) 596-7646	(Distance) (Direction) (Nearest Town)
Well / E	Borehole Data
Date drilling started: 41545 Date drilling completed	
Location of the source of any surface water used for drilli	ing: N/A
Method of dosing and volume of Chlorine used in drilling a	
Logs run (circle all applicable): No log run Electric Gam	ma Ray Density Sonic Neutron Other:
Name of organization running log(s):	
Purpose of borehole (circle one): Water Well Geotechr	ical/Geological Investigation Ground Source Heat Pump
Seismic Survey Other	(describe)
If drilling is not related to water well	construction, skip the remainder of this block
Purpose of Well (circle all applicable: Home industrial	Public Supply Irrigation Fish Culture
Other (describe):	
If a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level:feet [above_ov (circle one)	whand surface Date measured: 4-15-15
Method of measurement (circle one): Steel tape Electric	c tape Air line Other (describe):
	feet Type of grout (circle one): Neat Cement Bentonite Mix
Casing length: <u>95</u> feet Casing diameter:	inches Type of casing: YVC
Screen length:feet Screen diameter:	Qinches Type of screen: PVC
Screen slot size: COC inches Setting dept	th: From <u>95</u> feet to <u>105</u> feet
Type of completion (circle all applicable): Gravel packed	Underreamed Open hole Natural Descent
Other (describe):	
Top of lap pipe or reduction in casing:fee	
If telescoped or more that	n one screen, describe on next page
	TANK A

County:	Jackson
Permit #	:

If well telescopes, show depths on sketch.

Fo	r Office Use Only:
Well #:	K151

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Ground Level		Description of Formations Encountered	From (depth)	To (depth)
	<u></u>	TOP Soil-	Ground level	2-10
		prange Clay	1 3	
		Brown Coarse shod	4 60	60
		A Mge W AWDITE CIG	1 82	105
		LOWILCOUSESOIL	1 00	105
· · · · · ·				
		· · · · · · · · · · · · · · · · · · ·		
		1		
		·····		
				
· · · · · · · · · · · · · · · · · · ·				
	•			
f more than one screen, show	w location of each on sketch	L	<u> </u>	<u> </u>
 the well location any permanent structure any roads, power lines 	ures on the property that may a	id in locating the well I locating the property and the well		
 the well location any permanent structure 	ures on the property that may a s, or other items that may aid in	l locating the property and the well		FD
 the well location any permanent structure any roads, power lines 	ures on the property that may a s, or other items that may aid in	id in locating the well a locating the property and the well in the property and the well is the property and the property and the well is the property and the property a		
 any permanent structure any roads, power lines 	ures on the property that may a s, or other items that may aid in	l locating the property and the well	MAY 1120	115
1) the well location 2) any permanent structu 3) any roads, power lines 4) north arrow	ares on the property that may a s, or other items that may aid in the state of the	l locating the property and the well	-	115
1) the well location 2) any permanent structu 3) any roads, power lines 4) north arrow andowner Name:	ures on the property that may a s, or other items that may aid in the state of the	Time Broger same Y sell A mobiletton	MAY 1 1 20 BY: OLV	115 V R
1) the well location 2) any permanent structu 3) any roads, power lines 4) north arrow andowner Name:	ures on the property that may a s, or other items that may aid in the state of the	constructed, and completed in accord	MAY 11 20 BY: OLV	II5 VR licable n regulations
1) the well location 2) any permanent structu 3) any roads, power lines 4) north arrow <u>andowner Name: Law</u> HEREBY CERTIFY that the equirements of the Missis f applicable, and state law Jack Ridad	ures on the property that may a s, or other items that may aid in the state of the	constructed, and completed in accord HIG/15	MAY 1 1 20 BY: OLV	II5 VR licable n regulations

STATE W	ELL REPORT	
County: JACKSON	Part 2	For Office Use Only:
	er's Completion Report nent of Environmental Quality	Well #:K15]
Driller: (Dast) Ater UEISVC Office of La	nd and Water Resources	weit #:
	.O. Box 2309 on, MS 39225-2309	Aquifer:
Copy information from block on Part 1	601)961-5210	
•) 360-0535 (fax)	
This part of the report must be completed by a licensed water of the report must be attached and both parts filed with the L	well contractor or a licensed put Department at the above address v	mp installer. A copy of Part 1 within 30 days of well completion.
Well Owner Information	· Well L	ocation
Owner Name: Lawi Cole	Latitude: 30 31 4.62 Lor	ngitude: 088°41′26./6″
Mailing Address: Little Bluff ROAD	Method of Lat/Long (check one	e): Conventional Survey,
		PS, Survey-grade GPS
Vancleave, MS 39565 City State Zip Code		16 T \$5 R 745
	IN Miles	+ Vanclence
Telephone No. (2018) 596-7646	(Distance) (Direction)	f Vancleaces (Nearest Town)
Pump Ty	pe (circle one)	
Submersible Turbine Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (de	escribe):
Date Pump Installed: 4-16-15		
Is This Pump (circle one): New Repaired Replaceme		
Power Ty	rpe (circle one)	
Electrit Diesel Gasoline Natural Gas, Tractor PTO Win		
Horse Power Rating of Motor:	th: <u>40FTD</u> feet Number	r of Stages:
Pumo Test Nata	for Non Flowing Well	
Date Well Tested: <u>4-16-15</u>		
Date Well Tested: <u>4-16-15</u> Static Water Level (A): <u>25</u> Feet Below Land Surface	Duration of Pump Test (mining Pumping Water Level (B):	NA Feet Below Land Surface
Date Well Tested: <u>4-16-15</u>	Duration of Pump Test (mining Pumping Water Level (B):	
Date Well Tested: <u>4-16-15</u> Static Water Level (A): <u>25</u> Feet Below Land Surface Drawdown [(B) - (A)]: NIA	Duration of Pump Test (mininger Pumping Water Level (B):	NA Feet Below Land Surface
Date Well Tested: <u>4-16-15</u> Static Water Level (A): <u>25</u> Feet Below Land Surface Drawdown [(B) - (A)]: <u>N[A</u> Feet Below Land Sur Method of measurement (<i>circle one</i>): Steel tape Electric t	Duration of Pump Test (mininger Pumping Water Level (B):	NA Feet Below Land Surface
Date Well Tested: <u>4-16-15</u> Static Water Level (A): <u>25</u> Feet Below Land Surface Drawdown [(B) - (A)]: <u>N[A</u> Feet Below Land Sur Method of measurement (<i>circle one</i>): Steel tape Electric t	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: rape Air line_) Other (describe):	NA Feet Below Land Surface
Date Well Tested: 4-16-15 Static Water Level (A): 25 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Method of measurement (circle one): Steel tape Electric t Pump Test Date	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: rape Air line_) Other (describe):	NIA Feet Below Land Surface
Date Well Tested: 4-16-15 Static Water Level (A): 25 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Date Measured shut in head: GPM with a drawdown of	Duration of Pump Test (<i>minin</i> Pumping Water Level (B): face Test Pumping Rate: face Air Line Other (<i>describe</i>): ta for Flowing Well	NIA Feet Below Land Surface
Date Well Tested: 4-16-15 Static Water Level (A): 25 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Surface Method of measurement (circle one): Steel tape Electric t Pump Test Date Metasured shut in head: feet. Well yielded GPM with a drawdown of	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: fape Air line) Other (describe): inta for Flowing Well NA feet after Installation	NA Feet Below Land Surface
Date Well Tested: 4-16-15 Static Water Level (A): 25 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Date Measured shut in head: GPM with a drawdown of	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate:	NA Feet Below Land Surface
Date Well Tested: 4-16-15 Static Water Level (A): 35 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Date	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: rape Air line_) Other (describe): nta for Flowing Well feet after Installation Meter Serial Number:	NA Feet Below Land Surface
Date Well Tested: 4-16-15 Static Water Level (A): 25 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Sur Method of measurement (circle one): Steel tape Electric t Pump Test Da Measured shut in head: feet. Well yielded feet. Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, ga	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: face Test Pumping Rate: face Air line_) Other (describe): its for Flowing Well N/A feet after installation Meter Serial Number: Al x 1000, etc):	NA Feet Below Land Surface
Date Well Tested: 4-16-15 Static Water Level (A): 35 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Sur Method of measurement (circle one): Steel tape Electric to Pump Test Da Measured shut in head: feet. Well yielded feet. Weter Manufacturer: Meter Model Number/Name:	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: rape Air line_) Other (describe): nta for Flowing Well March Alexandre Serial Number: Installation Meter Serial Number: al x 1000, etc): ment	NA Feet Below Land Surface
Date Well Tested: 4-16-15 Static Water Level (A): 25 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Sur Method of measurement (circle one): Steel tape Electric to Pump Test Date	Duration of Pump Test (minin Pumping Water Level (B): face Test Pumping Rate: face Test Pumping Rate: face Test Pumping Rate: face Test Pumping Rate: Tape Air Line_Other (describe): ta for Flowing Well N/A feet after feet after Installation Meter Serial Number: All x 1000, etc): nent certifying that this meter was installation	NA Feet Below Land Surface Gallons Per Minute
Date Well Tested: 4-16-15 Static Water Level (A): 35 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Date	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: face Test Pumping Rate: face Test Pumping Rate: approved meters is on the MDEQ in the	NA Feet Below Land Surface Gallons Per Minute
Date Well Tested: 4-16-15 Static Water Level (A): 25 Feet Below Land Surface Drawdown [(B) - (A)]: NLA Feet Below Land Surface Drawdown [(B) - (A)]: NLA Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Date Pump Test Date Pump Test Date Measured shut in head: feet. Well yielded feet. Well yielded feet. Well yielded feet. Meter Manufacturer:	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: face Test Pumping Rate: face Test Pumping Rate: face Test Pumping Rate: Table (describe): ta for Frowing Well N feet after Installation Installation Meter Serial Number: Allype of Meter: all x 1000, etc): ment certifying that this meter was insti- pproved meters is on the MDEQ of the best of my knowledge. H_16/15	NA Feet Below Land Surface Gallons Per Minute
Date Well Tested: 4-16-15 Static Water Level (A): 25 Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Surface Drawdown [(B) - (A)]: NIA Feet Below Land Surface Method of measurement (circle one): Steel tape Electric to Pump Test Date Pump Test Date Measured shut in head: feet. Well yielded feet. Well yielded feet. Meter Manufacturer: Meter Model Number/Name:	Duration of Pump Test (mining Pumping Water Level (B): face Test Pumping Rate: face Test Pumping Rate: face Test Pumping Rate: face Test Pumping Rate: Table (describe): ta for Frowing Well N feet after Installation Installation Meter Serial Number: Allype of Meter: all x 1000, etc): ment certifying that this meter was insti- pproved meters is on the MDEQ of the best of my knowledge. H_16/15	NA Feet Below Land Surface Gallons Per Minute