State Well Report					
_	art 1	For Office Use Only:			
wiississippi Department	of Environmental Quality	Aquifer:			
	nd Water Resources lox 10631	Well #: <u>L -/69</u>			
Jackson, W	S 39289-0631	L. S. Elevation:			
Date divining con-prise 52 1 Cr 32 1	961-5210 1-6938 (fax)	E-log #:			
Chart Water Will Service and		ith the Department within			
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and liled w	ith the Department within			
Well Owner Information	Well	Location			
Owner Name Ransom Tyndall JR.	Latitude: 38 ° 32 ' 321	" Longitude: <u>086° 37' 847"</u>			
Mailing Address: 13300 Ware, Lake Rd	Method of Lat/Long (circle or	ne): Conventional Survey,			
		GPS, Survey-grade GPS			
Vancleave MS 39565 City State Zip Code	15 1/2 Sec 7	Twn 765 Rng Rh W			
	Distance Direction	Nearest Town of VAncleave			
Telephone No. (<u>228) 826 - 1133</u>	Miles EAST	of VARCIETA			
Well I	Data				
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture	Other:			
Date well drilling started: 3-1-05 Date w		ſ			
If flowing, method of flow regulation: Valve Other (d.	escribe)				
Static Water Level:feet above or below (circle one) l	and surface Date measured:	3-1-05			
Method of Measurement (circle one) steel tape electric tape	air line other:				
Hole depth: <u>299</u> Well depth: <u>299</u>	Well grouted to a depth of	feet			
Type of grout (circle one): Cement Bentonite Mix					
Casing length: 289 feet Casing diameter:	inches Type of casing:	PVC			
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 000					
Screen slot size: 1006 inches Setting depth: From 289 feet to 299 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Name of organization running log(s): N/A I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi					
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.					
JUCK KJOSOLI V-412 Jak Kuigglile					
Print Name of Water Well Contractor and License No.					

MAR 1 4 2005

BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level		

Description of Formations Encountered	From	To
TOP Soil	0	2
Orange Clay Brown Coarse Sand Blue Clay Gray medium Sand	2	71
Brown Coarse Sand	11	40
Bluecian	40	286
Gray medium Sand	286	279
	l	
	 	
		ļ
		ļ
	<u> </u>	
	_	L

If more than one screen, show location of each on sketch

aid in	yout and include the following: 1) the well location; 2) any permanent structures on the property that may sating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; te direction.
Landowner Name:	ansom Tyndall JR

Signature of Water Well Contractor

RECEIVED

MAR 1 4 2005

BY: OLWR

STATE WELL REPORT

County: TUCKSON Permit #: Driller CMST WATER WELLSTV Date completed: 3-1-05

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: <u>L-169</u>		
Elevation:		

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.

Well Owner Information Well Location

moterination of person	
Well Owner Information	
Owner Name: Ransom Tyndail JR	Latitude: 30°32'3
Mailing Address: 13300 Ware Lake Rd	Method of Lat/Long (ci
	USGS quad
Vancleave MS 39565 City State Zip Code	NE 145W 14 S
City State 2/p code	Distance Direc
Telephone No. <u>228 826 - 1133</u>	4 Miles EAS

	*** CII 230	· Cation	
Latitude: 30°3	2'321" Lo	ngitude: <u>088[°]37′8</u> 41″	
Method of Lat/Long (circle one): Conventional Survey,			
USGS quad, (Hand-held GPS) Survey-grade GPS			
NE 1/2 SW	1/4 Sec	Twn_ <u>765_</u> Rng <i>R6W</i>	
Distance	Direction	Nearest Town	
4 Miles	EAST of 1	/ ancleave	

Pump Type Circle one		Power Type Circle one			
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Ratin	g of Motor: 2H	4
Date Pump Instal	led: <u>3-9-</u>	-05	Setting Depth:	160' DRIPPIN	<u>se</u> feet
Rated Pump Capa	acity: 10	Gallons Per Minute	Number of Stages:	3	

Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: 3-9-05 Static Water Level (A): 85 Feet Below Land Surface Pumping Water Level (B): 74 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):
Drawdown [(B) – (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute	For flowing well, measured shut in head:feet Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours): 6 hours	N/A feet after N/A hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of a	my knowledge.
John Elkins 0-7169	CAN CHI
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

RECEIVED

MAR 1 4 2005

BY: OLWR