Tookoon	Deat 1		For Office Use Only:	
County: JOCKSOO	Part 1 Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources		well #: M - 451	
Driller: Cast Water Wells Ru	P.O. F	30x 10631	<u> </u>	
Date drilling completed: 5-22-06	Jackson, 14.	IS 39289-0631 961-5210	L. S. Elevation:	
Date drilling completed:	` ′	4-6938 (fax)	E-log #:	
	, ,			
State Law requires that this rep		driller in detail and filed w	ith the Department within	
30 days of completion of drilling Well Owner Inform		Well	Location	
Owner Name Jimmy Vice Latitude: 30 · 27 · 865" Longitude: 086 · 30 · 00				
Mailing Address: 9034011e	ie Vice Rd. Method of Latell on		De): Conventional Survey	
INTERINIS VARIESSO. 100-10110	Mailing Address: 4040116V1CERO. Method of Lat/Long (circle one): Conventional Survey, USGS quad, (Hand-held GPS) Survey-grade GPS			
Moss foint n	NS 39562		Twn 76 S Rng R5W	
City Sta	te Zip Code		·	
Telephone No. <u>228) 474 – 284</u>	70	Distance Direction Miles	of HeleNA	
	Well I	Data		
Purpose of Well (circle on Home Inc	lustrial Public Supply	Irrigation Fish Culture	Other:	
Date well drilling started: 5-22	-Olo Date v	vell drilling completed: 5-3	22-06	
If flowing, method of flow regulation: Va	.1 .			
Static Water Level:feet al	pove of below circle one) l	and surface Date measured:_	5-22-06	
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 52' Well de	pth: 52'	Well grouted to a depth of	10 feet	
Type of grout (circle one): Cement	Bentonite Mix		RECE	
Type of grout (circle one): Cement Rentonite Mix Casing length: 42 feet Casing diameter: 2 inches Type of casing: PVC Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC BY 5 2006				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC BV 5 2000			PUC BY 5 2006	
Screen slot size: <u>1008</u> inches Setting depth: From <u>42</u> feet to <u>52</u> feet . OLWA				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
	Other (describe):			
Top of lap pipe or reduction in casing:	N/A feet. If te	lescoped or more than one scr	een, describe on back of page	
Logs run (circle all applicable) No log ru	Electric Gamma Ray	Density Sonic Neutron	Other:	
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
· ·	•	••		
Department of Environmental Quality and/or the Mississippi Department of Health rogulations and state laws.				
Jolk Ridadell O-	472	Section	Richder	
Print Name of Water Well Contractor and	License No.	Signature of	Water Well Contractor	

State Well Report

Ground Level		

Description of Formations Encountered	From To
Description of Formations Encountered	$\Box D \Box A$
Blue Clay White Coarse Sand	2 15
White Coarse Sand	75 52
VIII 10 (2014 20 (2014)	
	 -
	
	
	1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location aid in locating the well; 3) any roads, power lines, or other 4) indicate direction.	on; 2) any permane or items that may aid	ent structures on the prode	operty that may rty and the well;
Ho Use	Vice RD	N	RECEIVEL JUN 1 5 2006 BY: OLWR
Landowner Name: Jimmy Vice			

Signature of Water Well Contractor

STATE WELL REPORT				
County: Jackson Permit #:	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources		For Office Use Only: Aquifer:	
Driller Cartwater Wells RV.	P.O. Box 10631 Jackson, MS 39289-0631		Well #: M- 45/	
Date completed: 5-22-06		961-5210 4-6938 (fax)	Elevation:	
This report should be prepared by the installation of pump.	e pump installer in deta			
Well Owner Information		1	Location	
Owner Name: Timmy Vice		Latitude: 30 37 865" Longitude: 088° 301 00311		
Mailing Address: 9054011eV	ICE RO.	Method of Lat/Long (circle one): Conventional Survey,		
NO - 0-1-1	M 20-10		-held GPS, Survey-grade GPS	
City State Zip Code		SW 14 SE 14 Sec 32	2 Twn <u>TG5</u> Rng <u>R5W</u>	
		Distance Direction Nearest Town		
Telephone No. 288) 474 - 2890		1/2 Miles SSW of Helena		
D T		Do	T	
Pump Type Circle one		Power Type Circle one		
Air Lift Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (specify):	
Other (specify):		Horse Power Rating of Motor: <u>34 H.P.</u>		
<u>.</u> .		Setting Depth: 30FT. Dr	oppipe feet	
Rated Pump Capacity:				
Pump Test Data	Pump Test Data Method of Measuring Water Level			
Date Well Tested: 11-13-06			rcle one	
Static Water Level (A): 10 Feet Below Land Surface			suring Line Steel Tape	
Pumping Water Level (B):Feet Below Land Surface		Other (specify):		
Drawdown [(B) - (A)]:Feet Below Land Surface		For flowing well, measured shu	ut in head: NA feet	
Test Pumping Rate:	Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdow		_GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours): 4 hours NA feet after NA hours of pumping			N/A hours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge Johnny Elkins 0-716 Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer Signature of Pump Installer				
		7	UEC 15 2006	

BY: OLWR