Sta	te Well Report	
County: Jackson Mississinni Dena	Part 1 urtment of Environmental Quality Aquifer:	/mry .
Permit #: Office of]	Land and Water Resources M-4	186
Driller CUST MUTTO OCHI SUV. Jack	son, MS 39289-0631 L. S. Elevation:	
Date drilling completed: <u>7.30-0-7</u> (6	(601)961-5210 01)354-6938 (fax) E-log #:	
State Law requires that this report be prepared t	by the driller in detail and filed with the Department v	 vithin
30 days of completion of drilling of the well. Well Owner Information	Well Location	
Owner Name Harriet Wilkinson	Latitude: 30 . 30 672" Longitude 088. 24	1.83
Mailing Address: 11700 Or Mond Rd.	Method of Lat/Long (circle one): Conventional Surve	
	USGS quad Hand-held GPS Survey-grade GPS	• •
MCSSHOINT MS 39563 City State Zip Code	BE 1/ NE 1/2 Sec 18 Twn 765 Rng	
Telephone No. <u>338</u> , <u>475-403</u>	Distance Direction Nearest Town Miles of	
	Well Data	
Purpose of Well (circle one) Home Industrial Public Su	pply Irrigation Fish Culture Other:	
Date well drilling started: <u>7-30-07</u>	Date well drilling completed: <u>7-31-07</u>	
If flowing, method of flow regulation: Valve N/A o	ther (describe)	
Static Water Level:feet above or below circle	one) land surface Date measured: <u>7-31-07</u>	_
Method of Measurement (circle one) steel tape electric	ic tape air line other:	
Hole depth: 120FT Well depth: 120F	Well grouted to a depth of <u>10</u> feet	
Type of grout (circle one): Cement Bentonite	Mix	
Casing length: $\underline{\prod U}$ feet Casing diameter: $\underline{\rightarrow}$	inches Type of casing: PVC	
Screen length:feet Screen diameter:	inches Type of screen: PVC	
Screen slot size:	romfeet tofeet	
Type of completion (circle all applicable): Gravel packed	Underreamed Telescoped Open hole Natural Develop	oment
Other (describe):		
Top of lap pipe or reduction in casing: N/A feet.	If telescoped or more than one screen, describe on back of	page
Logs run (circle all applicable): No log run Electric Gamm	a Ray Density Sonic Neutron Other:	
Name of organization running log(s): N/A		
Department of Environmental Quality and/or the Mississip	ed in accordance with all applicable requirements of the Mis pi Department of Health regulations and state laws.	sissip
Tack Ridadall Auton) Aldres	
Print Name of Water Well Contractor and License No.	- Jack Hughen	r - 51
This reality of water well contractor and License No.	Signature of Water Well Contractor	+11

ж


M-486

If well telescopes please sketch below and show depths.

Ground Level

Description of Formations Encountered	From	То
TEPSOI ORANGE CLAY WHITE COALSE SAND BIVE CLAY GRAY MED SAND	0	2
ORANGE CLAY		10
WHITE CUARSE SAND	10	30 65
Bive CIAN	30	65
GRAY MAD SAND	65	128
		[
		
		<u> </u>
		<u> </u>
	<u> </u>	†
		┝
L	[L

If more than one screen, show location of each on sketch



Lu Signature of Water Well Contractor

RECEIVED AUG 1 5 2007 BY: OLWR

STATE WI	ELL REPORT			
County: DICKSON Pump Installer' Mississippi Department	art 2 For Office Use Only: s Completion Report Aquifer: and Water Resources Aquifer:			
Conclub brillelisel/ P.O.I	Box 10631 AS 39289-0631 Well #: $M - 486$			
	961-5210 4-6938 (fax) Elevation:			
This report should be prepared by the pump installer in deta	il and filed with the Department within 30 days of the			
installation of pump. Well Owner Information	Well Location			
Owner Name: Harriet Wilkinson	Latitude: 30°30'672'' Longitude: 088° 214'834			
Mailing Address: 11700 Ormond Rd	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
MOSS POINT MS 39562 City State Zip Code	NE 1/ NE 1/ Sec 19 Twn TAS Rng RHW			
	Distance Direction Nearest Town			
Telephone No. 208, 475-4032	5 Miles Enst of Helderg			
Pump Type Circle one	Power Type Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine 🤇	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor: 1 HP			
Date Pump Installed: 7-31-07	Setting Depth: 40FT Drop Pipticet			
Rated Pump Capacity: 10.5 Gallons Per Minute	Number of Stages: 2			
Pump Test Data Date Well Tested: 7-31-07	Method of Measuring Water Level Circle one			
Static Water Level (A): 10 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape			
Pumping Water Level (B): N/A Feet Below Land Surface	Other (specify):			
Drawdown [(B) – (A)]: N/A Feet Below Land Surface	For flowing well, measured shut in head: N/A feet			
Test Pumping Rate: 10.5 Gallons Per Minute	Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):	N/A feet after N/A hours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of				
Tack Ridadell 0-472	my knowledge.			
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer RECEIVED			
	AUG 1 5 2007			

•

.

٠