| State \ | Well Report | <u></u> | |
|--|--------------------------------------|-------------------------------------|--|
| 1 | Part 1 | For Office Use Only: | |
| Mississippi Departm | ent of Environmental Quality | Aquifer: | |
| Permit #: Office of Land | Office of Land and Water Resources | | |
| 1 Deillord III 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Box 10631 MS 39289-0631 | L. S. Elevation: | |
| ا بعد ، بن : | 1)961-5210 | | |
| | 54-6938 (fax) | E-log #: | |
| State Law requires that this report be prepared by the 30 days of completion of drilling of the well. | e driller in detail and filed w | rith the Department within | |
| Well Owner Information | Wel | Location | |
| Owner Name JUStin Dobbs | Latitude: 30.33 500 | " Longitude: <u>188° 29 . 427</u> , | |
| Mailing Address: Hwy 613 | Method of Lat/Long (circle or | ne): Conventional Survey, 25 | |
| | USGS quad, Hand-held | GPS, Survey-grade GPS | |
| MOSS FOINT MS 39512 | 1 | Twn <u>T 6 S</u> Rng <i>R5W</i> | |
| Telephone No. (208) 218-3745 | Distance Direction 2 /4 Miles South | Nearest Town of Big PoiNT | |
| Wel | Data | | |
| Purpose of Well (circle one) Home Industrial Public Supply | Irrigation Fish Culture | Other: | |
| Date well drilling started: 11-6-07 Date | well drilling completed: | -6-07 | |
| If flowing, method of flow regulation: Valve Other | (describe) | 1 | |
| Static Water Level: 35 feet above or below circle one) land surface Date measured: 11-6-07 | | | |
| Method of Measurement (circle one) steel tape electric tape air line other: | | | |
| Hole depth: 143 FT Well depth: 143 FT Well grouted to a depth of 10 feet | | | |
| Type of grout (circle one): Cement Bentonite Mix | | | |
| Casing length: 133 feet Casing diameter: 2 inches Type of casing: PVC | | | |
| Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC | | | |
| Screen slot size: 1004 inches Setting depth: From 133 feet to 143 feet | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | |
| Other (describe): | | | |
| Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page | | | |
| Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other: | | | |
| Name of organization running log(s): | | | |
| I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. | | | |
| 2 | | | |
| Jack Kidgdell 0-472 | - Jack | ingfill | |
| Print Name of Water Well Contractor and License No. | Signature of | Water Well Contractor | |

| Ground Level | | Description of Formations Encountered | From | To |
|--------------------------|-----------------------------------|---------------------------------------|--------|-----|
| | | orange clay w/streaksofsm | 3 | 35 |
| | | White Coarse Sand Blue Clay | 195 | 25 |
| | | Gray low medium To medium Sa | nd 123 | 143 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | - |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| If more than one screen, | , show location of each on sketch | | | |
| 4) indicate dire | bell x Jourse | DRIVEWAY | | |
| ndowner Name: | Huy 613 | SAPACE WINING P.D. | | |
| ndowner Name: Wot | | /~ | | |
| an | L felfer | | | |
| Signature of Water Wel | l Contractor | | | |

If well telescopes please sketch below and show depths.

STATE WELL REPORT Part 2 For Office Use Only: county: Jackson Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 Driller: Coast Water Well SRV. Jackson, MS 39289-0631 (601)961-5210 Date completed: 11-6-07 Elevation: (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location Well Owner Information Latitude: 3035 570 Longitude: 088 29 427" ustin Nobbs Owner Name: 7600 Mailing Address: Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS NW 1/4 Sov 1/4 Sec 4 Twn 765 Rng R 5 W Distance Nearest Town Direction Telephone No. 208 218 - 3765 2/4 Miles SOUTH of Big Point

| Pump Type Circle one | | Power Type Circle one | | | |
|----------------------|--------|-----------------------|-------------------------------------|------------------|-------------|
| Air Lift | (Jet | Submersible | Diesel Engine | Gasoline Engine | Natural Gas |
| Bucket | Piston | Turbine | Electric Motor | Hand | Tractor PTO |
| Centrifugal | Rotary | Flowing Well | Windmill | Other (specify): | |
| Other (specify): | | | Horse Power Ratin | g of Motor:/ ## |) |
| Date Pump Installed: | 11- | 1-07 | Setting Depth: 40FT. Drop Pipe feet | | feet |
| Rated Pump Capacity: | 9 | Gallons Per Minute | Number of Stages: | | |
| | | | | | |

| Pump Test Data | Method of Measuring Water Level Circle one | |
|---|---|--|
| Date Well Tested: 11-7-07 Static Water Level (A): 25 Feet Below Land Surface | Air Line Electric Measuring Line Steel Tape | |
| Pumping Water Level (B): NA Feet Below Land Surface | Other (specify): | |
| Drawdown [(B) – (A)]: NA Feet Below Land Surface | For flowing well, measured shut in head: | |
| Test Pumping Rate: Gallons Per Minute | Well yieldedGPM with a drawdown of | |
| Duration of Pump Test (minimum 4 hours): 4 1/2 hours | feet after N/A hours of pumping | |

| I HEREBY CERTIFY that the above statements are true to the best of | of my knowledge. | |
|--|-----------------------------|--|
| John Elkins 0-716P | John Elhan | |
| Print Name of Pump Installer and License No. (if applicable) | Signature of Pump Installer | |
| · · · | | |