

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED
Jackson

WELL NUMBER *N 2975* CODED

DATE WELL COMPLETED
10-8-99

PERMIT NUMBER

NAME OF DRILLING FIRM
Coast Water Well Service

NAME & MAILING ADDRESS OF LANDOWNER
Mark Crawford
Noble Rd.

WELL LOCATION: SEC *11* TOWNSHIP *8 S* RANGE *8 E*

DISTANCE *4* Miles DIRECTION *SE* of NEAREST TOWN *Ocean Springs*

OTHER LANDMARK

WELL PURPOSE Home Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One):
Submersible, Turbine, Jet, Flowing Well,
Other (Describe) _____

POWER TYPE (Circle One):
 Electric, Tractor, Diesel, Gasoline, Butane,
Other (Describe) _____ H/P *L*

Pump Capacity (GPM) *8.5* No. of Stages *2* Setting Depth _____ FT.

PUMP TEST

Well yielded _____ GPM with
a drawdown of _____ ft.
after _____ hours of pumping

WELL DATA

Well Depth *205'* Casing Diameter (In.) *2"* Casing Length (Ft.) *195'*

Type of Casing *PVC* Hole Depth *205'* Depth to Static Water Level *20'*

LOG DATA

TYPE OF LOG RUN (Circle One): No Log Run
Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe) _____

Name of Organization Running Log

TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed, Underreamed, Telescoped,
 Natural Development, Open Hole, Other
(Describe) _____

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

WELL GROUTED TO A DEPTH OF *20* FEET
Type Grout (circle one): Cement, Bentonite, or Mix

SCREEN DATA

Diameter - Inches *2"* Length - Feet *10'* Slot Size - Inches *.008*

Screen Type *PVC* Depth to Bottom - Feet *205'*

Driller's Remarks

Top of Lap Pipe or Reduction in Casing

FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
<i>Top Soil</i>	<i>0</i>	<i>2</i>			
<i>White Coarse sand</i>	<i>2</i>	<i>50</i>			
<i>Blue clay sh. sand</i>	<i>50</i>	<i>170</i>			
<i>Grey coarse sand</i>	<i>170</i>	<i>205</i>			

IF MORE SPACE IS NEEDED, USE BACK

