County: Mississippi Departme		For Office Use Only:
Mississippi Departme	Part 1	
·	nt of Environmental Quality	Aquifer: () 575
	and Water Resources	Well #:
Date of Carlot and All	Box 10631	
jacksun, i	MS 39289-0631	L. S. Elevation:
) 961-5210 54-6938 (fax)	E-log #:
(661) 5	5 1 0550 (1ax)	
State Law requires that this report be prepared by the	e driller in detail and filed w	ith the Department within
30 days of completion of drilling of the well.		
Well Owner Information	Well	Location
Owner Name Mark Stewart	Latitude: 30 • 27 • 59.4	Longitude: <u>088° 42</u> , <u>31.08</u> ,
Mailing Address: QuaveRd.	Method of Lat/Long (circle or	ne): Conventional Survey,
	USGS quad, Hand-held	GPS, Survey-grade GPS
Vancleave, Ms 39565 City State Zip Code	5 4 N W 1/4 Sec 5	Twn
Telephone No. (208) 218-9431	Distance Direction 31/2 Miles 50.77	Nearest Town of VANCLEAUCE
Well	Data	
Purpose of Well (circle one) Home Industrial Public Supply		Other:
Date well drilling started: 5-11-1 Date		
f flowing, method of flow regulation: ValveOther (. · · · · · · · · · · · · · · · · · · ·
Static Water Level:feet above of below circle one)	land surface Date measured:	5-11-11
Method of Measurement (circle one) steel tape electric tape		
Hole depth: 193 FT. Well depth: 193 FT.	_ Well grouted to a depth of _	10feet
Type of grout (circle one): Cement Bentonite Mix		0.10
Casing length:		
creen length: 10 feet Screen diameter: 2	inches Type of screen:	010
00(-	183 feet to 19	3 feet
creen slot size:		
	erreamed Telescoped Open	hole Natural Development
	erreamed Telescoped Open	hole Natural Development
Type of completion (circle all applicable): Gravel packed Unde		
Other (describe): Op of lap pipe or reduction in casing:	elescoped or more than one scre	een, describe on back of page
Other (describe): Other (describe): Op of lap pipe or reduction in casing: October (describe): Feet. If to the control of	elescoped or more than one scre	een, describe on back of page Other:
Other (describe): Top of lap pipe or reduction in casing: Top of lap pipe or	elescoped or more than one screy y Density Sonic Neutron accordance with all applicable	een, describe on back of page Other:requirements of the Mississippi
Other (describe): Top of lap pipe or reduction in casing: Top of lap pipe or	elescoped or more than one screy y Density Sonic Neutron accordance with all applicable	een, describe on back of page Other:requirements of the Mississippi
Type of completion (circle all applicable): Gravel packed Unde	elescoped or more than one screy y Density Sonic Neutron accordance with all applicable	een, describe on back of page Other:requirements of the Mississippi

Ground Level		

Description of Formations Encountered F		
Topsoil	Q	2
Orange Clay	d	15
orange Coalrse sand	15	37
Blueclay	21	Щ
Gray Coarse Sand	40	<i>13</i> 9
Gray Coarse Sand	130	143
Gray Coarse Sana	147	112

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

Co are Road.

Landowner Name: Mark Stewart.

Signature of Water Well Contractor

RECEIVE

JUN 0 9 2011

RY: OLWR

STATE WELL REPORT

County: Jackson

Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only:		
Aquifer:		
Well #:		
Elevation:		

Date completed: 5-11-11		961-5210 54-6938 (fax)	Elevation:	
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the				
installation of pump. Well Owner Information			Well Location	
Owner Name: MWK SHW	urt_	Latitude: 30°27'59.46 Longitude: 088°42'31.084		088°42′31.08°
Mailing Address: Quave Rd	,	Method of Lat/Lon	g (circle one): Conven	tional Survey,
			uad, Hand-held GPS	
Vancleave, M City State	s 39565	SE 1/2 NW 1/2 Sec 5 Twn T75 Rng R7W		75 Rng R7W
City State	Zip Code	Distance I	Direction Nearest	Town
Telephone No. 608 218 -9 43	<u> </u>	3/2 Miles Sovott of Vanclestve		
Pump Type Circle one		Power Type Circle one		
Air Lift Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket Piston	Turbine	Electric Moto	Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):		Horse Power Rating of Motor:		
Date Pump Installed: 5-12-11		Setting Depth: 60FT. Drop Pipe feet		<u></u> feet
Rated Pump Capacity: 8.5	Gallons Per Minute	Number of Stages:	2	
Pump Test Data		Met	hod of Measuring Wa Circle one	ter Level
Date Well Tested: 5-13-11		Air Line El	lectric Measuring Line	Steel Tape
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface		Other (specify):		
. 114		For flowing well -	pagered that in hand	N/A feet
Orawdown [(B) – (A)]: NA Feet Below Land Surface For flowing well, measured shut in head: NA feet Pumping Rate: 8.5 Gallons Per Minute Well yielded 22 GPM with a drawdown of				
Duration of Pump Test (minimum 4 hours):	Hours	11.	feet after NA	_hours of pumping
· · · · · · · · · · · · · · · · · · ·				

I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.	
Jack Ridadell 0-472	Jak hit der	RECEIVED
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	
	U	LIN O Q 2011