State V	State Well Report			
	Part 1	For Office Use Only:		
Mississippi Departine	nt of Environmental Quality	Aquifer:		
	and Water Resources	Well #:		
1 - 11 - 1 1 A 1 1 A 3 1 TT 1 1 A 1 D 1 1 - E V 1	Box 10631	l /		
Jackson,	MS 39289-0631 .) 961-5210	L. S. Elevation:		
	54-6938 (fax)	E-log #:		
	·			
State Law requires that this report be prepared by th	e driller in detail and filed w	rith the Department within		
30 days of completion of drilling of the well. Well Owner Information	Well	Location		
Owner Name Nonabrochard Joe Lamlinais	•	_" Longitude. C88 . 42 . 45.84		
Mailing Address: 8640 Rose Rd.	Method of Lat/Long (circle or	ne): Conventional Survey,		
	USGS quad, Hand-held	GPS, Survey-grade GPS		
Vancleave, MS 39565 City State Zip Code		V Twn T 75 Rng R7W		
City State Zip Code	SW	No.		
Telephone No. (28) 990-0903	Distance Direction 4 Miles 55 w	Nearest Town of Vanclesure		
Well	Data			
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: 1012 U Date well drilling completed: 1012				
If flowing, method of flow regulation: Valve N/A- Other (describe)				
Static Water Level:feet above of below (circle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 210 FT Well depth: 210 FT. Well grouted to a depth of 10 feet				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: OC feet Casing diameter:inches Type of casing: PVC				
Screen length: 10 feet Screen diameter:inches Type of screen:PVC				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: NA feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): N/A				
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Jack Ridgoll 0-472	Jach	hilden DEPENIER		
Print Name of Water Well Contractor and License No.	Signature of	Water Well Contractor		

If well telescopes please sketch below and show depths.		
Ground Level	Description of Formations Encountered	From To
	TODSOIL	02
	prange clay	2 15
	White coarse Sand	15 30
	Prange Clay	30 60
	White Coarse Sand	60 90
	Blue Clay	90/a
	Gray Medium Sand	120 14
	Blue Clay.	140 18
	Gray medium Sand	180 all

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

Grave Ross

Landowner Name: Norma Brochard / Toe Larglina is

Signature of Water Well Contractor

RECEIVED

OCT 3 1 2011

Lewis Printing - Pascagoula MS (A)

STATE WELL REPORT

County: Jackson Pum Mississipp Offin Driller Water Well SV

Part 2
Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601) 961-5210

For Office Use Only:		
Aquifer:		
Well#: \$585		
Elevation:		

Date completed: 10112111) 961-5210 54-6938 (fax)	Elevation:	
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.				
Well Owner Informat	ion	Well	Location	
Owner Name Nona Brochard /JC	_	Latitude: 30° 28' 3.42" Longitude: 088° 42' 4584		
Mailing Address: 8640 KOSE	z Rd.	Method of Lat/Long (circle one): Conventional Survey,		
		USGS quad, Hand-l	held GPS, Survey-grade GPS	
Vancleave City State	1) 5 39545 Zip Code	SW Nec 5 Twn 775 Rng R 7W Distance Direction Nearest Town		
Telephone No. <u>88990-09</u>	03	4 Miles SSW of VANderve		
Pump Type Circle one		Power Type Circle one		
Air Lift Jet	Submersible	Diesel Engine Gasoline	Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (s	pecify):	
Other (specify):		Horse Power Rating of Motor:		
Date Pump Installed: 10 1311	nstalled: 101311 Setting Depth: 40FT. Drop Pipe feet		plipe feet	
Rated Pump Capacity: 8.5	Gallons Per Minute	Number of Stages:	,	
Pump Test Data M			suring Water Level	
Date Well Tested: 10 13			cle one	
Static Water Level (A):Feet Below Land Surface			uring Line Steel Tape	
, , , , , , , , , , , , , , , , , , , 	Below Land Surface	Other (specify):	10	
Drawdown [(B) – (A)]: NA Feet		For flowing well, measured shut in head:feet		
Test Pumping Rate: 8.5		Well yielded 22 GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):	hours hours	NA feet after NA hours of pumping		

I HEREBY CERTIFY that the above statements are true to the best of Tock Ridgell 0-472. Print Name of Pump Installer and License No. (if applicable)	f my knowledge. Signature of Pump Installer	RECEIVEL
	<i>O</i>	JUT 3 1 2011