State Well Report				
	art 1	For Office Use Only:		
Mississippi Department	of Environmental Quality	Aquifer:		
/)	nd Water Resources	Well #: 4 - 583		
Driller US VUTT WCT SAV Jackson, M	S 39289-0631	L. S. Elevation:		
Date diming completion.	961-5210			
(601)354	I-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed w	rith the Department within		
Well Owner Information		Location		
Owner Name David Lee	Latitude: 30 · 33 · 53	7' Longitude: 08 42, 142.		
Mailing Address: 17010 Thrashlr Lane	Method of Lat/Long (circle or	ne): Conventional Survey,		
	USGS quad Hand-held	GPS, Survey-grade GPS		
Vancleave MS 375765 City State Zip Code	NW 1/2 NW 1/2 Sec 39	Twn		
Telephone No. 28 826 - 4779	Distance Direction Miles NE	Nearest Town of Vancleave		
Well I		1/		
		Other: A/C WATER SOURCE		
Date well drilling started: 7-30-01 Date w		2-01		
If flowing, method of flow regulation: ValveOther (de	escrib e)			
Static Water Level:feet above or below (circle one) la	and surface Date measured:	8-2-07		
Method of Measurement (circle one) steel tape electric tape	air line other:			
Hole depth: Well depth:	Well grouted to a depth of	PVCfeet		
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 60 feet Casing diameter:	_inches Type of casing:	PVC		
Screen length: 1008 feet Screen diameter: 92 inches Type of screen: PVC				
Screen slot size: <u>• 008</u> inches Setting depth: From <u>\$0</u> feet to <u>900</u> feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):	······	·····		
Top of lap pipe or reduction in casing: NA feet. If telescoped or morε than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): NA				
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Jack Ridgdell 0-472	Mile	Reference		
Print Name of Water Well Contractor and License No.	Signature of	Water Well Contractor IVED		

AUG 1 5 2007

BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level				
•	ĺ			

Description of Formations Encountered	From	То
1005011		3
braing Coarse Sand	12	40
Blue Clay White Coarse Sand	140	43
White Coarse Sand	13	74
	-	
	┼	
	+	
	 	
	+	- 7
		\vdash
	 	\vdash
	 	
	 	
	<u> </u>	
	 	
		L

If more than one screen, show location of each on sketch

	aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.
	4) indicate direction.
R V	
ve R	
R	R (
A D	OLD RIVER PO LOOP
Landowner	lame: David Lee

Signature of Water Well Contractor

RECEIVED

AUG 15 2007

BY: OLWR

STATE WELL REPORT				
Pump Installer's Mississippi Departmen Office of Land a P.O. F. Jackson, M. (601) (601) 35.	For Office Use Only: Aquifer: Aquifer: Aquifer: Well #: Q - 5 8 3 Elevation: Elevation:			
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.				
Well Owner Information Owner Name: David Lee Mailing Address: 17010 Thras Wr Lank Vancleave Ms 39515 City State Zip Code Telephone No. 208 8210 - 4779	Well Location Latitude: 35355 Longitude: 088°42'743' Method of Lat/Long (circle one): Conventional Survey, USGS quad, (Hand-held GPS, Survey-grade GPS NW 1/4 NW 1/4 Sec 39 Twn T55 RngR 7W Distance Direction Nearest Town 5 Miles NE of Nawclessee			
Pump Type Circle one	Power Type Circle one			
Air Lift Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed: 8-3-07	Setting Depth: 10FT. Droppipe) feet			
Rated Pump Capacity:Gallons Per Minute	Number of Stages: 9			
Pump Test Data	Method of Measuring Water Level			
Date Well Tested: 8-3-07	Circle one			
Static Water Level (A): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):			
Pumping Water Level (B): Feet Below Land Surface	. 1/.			
Drawdown [(B) – (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	NA feet after NA hours of pumping			
TOCK RIGORIAL 0-472				
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer			
	/ NEUCIVE!			

AUG 15 2007

RECEIVED