
Tefferson Davis	STATE WELL REPORT	
County: Lawrence. Permit #: GRENN WATER WELL & SUPPLY, Driller: INC. Date drilling completed: 5-12-16	Part 1 Driller's Log	For Office Use Only: Well #: A 33 Aquifer:
	(601)360-0535 (fax)	

\$

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Department in the above undress which so days of con	premered withing of the other of the second second
Well Owner Information (Landowner if borehole is not for a water well)	and 27 18.97 Well or Borehole Location 39 58 18.97
Owner Name: Grant Busby	Latitude: 31 43 /4.69 20 ngitude: 89.57 /2.33
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,
480 Rodeo Rd.	USGS quad, Hand-held GPS, Survey-grade GPS
New Hebron, Ms.	$\underline{NW} \stackrel{1}{_{_{_{_{_{_{_{_{_{_{_{_{_{_{_{_{_{_{$
City State Zip Code	2 Miles WEST of NEW HEDRONY
Telephone No. (601) 506-1442	(Distance) (Direction) (Nearest Town)
	orehole Data
Date drilling started: 5-12-16 Date drilling completed:	S-12-16 Hole depth: 75 Hole diameter: 7
Location of the source of any surface water used for drilling	
Method of dosing and volume of Chlorine used in drilling a	nd development: <u>Mudpittgravelpack</u>
Logs run (circle all applicable): No log run Electric Gam	
Name of organization running log(s):	
Purpose of borehole (circle one): Water Well Geotechni	ical/Geological Investigation Ground Source Heat Pump
Seismic Survey Other	(describe)
If drilling is not related to water well c	construction, skip the remainder of this block
Purpose of Well (circle all applicable : Home Industrial	Public Supply Irrigation Fish Culture
Other (describe):	
If a flowing well, method of flow regulation: Valve	
Static Water Level:feet [above or below (circle one)	And surface Date measured: <u>5-12-16</u>
Method of measurement (circle one): Steel tape	
	feet Type of grout (circle one): Neat Cement Rentonite Nix
Casing length: <u>40</u> feet Casing diameter:	
Screen length: 10 feet Screen diameter:	
Screen slot size: <b>OID</b> inches Setting depth	
Type of completion (circle all applicable): Stavel packed	Underreamed Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:feet	ane screen, describe on next page
	n one screen, describe on next page Form: OLWR-SWR-1A (4713)016
	and the second
	By OLWR



STATE WELL REPORT	
County: hace Part 2 For Office Use Only:	7
Permit #: Pump Installer's Completion Report	
Uniter: Uffice of Land and Water Resources	
SUPPLY, INC. 5-13-16         P.O. Box 2309           Date completed:	
Copy information from block on Part 1     Jackson, MS 39225-2309     Aquifer:	
(601) 360-0535 (fax)	
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion	
Well Owner Information Well Location	٦
Owner Name: Gr Am + Busby Latitude: 31°43'14.69 Longitude: 89° 57' 12.33	11
Mailing Address: Method of Lat/Long (check one): Conventional Survey,	
480 RDdFD Rd USGS quad_, Hand-held GPS K, Survey-grade GPS_	
City State 7in Code	
Telephone No. 60() 506-1442 (Distance) (Direction) (Nearest Town)	1
Pump Type (circle one)	7
Submersible) Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe):	
Date Pump Installed: <u>5-13-16</u> Rated Pump Capacity: <u>10</u> Gallons Per Minut	e
Is This Pump (circle one): (New) Repaired Replacement Power Type (circle one)	-
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe):	
Pump Test Data for Non Flowing Well	
Date Well Tested: <u>5-B-lla</u> Duration of Pump Test ( <i>minimum 4 hours</i> ): <u>4</u> hours	
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface	
Drawdown [(B) - (A)]:Feet Below Land Surface Test Pumping Rate:Gallons Per Minute	
Method of measurement (circle one): Steel tage Electric tage Air line Other (describe):	
	7
Pump Test Data for Flowing Well	
Pump Test Data for Flowing Well Measured shut in head:feet.	
Measured shut in head:feet.	
Measured shut in head:feet. Well yieldedGPM with a drawdown offeet afterhours of pumping Meter Installation	
Measured shut in head:feet.         Well-yletdedGPM with a drawdown offeet_afterhours of pumping         Meter Installation         Meter Manufacturer:         Meter Serial Number:	
Measured shut in head:      feet.         Well-yleided      GPM with a drawdown offeet afterhours of pumping         Meter Installation         Meter Manufacturer:      Meter Serial Number:         Meter Model Number/Name:      Type of Meter:	
Measured shut in head:      feet.         Well-ytelded      GPM with a drawdown offeet afterhours of pumping         Meter Installation         Meter Manufacturer:      Meter Serial Number:         Meter Model Number/Name:      Type of Meter:         Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):	
Measured shut in head:      feet.         Well-ytelded      GPM with a drawdown offeet afterhours of pumping         Meter Installation         Meter Manufacturer:      Meter Serial Number:         Meter Model Number/Name:      Type of Meter:         Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):      Reter installed by:         Installation Date:      Meter installed by:	
Measured shut in head:      feet.         Well-ytelded      GPM with a drawdown offeet afterhours of pumping         Meter Installation         Meter Manufacturer:      Meter Serial Number:         Meter Model Number/Name:      Type of Meter:         Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):      Repaired Replacement         Installation Date:      Meter installed by:         Is This Meter (circle one):       New_Repaired Replacement	
Measured shut in head:      feet         Well-ytelded      GPM with a drawdown offeet afterhours of pumping         Meter Installation         Meter Manufacturer:      Meter Serial Number:         Meter Model Number/Name:      Type of Meter:         Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):	
Measured shut in head:      feet.         Well-ytelded      GPM with a drawdown offeet afterhours of pumping         Meter Installation         Meter Manufacturer:      Meter Installation         Meter Model Number/Name:      Meter Serial Number:         Meter Model Number/Name:      Type of Meter:         Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):	2016
Measured shut in head:      feet         Well-ytelded      GPM with a drawdown offeet afterhours of pumping         Meter Installation         Meter Manufacturer:      Meter Serial Number:         Meter Model Number/Name:      Type of Meter:         Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):	2016
Measured shut in head:      feet.         Well-ytelded      GPM with a drawdown offeet afterhours of pumping         Meter Installation         Meter Manufacturer:      Meter Serial Number:         Meter Model Number/Name:      Type of Meter:         Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):	2016

43

. .

٠