State W	ell Report	For Office Use Only:				
Part $1-I$	riller's Log					
County Def Department Mississippi Department	t of Environmental Quality	Aquifer:				
Permit #: 0 - 586 Office of Land at	nd Water Resources Box 2309	Well#: CA7				
Driller TAMES INFLLS Jackson	, MS 39225	L. S. Elevation:				
Date drilling completed: 9-27-/2 (601)96	961- 5210 - 5228 (fax)					
	1	E-log #:				
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. Well or Borehole Location						
Department at the above address within 30 days of comp		rehole Location				
Information on Well Owner (Landowner if borehole is not for a water well)		_ 1				
-\ _\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Latitude: 51 ° 41 '914	" Longitude: 089 ° 53 ' 287"				
Owner Manic_	Method of Lat/Long (circle or	ne): Conventional Survey,				
Mailing Address: 337 Double Ponds Kd	USGS quad, Hand-held	GPS, Survey-grade GPS				
Prentis, M5	NINIK SWK Sec 2					
39474	%-	Nearest Town				
City State Zip Code	Distance Direction S Miles 1000	of President				
Telephone No. (60) 7928175	x *					
Well / Bore	hole Data					
Well both	168	Unite diameter 1				
Date drilling started: 9-27-12 Date drilling completed: 9-27-1	Hole depth:	Hole diameter.				
	Λ.·	†				
Logs run (circle all applicable): No log run Gamma Ray Density Sonic Neutron Other:						
Name of organization minning log(s):						
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump						
If drilling is not related to water well construction, skip the remainder of this block						
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation: Valve Other (describe)						
If a flowing well, memod of now regulation. Various Static Water Level: 90 feet above on below (circle one) land surface Date measured: 9-27-12						
Method of Measurement (circle one) steel tape electric tape air line other:						
Well depth: 166 Well grouted to a depth of 16 feet Type of grout (circle one) Neat Cement Bentonite Mix						
inches Type of casing:						
Screen length: 20 feet Screen diameter: 4	inches Type of screen: _	PVC				
	feet to	feet				
Screen slot size:						
Type of completion (circle an applicable):Other (describe):						
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page						
Form: OLWR-SWR-1A (04/08)						

RECENT JAN 1 4 2013

The sketch below only required for water well	<u>Description of formations encountered</u> wells and boreholes, unless specifically	exempted by reg	<u>ulations</u>
If well telescopes, show depths on sketch.	D. C.	Enom (donth)	To (depth)
Ground Level	Description of Formations Encountered	From (depth) Ground Level	10 (depth)
	Cha	2	40
	3000	90	160
	3 84-0	+ 10 -	100
		 	+
		 	
			┼
		 	
		 	+
			
			<u> </u>
			
			<u> </u>
			T
If more than one screen, show location of ea	ch on skatch		
If more than one screen, show location of ea	ch on sketch		
Class I the appears levent and include the follow	ring: 1) the well location; 2) any permanent structures on the	property that may	,
Sketch the property layout and include the follow	ls, power lines, or other items that may aid in locating the pro	operty and the we	II;
4) a north arrow.	s, power mies, or other name many and a	• •	
4) a north arrow.			l
		и	ł
	Į.	ny	
	}	13	[
	§		
	1		-

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

TAMES WELLS 0-586

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECENT

White Sand Rd

JAN 1 4 2013

BY: OLWR

•	CHES A PERSON WATER	TT DEDADT		
(lell baris		ELL REPORT		
		art 2 Completion Report	For Office Use Only:	
County:	Miceiscinni Departmen	t of Environmental Quality	Aquifer:	
Permit #:	Office of Land and Water Resources P.O. Box 10631		0 47	
Driller: JAMES WELLS	P.O. E Tackson, M	IS 39289-0631	Well#:	
	(601)	961-5210	Elevation:	
Date completed: 9-27-12		4-6938 (fax)		
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the				
installation of pump. Well Owner Informa		Wel	Location	
	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		Longitude: 4089 53-289	
Owner Name: John Polk	1. P. 1. 702	Method of Lat/Long (circle on		
Mailing Address: 337 Dowl	te 10000	i	I-held GPS, Survey-grade GPS	
- nex	tus MS USGS quad, Hand		Twn 8 1 Rng / 9W	
City State	39474 Zip Code	_	•	
City	-	Distance Direction	Nearest Town V T	
Telephone No. (60) 7 9 2 - 8	175 Smiles Mulh		of Newborns	
		200	wer Type	
Pump Type			ircle one	
Circle one	Suismersible	Diesel Engine Gasoli	ne Engine Natural Gas	
Air Lift Jet	Submersione		Tractor PTO	
Bucket Piston	Turbine	Electric Motor Hand		
Centrifugal Rotary	Flowing Well	,,,	(specify):	
Other (specify):		1	. 130	
		Setting Depth:		
Rated Pump Capacity:		Number of Stages: 14		
Rated Pump Capacity:	Carrons 1 of Ivane			
Pump Test Date	1	Method of M	easuring Water Level	
Date Well Tested: 9-27-/2				
		Air Line Electric Me	asuring Line Steel Tape	
Static Water Level (A):90_Fe	et Below Land Surface	Other (specify):		
Pumping Water Level (B): 180 Fee				
Port flowing well, measured s		thut in head:feet		
Test Pumping Rate:	Gallons Per Minute Well yielded GPM with a		GPM with a drawdown of	
	Test Pumping Rate: Duration of Pump Test (minimum 4 hours):			
Datation of Lamb Test (immunon 4 nour	7			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
TAMES 117 FLLS 0-586 - WYY WO OV 2000				
Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer				

RECEIVED

JAN 1 4 2013

BY: OLWR