	STATE WELL REPORT			
county: Defferson Davis	Part 1	For Office Use Only:		
Permit #:	Driller's Log	Well #: (7.50)		
Driller: James M. Wells	Mississippi Department of Environmental Qui Office of Land and Water Resources	Aquifer:		
Date drilling completed: 7-29-16	P.O. Box 2309 Jackson, MS 39225-2309	E-Log #:		
	(601)961-5210			
State Forman de la contraction del contraction de la contraction d	(601)360-0535 (fax)			
Department at the above address wi	be prepared by the license holder responsible thin 30 days of completion of drilling of the	for the work and filed with the well or borehole.		
Well Owner Informati (Landowner if borehole is not for	on Weller.	Borehole Location 32		
Owner Name: Felicia The		Latitude: 31°31,37 Longitude: 89°41,55		
Mailing Address:	2. 17.507	Method of Lat/Long (check one): Conventional Survey,		
^-		eld GPS, Survey-grade GPS		
A 0		Sec_34 T_N_R_N_W		
Bassfield MS City State	7in Code	· 1		
Telephone No. (601) 441-897	Miles (Distance) (Direction	of of(Nearest Town)		
reteprone no. (QQL)	(Distance) (Direction	(Nearest Town)		
7.201	Well / Borehole Data			
Date drilling started: 1.77/6 Date of	Irilling completed: 7-29-16 Hole depth:	Hole diameter: 7/3"		
Location of the source of any surface wa	ater used for drilling: Cunning Co	cek		
Method of dosing and volume of Chloring	used in drilling and development: Q [A]	rule chlorine		
Logs run (circle all applicable): do log ru	Electric Gamma Ray Density Sonic Ne	eutron Other:		
Name of organization running log(s):				
Purpose of borehole (circle one): Water V	Geotechnical/Geological Investigation	Ground Source Heat Pump		
Seismic	_			
If drilling is not relat	ed to water well construction, skip the remain			
Purpose of Well (circle all applicable).				
Other (describe):	and output,	1 ish culture		
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 80feet [above or below] land surface Date measured: 7-29-16				
Method of measurement (circle one): Ste	el tape Electric tape Air line Other (descri	ibe):		
Well depth: 180 Well grouted to a de	epth of: 10 feet Type of grout (circle of	ne): Neat Cement Bentonite Mix		
	/ /	of casing: DVC		
20	4/	of screen: OVC		
Screen slot size: 1008 inches	Setting depth: From 160 feet			
Type of completion (circle all applicable)s		le Natural Development		
Other (describe):		1 8 2016		
Top of lap pipe or reduction in casing:	feet	ByOlder		

If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13)

County: Sefferson Davis Permit #:	Fewer well #:	or Office Use	Only:
The sketch below only required for water wells	Description of formations encountere and boreholes, unless specifically exer	d must be provide mpted by regulati	ed for all wells
If well telescopes, show depths on sketch.		, , , , , , , , , , , , , , , , , , , ,	
Ground Level	Description of Formations Encountered	From (depth) Ground level	To (depth)
	- topsoil	1	125
	Sond	120	180
	3000	125	100
If more than one screen, show location of each on sket	tch		
Sketch the property layout and include the following:			
1) the well location 2) any permanent structures on the property that is 3) any roads, power lines, or other items that may 4) north arrow	may aid in locating the well raid in locating the property and the well Xwell Thouse	y	
		Por	oeivec
		AU	G 1 8 2016
Landowner Name: Felicia Thom	DSO ^		Control of the second
I HEREBY CERTIFY that the well/borehole was dri requirements of the Mississippi Department of En if applicable, and state laws.	lled, constructed, and completed in accordar vironmental Quality and the Mississippi Depar	nce with all appl tment of Health	icable regulations,
James M. Wells 00005889	8.15-16 James	m. 1-0/0	•
Print Name of Responsible Licensee and License		ure of Licensee	
			-SWR-1A (4/13

STATE WELL REPORT

County: Jefferson Davis Permit #: _ Driller: Dames Date completed:

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210

For Office Use Only: Well #:	
Aquifer:	

) 360 0535 (fax)
·) 360-0535 (fax)
This part of the report must be completed by a licensed water of the report must be attached and both parts filed with the D	well contractor or a licensed pump installer. A copy of Part 1 Department at the above address within 30 days of well completion.
Well Owner Information	Well Location
Owner Name: Felicia Thompson	Latitude: 31°31. 57 Longitude: 89°41. 55
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,
97 Mansion Rd.	USGS quad, Hand-held GPS, Survey-grade GPS
Rassfield MS 39421	
	Miles of (Distance) (Direction) (Nearest Town)
Telephone No. (<u>601</u>) <u>441-8971</u>	(Distance) (Direction) (Nearest Town)
Pump Ty	pe (circle one)
	Jet Piston Rotary Other (describe):
Date Pump Installed: 7-29-16	Rated Pump Capacity:
Is This Pump (circle one): Repaired Replaceme	\
Power Ty	rpe (circle one)
Electric Diesel Gasoline Natural Gas Tractor PTO Wir	
Horse Power Rating of Motor: Setting Dep	th: 120 feet Number of Stages:
Pump Test Data	for Non Flowing Well
Date Well Tested: 7-29-16	Duration of Pump Test (minimum 4 hours): hours
	Pumping Water Level (B): 20 Feet Below Land Surface
→ X 1 ·	face Test Pumping Rate: Gailons Per Minute
Method of measurement (circle one) Steel tape Electric t	
	ata for Flowing Well
Measured shut in head:feet.	
Well yieldedGPM with a drawdown of	feet afterhours of pumping
Meter	Installation
Meter Manufacturer:	Meter Serial Number:
Meter Model Number/Name:	Type of Meter:
Totalizer Register Unit and Multiplier Factor (AF x .001, ga	l x 1000, etc):
Installation Date: Meter installed by:	AHC 1 0 2010
is This Meter (circle one): New Repaired Replacem	AUG 1 8 2016 ent
Important: By submitting the above information you are c	ertifying that this meter was installed to manufacturer standards.
I HEREBY CERTIFY that the above statements are true to the	he best of my knowledge.
	FIXIL TO MILLE

Print Name of Pump Installer and License No. (if applicable)

8-12-16 Date

Signature of Pump Installer

Form: OLWR-SWR-1B (4/13)