State W	ell Report	For Office Use Only:		
	Part 1 – Driller's Log			
Mississippi Departmen	t of Environmental Quality and Water Resources	Aquifer: H- 128		
TAMES 1.15/15 P.O.1	1 DO Boy 2200			
	Jackson, MS 39225 (601)961- 5210			
Pate drilling completed: 9-4-08 (601)961- 5210 (601)961- 5228 (fax)		E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the				
Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner (Landowner if borehole is not for a water well)				
Owner Name Berwick Ostheime	Latitude:,	" Longitude:°"		
Mailing Address: 81 Coleman Rd.	Method of Lat/Long (circle or	ne): Conventional Survey,		
Walling Fundess.	• •	GPS, Survey-grade GPS		
Oakvale MS 39656	¼¼ Sec1	Twn SN Rng 19W		
City State Zip Code	Distance Direction Miles	Nearest Town		
Telephone No. (601) 792-8099	Miles	of CORVEY 113		
Well / Borehole Data				
Date drilling started: 9-4-08 Date drilling completed: 9-4-08 Hole depth: Hole diameter:				
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 2 Ut 5 hock				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s):				
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home V Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 120 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 100 feet Casing diameter: 4 inches Type of casing: 600				
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC				
Screen slot size:OOSinches				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SWR-1A (04/08)

RECEIVED

OCT 1 0 2008

BY: OLWR

BY: OLWR

The sketch below only required for water wells	<u>Description of formations encountered</u> wells and boreholes, unless specifically	exempted by reg	ulations
f well telescopes, show depths on sketch. Ground Level	Description of Formations Encountered	From (depth)	To (depth)
Ground Level	Document of the second of the	Ground Level	2
	Clar	2	30
	5 000	70	0.5
	Passaul	50	120
	•		ļ
			
		ļ	
			
		 	1 -
			ļ
			ļ
			
			
			
		 	
			†
			<u> </u>
If more than one screen, show location of each on ske			
andowner Name: Berwick Ostheir	·		
	Form	n: OLWR-SWR-1	A (04/08)
ertify that the well/borehole was drilled, constructed, ississippi Department of Environmental Quality and (and completed in accordance with all applicable the Mississippi Department of Health regulations	requirements of s, if applicable, a	f the nd state
SAMES WELLS 0586	James We		
int Name of Responsible Licensee and License No.	Date Signature of Licen	see REC	CEIV
		00	T 1 0 2

STATE WELL REPORT			
Permit #: Office of Land a P.O. Jackson (601)	For Office Use Only: Aquifer: Aquifer: Well #: ##- 128 Elevation: Contractor or a licensed pump installer. A copy of Part 1 of the		
Telephone No. (601) 792 - 8099 Distance Direction Nearest Town S_Miles <u>N E</u> of <u>O 4 k Val.</u>			
Pump Type Circle one	Power Type Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor) Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: 9-4-08	Setting Depth: / O O feet		
Rated Pump Capacity:	Number of Stages:		
Pump Test Data	Method of Measuring Water Level		
Date Well Tested: 9-4-68	Circle one Air Line Electric Measuring Line Steel Tape)		
Static Water Level (A): Feet Below Land Surface			
Pumping Water Level (B):Feet Below Land Surface Other (specify):			
Drawdown [(B) – (A)]: 8 0 Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute	Well yielded/ 5 GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. TAMES VELLS 0-586 Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer Form: OLWR-SWR-1B (04/08) RECEIVED			
	OCT 1 n 2000		