· .			an a
- <u>-</u>	1	ell Report	For Office Use Only:
County: Jefferson	Part 1 Mississippi Department of Environmental Quality		Aquifer:
Permit #:	Office of Land and Water Resources		Well #: <u>A8</u>
Driller: Gary Rayborn	1	Box 10631 IS 39289-0631	L. S. Elevation:
Date drilling completed: 12-28-12		961-5210	L. S. Elevation:
	(601)354-6938 (fax)		E-log #:
State Law requires that this rep 30 days of completion of drilling		driller in detail and filed v	vith the Department within
Well Owner Inform		We	l Location
Owner Name Brian Burk	e Brian Burkley		" Longitude: 91 . 14 . 4
Mailing Address:	· /		ne): Conventional Survey, 5
481 Greenfield Rd USGS guad, Hand-hel			d GPS, Survey-grade GPS
Natchez MS 34120			3 Twn ION Rng 12
City St	tate Zip Code		LC'A A
Telephone No. ()		Distance Direction Miles	of Rochey Island
		5.8 W	LAMAS Line of
	Well	Data	
Purpose of Well (circle one) (Home) In	dustrial Public Supply	Irrigation Fish Culture	Other:
Date well drilling started: <u>12 - 2</u>	<u>7-12</u> Date	well drilling completed:	12-28-12
If flowing, method of flow regulation: Va	alve Other (c	lescribe)	
Static Water Level:feet a	above or below (circle one)	land surface Date measured	12-28-12
Method of Measurement (circle one)	steel tape electric tape	air line other:	
Hole depth: <u>200'</u> Well de	epth: <u>200'</u>	_ Well grouted to a depth of	<u> </u>
Type of grout (circle one): Cement	Bentonite Mix		
100	sing diameter:4	inches Type of casing:	DIC.
Screen length: <u>20</u> feet Scr	reen diameter: <u>4</u>	inches Type of screen:	
Screen slot size: <u>1010</u> inches	Setting depth: From _	180feet to	<u>200</u> feet
Type of completion (circle all applicable)	Gravel packed Under		•
1	Other (describe):		
Top of lap pipe or reduction in casing:	feet. If t	elescoped or more than one sc	reen, describe on back of pag
Logs run (circle all applicable): No log r	un Electric Gamma Ray	Density Sonic Neutron	Other:
Name of organization running log(s):			
I certify that the well was drilled, const	-		-
Department of Environmental Quality	and/or the Mississippi De	partment of Health regulation	s and state laws.
Rayhorn Dalling 7	The O-60	-	
- MULTING			

.

·

MAR 06 2013

BY: OLWR

If well telescopes please sketch below and show depths.




н, **1**

Description of Formations Encountered	From	To
CHALK	0	50
COAUSE SAND	50	80
GRAVEL	80	135
ROCK + CHALK	135	195
MEDIUM SAND	195	200

he screen, show location of each on sketch

property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.



Signature of Water Well Contractor

MAR 06 2013

RECEIVED

BY: OLWR

	(ORKEGEL)		
County JPHerson Pump Installer's	CLL REPORCORRECTS art 2 s Completion Report		
Permit #: Office of Land a	at of Environmental Quality Aquifer:		
For Rayborn P.O.I	Box 10631 4S 39289-0631 Well#:A&		
(601)	961-5210 4-6938 (fax) Elevation:		
(00)			
This report should be prepared by the pump installer in deta installation of pump.			
Well Owner Information Owner Name: Brian Burkley	Well Location Latitude: 31 °.51 ′ 171′ Latitude: 31 °.51 ′ 171′ Longitude: 91° 14″ 401 49 23 17 5 7		
Mailing Address:	Method of Lat/Long (circle one): Conventional Survey,		
481 Greenfield Rd	USGS quad, Hand-held GPS, Survey-grade GPS		
Notchez MS 39120 City State Zip Code	14 14 Sec. <u>23</u> Twn <u>ICN</u> Rng <u>12</u> 2W		
City State Zap Code	Distance Direction Nearest lown		
Telephone No. ()	5.8 W LAMS Line at Frier Lake		
Ритр Туре	Power Type		
Circle one	Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: 12 28 12	Setting Depth:feet		
Rated Pump Capacity:Gallons Per Minute	Number of Stages:		
Pump Test Data	Method of Measuring Water Level		
Date Well Tested: 12/28/12	Circle one		
Static Water Level (A): <u>40</u> Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B):Feet Below Land Surface	Other (specify):		
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		
I HEREBY CERTIFY that the above statements are true to the bes <u>Rayborn Drilling Inc</u> C-60 Print Name of Pump Installer and Lieense No. (if applicable)			

1 - . X

MAR 06 2013

BY: OLWR



