	STATE WELL REPORT	
County:	Part 1	For Office Use Only:
Permit #:	Driller's Log	Well #:
Driller: James M. Wells	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:
Date drilling completed: 2-24-16	P.O. Box 2309	E-Log #:
	Jackson, MS 39225-2309 (601)961-5210	
	(601)360-0535 (fax)	
State Law requires that this report b Department at the above address with	e prepared by the license holder responsible for the	e work and filed with the
Well Owner Information	and so days of completion of drilling of the well o	r borehole.
(Landowner if borehole is not for a	a water well) Latitude: <u>31°45.048</u> Long	solor Solor
Owner Name: Jour Haige		gitude: 8901.154
Mailing Address:	Method of Lat/Long (check one)	: Conventional Survey
88 Hoy Rd.	USGS quad, Hand-held GP	
lauge MS	39443 SW NW 17, Sec	8 _ 01 / /
City State		
Telephone No. (601) 498-82	Miles NE of	Laure
	(Distance) (Direction)	(Nearest Town)
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Hame of organization running log(s): Purpose of borehole (circle one): Water We Seismic S	Electric Gamma Ray Density Sonic Neutron Geotechnical/Geological Investigation Gra Gurvey Other (<i>describe</i>) In to water well construction, skip the remainder of Industrial Public Supply Irrigation Fish	Other:
a flowing well, method of flow regulation		
atic Water Level:	Other (describe)	
feet [ab	ove or below] land surface Date measured:	2.24-16
ethod of measurement (circle one): Steel	tape Electric tapo Ainking out	
ell depth: <u>165</u> Well grouted to a dep	th of: 10^{-1} feet Type of grout (circle one) Net	
sing length: 145 feet Casing	diameter:inches Type of casir	at Cement) Bentonite Mix
	n diameter:	$p_{g} = \frac{p_{VC}}{p_{VC}}$
reen length:feet Scree	n diameter:inches Type of scre	en: <u>PVC</u>
teet Scree	Setting donthe Fur 1115	1) F
reen slot size: <u>1008</u> inches	Setting depth: Fromfeet to	165 Déchain
reen slot size: <u>DDS</u> inches be of completion (<i>circle all applicable</i>): G	Setting depth: From	Natural Development
reen slot size: <u>1008</u> inches	Setting depth: Fromfeet to Grevel packed Underreamed Open hole I	Heceiv

1.1

Form: OLWR-SWR-1A (4/13)

County:	Jones	 _
Permit #:		

Ground Level

1

Fo	or Office Use Only:
Well #:	(244
	•

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
topsnil	Ground level	1
clay	1	125
Sand	125	165
	1	
	1	
	1	
	+	
L		

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well 4) north arrow TIWY 55 Received APR 04 2016 By OLWF Bua Landowner Name: I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws. icmes In and n. Print Name of Responsible Licensee and License No. Date

Signature of Licensee Form: OLWR-SWR-1A (4/13)

יבואווווע. באבריעביי ו		Part 2	For Office Use Only:
County:	Pump Installe	r's Completion Report	
Permit #: Driller: James M. Wells	Mississippi Departm	ent of Environmental Quality d and Water Resources	Well #: (1744
Driller: <u>Julies III. (1961)</u>		O. Box 2309	
Date completed: 2.24-16		n, MS 39225-2309	Aquifer:
<u>Copy information from block on Part 1</u>		01)961-5210 360-0535 (fax)	
This part of the report must be complete of the report must be attached and both	d by a licensed water parts filed with the D	well contractor or a licensed p epartment at the above addres.	oump installer. A copy of Part 1 s within 30 days of well completion.
Well Owner Informati	on	Well	Location
Owner Name: Doug Haig	ler	Latitude: 31°45. 648	ongitude: 89°07.754
Mailing Address:)	Method of Lat/Long (check o	one): Conventional Survey,
88 Hoy Rd.		USGS guad, Hand-held	GPS, Survey-grade GPS
Lawrel MS	39443		8 TAN RIIW
City State	Zip Code		of <u>Lawe</u> (Nearest Town)
Telephone No. (601) 498-80	<u>) </u>	(Distance) (Direction)	(Nearest Town)
~	Pump Typ	e (circle one)	
Submersible Turbine Air Lift Centrifi			describe):
Date Pump Installed: 2.24-16			
· · ·	paired Replacemer		
		pe (circle one)	
Electric Diesel Gasoline Natural Gas	Tractor PTO Win	dmill Other (describe):	
Horse Power Rating of Motor:	Setting Dept	h: 120feet Numb	per of Stages:
	Rump Test Data		
		for Non Flowing Well	, , ,
Date Well Tested: 2.24-16		for Non Flowing Well Duration of Pump Test (min	nimum 4 hours): hours
Date Well Tested: <u>2,24-16</u> Static Water Level (A): <u>50</u> Feet	t Below Land Surface	for Non Flowing Well Duration of Pump Test (min Pumping Water Level (B):	nimum 4 hours): hours
Date Well Tested: <u>2,24-16</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>874</u> 0	t Below Land Surface Feet Below Land Surf	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate:	nimum 4 hours): hours : 120 Feet Below Land Surface Gallons Per Minute
Date Well Tested: <u>2,24-16</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>874</u> 0	t Below Land Surface Feet Below Land Surf	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe	nimum 4 hours): hours : 120 Feet Below Land Surface Gallons Per Minute
Date Well Tested: <u>2.24-16</u> Static Water Level (A): <u>80</u> Fee Drawdown [(B) - (A)]: <u>8740</u> Method of measurement (circle on E. St	t Below Land Surface Feet Below Land Surf Leel tape Electric ta Pump Test Da	for Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate:	nimum 4 hours): hours : 120 Feet Below Land Surface Gallons Per Minute
Date Well Tested: <u>2.24-16</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>740</u> Method of measurement (<i>circle one</i> : St Measured shut in head:feet	t Below Land Surface Feet Below Land Surf teel tape Electric ta Pump Test Dat	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe a for Flowing Well	himum 4 hours):hours : 120 Feet Below Land Surface Gallons Per Minute):
Date Well Tested: <u>2,24-16</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>740</u> Method of measurement (<i>circle one</i> : St Measured shut in head:feet	t Below Land Surface Feet Below Land Surf teel tape Electric ta Pump Test Dat	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe a for Flowing Well	himum 4 hours):hours : 120 Feet Below Land Surface Gallons Per Minute):
Date Well Tested: <u>2.24-16</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>740</u> Method of measurement (<i>circle one</i> : St Measured shut in head:feet	t Below Land Surface Feet Below Land Surf Leel tape Electric ta Pump Test Dat	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe a for Flowing Well	himum 4 hours):hours : 120 Feet Below Land Surface Gallons Per Minute):
Date Well Tested: <u>2924-16</u> Static Water Level (A): <u>50</u> Feet Drawdown [(B) - (A)]: <u>5740</u> Method of measurement (<i>circle one</i> : St Measured shut in head: <u>feet</u> Well yielded <u>GPM</u> with a d	t Below Land Surface Feet Below Land Surf eel tape Electric ta Pump Test Dat trawdown of Meter I	for Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (describe ta for Flowing Well feet after nstallation	himum 4 hours):hours : 120 Feet Below Land Surface Gallons Per Minute): hours of pumping
Date Well Tested: 724-16 Static Water Level (A): Feer Drawdown [(B) - (A)]: FO Method of measurement (circle on e: St Measured shut in head: feet Well yielded GPM with a o Meter Manufacturer:	t Below Land Surface Feet Below Land Surf teel tape Electric ta Pump Test Dat trawdown of Meter I	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe a for Flowing Well feet after nstallation Meter Serial Number:	himum 4 hours):hours : 120Feet Below Land Surface Gallons Per Minute): hours of pumping
Date Well Tested: 724-16 Static Water Level (A): Feet Drawdown [(B) - (A)]: FO Feet Method of measurement (circle on e: St Measured shut in head: feet Well yielded GPM with a d Meter Manufacturer: Meter Model Number/Name:	t Below Land Surface Feet Below Land Surf Leel tape Electric ta Pump Test Dat Irawdown of Meter I	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe ta for Flowing Wellfeet_after nstallation Meter Serial Number: Type of Meter:	himum 4 hours):hours 120 Feet Below Land Surface 17 Gallons Per Minute): hours of pumping
Date Well Tested: 724-16 Static Water Level (A): Feel Drawdown [(B) - (A)]: HU Method of measurement (circle on . St Measured shut in head: feet Well yielded GPM with a d Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fa	t Below Land Surface Feet Below Land Surf eet tape Electric ta Pump Test Dat	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe ta for Flowing Well feet after nstallation Meter Serial Number: Type of Meter: x 1000, etc):	himum 4 hours):hours 200 Feet Below Land Surface 200 Gallons Per Minute): hours of pumping
Date Well Tested: 2 4-16 Static Water Level (A): Feer Drawdown [(B) - (A)]: HO Method of measurement (circle on e: St Measured shut in head: feet Well yielded GPM with a d Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fa Installation Date:	t Below Land Surface Feet Below Land Surf teel tape Electric ta Pump Test Dat trawdown of Meter I actor (AF x .001, gal Meter installed by:	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe a for Flowing Well feet after nstallation Meter Serial Number: Type of Meter: x 1000, etc):	himum 4 hours):hours Description:
Date Well Tested: 724-16 Static Water Level (A): Feet Drawdown [(B) - (A)]: FOULT Method of measurement (circle on e: St Measured shut in head: feet Well yielded GPM with a d Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fa Installation Date: Is This Meter (circle one): New Reg	t Below Land Surface Feet Below Land Surf ceel tape Electric ta Pump Test Dat drawdown of Meter f actor (AF x .001, gal Meter installed by: paired Replaceme	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe a for Flowing Wellfeet_after nstallation Type of Meter: x 1000, etc): nt	himum 4 hours):hours Description:
Date Well Tested: 724-16 Static Water Level (A): Feet Drawdown [(B) - (A)]: 7240 Method of measurement (circle on e: St Measured shut in head: feet Well yielded GPM with a d Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fa Installation Date: Is This Meter (circle one): New Reg Important: By submitting the above in	t Below Land Surface Feet Below Land Surf eel tape Electric ta Pump Test Dat drawdown of Meter f actor (AF x .001, gal Meter installed by: paired Replacement formation you are ce	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: _ pe Air line Other (describe a for Flowing Wellfeet_after nstallation Type of Meter: x 1000, etc): nt	himum 4 hours):hours : 120Feet Below Land Surface Gallons Per Minute): hours of pumping hours of pumping Receive stalled to manufacturer standards.
Date Well Tested: 724-16 Static Water Level (A): Feet Drawdown [(B) - (A)]: 7240 Method of measurement (circle on e: St Measured shut in head: feet Well yielded GPM with a d Meter Manufacturer: Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fa Installation Date: Is This Meter (circle one): New Reg Important: By submitting the above in For agricultu	t Below Land Surface Feet Below Land Surf eel tape Electric ta Pump Test Dat drawdown of Meter f actor (AF x .001, gal Meter installed by: paired Replacement formation you are cer ral wells, a list of app	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (describe a for Flowing Well	himum 4 hours):hours : DDFeet Below Land Surface Gallons Per Minute): hours of pumping hours of pumping stalled to manufacturer standards. website. APR 04 2
Date Well Tested: 2.24-16 Static Water Level (A): 80 Feet Drawdown [(B) - (A)]: 8240 Method of measurement (circle on 5 St Measured shut in head:feet Well yielded GPM with a d Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fa Installation Date: Is This Meter (circle one): New Reg Important: By submitting the above in	t Below Land Surface Feet Below Land Surf teel tape Electric ta Pump Test Dat Trawdown of	ior Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (describe a for Flowing Well	himum 4 hours):hours : 120Feet Below Land Surface Gallons Per Minute): hours of pumping hours of pumping Stalled to manufacturer standards. website. APR 04 2

- *****

4

*	01140		1111
Form:	OLWR-	5WK-18	6 (4/ 13