State Well Report			
	Driller's Log	For Office Use Only:	
Mississippi Departmer	Mississippi Department of Environmental Quality Office of Land and Water Resources		
TIMES 1.1ELLS P.O.	Box 2309	Well #: <u>H- 42</u>	
	n, MS 39225 961- 5210	L. S. Elevation:	
	1- 5228 (fax)	E-log #:	
State I are requires that this report he prepared by the lic	ansa haldar rasnansihla far t		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.			
Information on Well Owner	Well or Bo	rehole Location	
(Landowner if borehole is not for a water well)	Latitude:'	" Longitude:""	
Owner Name Trotter & Parker Cattle	Method of Lat/Long (circle on		
Mailing Address: 1810 TOWNSH. D. Kd.			
		GPS, Survey-grade GPS	
Le I ME 2011/10	¼¼_Sec_35	Twn FN Rng 100	
Laure 113 37440		Normal Taum	
City State Zip Code	Distance Direction	of <u>Ellisville</u>	
Telephone No. (601) 722-9081			
Well / Bore	hole Data		
Date drilling started $2 - 5 - 09$ Date drilling completed: $2 - 5 - 09$	19 111 150	Unto diamatan 7 1/2 "	
Date drilling started: / Date drilling completed: 2 5 C	Hole depth: <u>190</u>	Hole diameter:	
Location of the source of any surface water used for drilling: <u>Creek</u> Method of dosing and volume of Chlorine used in drilling and development: <u>Shock</u>			
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic SurveyOther ( <i>describe</i> )			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level:			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth 50 Well grouted to a depth of 10 feet Type of grout (circle one); Neat Cement Bentonite Mix			
Casing length: $130$ feet Casing diameter: $4$ inches Type of casing: $9VC$			
Screen length: <u>2()</u> feet Screen diameter: <u>4</u> inches Type of screen: <u>P//C</u>			
Screen slot size:			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page			
Form: OLWR-SWR-1A (04/08)			
RECEIVE			

...

•

MAR 9 2 2009 BY: OLWR

H- 42

## The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level

<u>teputs on skettje</u> -	Description of Formations Encountered	From (depth)	To (depth)
	tepsoil Clay	Ground Level	3
	clay	3	120 150
	sand	120	150
			1
			1
			+
			+
		+	
			+
			+
			+
			<u> </u>
			<u> </u>
			4
			<u> </u>
			<u> </u>

Description of formations encountered must be provided for all

wells and boreholes, unless specifically exempted by regulations

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow. rotter + Parker Cattle Landowner Name: Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

JAMES WELLS 0586

amos Walls

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

MAR 0 9 2009

**BY: OLWR** 

STATE WELL REPORT			
County:	at the above address within 30 days of well completion.         Well Location         Latitude:       Longitude:         Method of Lat/Long (check one): Conventional Survey		
Telephone No. (10) 722 - 908 1	<u>D</u> Miles NE of Ellisville		
Pump Type       Circle one       Air Lift       Jet       Submersible	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Moto Hand Tractor PTO		
Centrifugal     Rotary     Flowing Well       Other (specify):	Windmill     Other (specify):       Horse Power Rating of Motor:		
Pump Test Data	Method of Measuring Water Level		
Date Well Tested: $2-5-09$ Static Water Level (A): $115$ Feet Below Land Surface Pumping Water Level (B): $140$ Feet Below Land Surface Drawdown [(B) – (A)]: $134$ Feet Below Land Surface Test Pumping Rate: $7$ Gallons Per Minute Duration of Pump Test (minimum 4 hours): $4$ hours	Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown offeet afterhours of pumping		
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. <u>JAMES NELLS 0-586</u> Print Name of Pump Installer and License No. (if applicable) Form: OLWR-SWR-1B (04/08) RECEIVED			

• • • •

MAR 0 9 2009

**BY: OLWR**