County: LAFAYETTE
Permit #:
Driller FLANGFORd
Date drilling completed: 14-29.06

## Well Driller Report and Well Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:
Aquifer:
Well#: <u>\&amp; - 76</u>
L. S. Elevation:
E-log #:

State Law requires that this report be prepared by the driller in detail and filed with the Department within

30 days of completion of drilling of the well.				
Well Owner Information	Well Location			
Owner Name BOBBY DOR!9	Latitude:°" Longitude:°"			
Mailing Address: R & 5 / Luy 3/0	Method of Lat/Long (circle one): Conventional Survey,			
HARMON TOWN	USGS quad, Hand-held GPS, Survey-grade GPS			
GRAMON TOWN MS	¼¼ SecΘΘ Twn_GS Rng 4 ω			
City State Zip Code	Distance Direction Nearest Town			
Telephone No. ()	Miles of			
Well	Data			
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: $4-27.06$ Date well drilling completed: $4-29-06$				
If flowing, method of flow regulation: Valve Other	r (describe)			
Static Water Level: 70 feet above or below (circle on	1			
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 195' Well depth: 195' Well grouted to a depth of 10 feet				
Type of grout (circle one): Cement Rentonite Mix				
Casing length: 10 feet Casing diameter: 1 inches Type of casing: 100				
Screen length: 10 feet Screen diameter: 4 inches Type of screen: 510774 PVC				
Screen slot size: 10/3 inches Setting depth: From 185 feet to 195 feet				
Type of completion (circle all applicable): Gravel packed Un	derreamed Telescoped Open hole Natural Development			
Other (describe):				
Top of lap pipe or reduction in casing:feet. If	f telescoped or more than one screen, describe on back of page			
Logs run (circle all applicable). No log run Electric Gamma R	ay Density Sonic Neutron Other:			
Name of organization running log(s):				
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of				
Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
	A. I. A RECEIVED			
FAMAR LANGFORD 0-622	Flank Jang BECEIVED			
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor 8 2006			

	Description of Formations Encountered	From	To
Ground Level	Description of Formations Silver	0	20
	CA M. A	20	60
	Description of Formations Encountered  DIRT  SAN L  BINCK CIRY  MIXED/CIRY  GRAY SAN L	60	80
	Binek Ciry		100
	mixed/CINY	80	100
	GMY 5 MW	100	195
			<b></b>
			J
			1
		1	
		1	1
		_	+
			+
			+
			<del> </del> -
		1	

If more than one screen, show location of each on sketch

on the property that may
Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
4) indicate direction.
well
oriveury Hoese
OR Veary 1400
310
310 12W4
Landowner Name: BOBBY DORIS
Landownici Limito.

Flank Laugharel
Signature of Water Well Contractor

**RECEIVED** 

MAY 0 8 2006

BY: OLWR

## STATE WELL REPORT

## Part 2

## **Pump Installer's Completion Report**

For Office Use Only: Aquifer: Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Elevation: Jackson, MS 39289-0631

Well Owner Information	Well Location
Owner Name: 130BBY DOR:3	Latitude: Longitude:
Mailing Address: 285 Haly 310	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
HARMIN TOWN MS City State Zip Code	4 4 Sec 30 Twn 65 Rng 4/ W
City State Zip Code	Distance Direction Nearest Town
Telephone No. ()	3 Miles N of HARMON TOWN
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Ga
Bucket Piston Turbine (	Electric Motor Hand Tractor PTC
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor: 3
Date Pump Installed: 4/-29-0C	Setting Depth: 160 feet
Rated Pump Capacity: 12 Gallons Per Minute	Number of Stages: 12
Pump Test Data	Method of Measuring Water Level
ate Well Tested: 4-29-06	Circle one
tatic Water Level (A): 70 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape
umping Water Level (B): 70 Feet Below Land Surface	Other (specify):
rawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
est Pumping Rate: 15	Well yielded 15 T GPM with a drawdown of
uration of Pump Test (minimum 4 hours): 12 hours	
	t of my knowledge.

Signature of Pump Installer MAY 0 8 2006 BY: OLWR