County: Lafayette
Permit #:
Driller: Scott Holcomb
Date drilling completed: 5-24-16

STATE WELL REPORT

Part 1 Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601)961-5210

(601)360-0535 (fax)

For Office Use Only:	
Well #:	
Aquifer:	
E-Log #:	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Department at the above address within 30 days of cor	npieuon oj aruung oj ine weu or borenoie.
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Avery 5ke/ton	Latitude: 34°/9′ 48 Longitude: 89° 40′ 9″
Mailing Address: 161 D CR 316	Method of Lat/Long (check one): Conventional Survey,
Maiting Address. 70 TO STO	USGS quad, Hand-held GPS, Survey-grade GPS
1) C 1 mx 38656	NE 1/4 5E 1/4, Sec 1 795 R5W
City M5 38655 State Zip Code	4 Miles West of Oxford
Telephone No. (<u>662</u>) <u>8/6-8/609</u>	(Distance) (Direction) (Nearest Town)
Well / R	orehole Data
	5-24-16 Hole depth: 200 Hole diameter: 7/4
Location of the source of any surface water used for drilling	
Method of dosing and volume of Chlorine used in drilling a	nd development: > 5 ppm
Logs run (circle all applicable): No log run Electric Gamm	na Ray Density Sonic Neutron Other:
Name of organization running log(s):	
Purpose of borehole (circle one) Water Well Geotechnic	cal/Geological Investigation Ground Source Heat Pump
Seismic Survey Other (describe)
If drilling is not related to water well co	onstruction, skip the remainder of this block
Purpose of Well (circle all applicable): Home Industrial	Public Supply Irrigation Fish Culture
Other (describe):	
If a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 70 feet [above or below (circle one)	land surface Date measured: 5-25-/6
Method of measurement (circle one). Steel tape Electric t	ape Air line Other (describe):
Well depth: 200 Well grouted to a depth of: 10 for	eet Type of grout (circle one): Neat Cement Bentonite Mix
Casing length: 180 feet Casing diameter: 9	inches Type of casing: PVC
Screen length: <u>26</u> feet Screen diameter:	inches Type of screen:
Screen slot size:inches Setting depth:	From 200 feet to 180 feet
Type of completion (circle all applicable): Gravel packed	Underreamed Open hole Received
Other (describe):	JUN 2 4 2016
Top of lap pipe or reduction in casing:feet	
If telescoped or more than o	ne screen, describe on next pager OLWR Form: OLWR-SWR-1A (4/1)
	TOTAL OCTAL STATE AND A

county: Lafayette	Fe	or Office Use	Only:
Permit #:	Well #:		
he sketch below only required for water wells	Description of formations encountered and boreholes, unless specifically exer		
well telescopes, show depths on sketch. round Level	Description of Formations Encountered	From (depth) Ground level	To (depti
<u> </u>	Top Clay white Sand	11	36
2 Bertonite	Pink Clay White Sand	36 3£	38 200
180' PVC			
6 1 case gravel Pack			
6 6 6 6 6 6			
g = 1 20' PVC y" Screen			
१ विं		****	
more than one screen, show location of each on sketch			

2) any permanent structures on the property that may a3) any roads, power lines, or other items that may aid it	in locating the property and the well
4) north arrow	Hwy 278To Oxford ->
\ -	Hwy 278To Oxford -> [cedar Bucket Furniture
	€317
	Ks mail boxes
	316 1/6 mi)
	House go to Dead End (2 mil)
	House and heceivedone
Landowner Name: Avery 3kelton	
I HEREBY CERTIFY that the well/borehole was drilled, requirements of the Mississippi Department of Enviror if applicable, and state laws.	, constructed, and completed in accordance with all applicable nmental Quality and the Mississippi Department of Hell Missis
Scott Italcomb Un R 6563 Print Name of Responsible Licensee and License No.	6-20-16 Supt Halcon L. Date Signature of Licensee
The real of responded Election and Election 110.	Form: OLWR-SWR-1A (4/13)

STATE WELL REPORT

County: Lafayette Permit #: Driller: Scott Holcanb Date completed: 5-24-16

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601)961-5210

For Office Use Only:	
Well #:	
Aquifer:	

	01)961-5210
·) 360-0535 (fax)
This part of the report must be completed by a licensed water of the report must be attached and both parts filed with the D	well contractor or a licensed pump installer. A copy of Part 1 epartment at the above address within 30 days of well completion.
Well Owner Information	Well Location
Owner Name: Avery 5ke/ton	Latitude: 34 19 48 Longitude: 89 40 9 "
Mailing Address:	Method of Lat/Long (check one): Conventional Survey,
161 D C R 3/6	USGS quad, Hand-held GPS <u></u> , Survey-grade GPS
City M5. 38655 State Zip Code	1/41/4, Sec T R
Telephone No. (662) 8/6 - 8609	(Distance) (Direction) (Nearest Town)
Pump Typ	pe (circle one)
Submersible Turbine Air Lift Centrifugal Flowing Well	Jet Piston Rotary Other (describe):
Date Pump Installed: 5.25.16 F	tated Pump Capacity:Gallons Per Minute
Is This Pump (circle one): (New) Repaired Replacemen	
	oe (circle one)
	dmill Other (<i>describe</i>):
Horse Power Rating of Motor: $3/4$ Setting Dept	h: <u>/20</u> feet Number of Stages://
Pump Test Data	for Non Flowing Well
Pump Test Data of Date Well Tested: 5 25-16	<u> </u>
Date Well Tested: 5 25-16	
Date Well Tested: Static Water Level (A): Feet Below Land Surface	Duration of Pump Test (minimum 4 hours): 29 hours
Date Well Tested: Static Water Level (A): Feet Below Land Surface	Duration of Pump Test (<i>minimum 4 hours</i>): 24 hours Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: O Gallons Per Minute
Date Well Tested: Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta	Duration of Pump Test (<i>minimum 4 hours</i>): 24 hours Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: O Gallons Per Minute
Date Well Tested: Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta	Duration of Pump Test (<i>minimum 4 hours</i>): 24 hours Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: 6 Gallons Per Minute pe Air line Other (<i>describe</i>):
Date Well Tested: Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta Pump Test Date	Duration of Pump Test (minimum 4 hours): 24 hours Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): Ta for Flowing Well
Date Well Tested: Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta Pump Test Dat Measured shut in head: feet. Well yielded GPM with a drawdown of	Duration of Pump Test (minimum 4 hours): 24 hours Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): Ta for Flowing Well
Date Well Tested: Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Method of measurement (circle one) Steel tape Electric ta Pump Test Date Measured shut in head: feet. Well yielded GPM with a drawdown of Meter I Meter Manufacturer:	Duration of Pump Test (minimum 4 hours): 24 hours Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): a for Flowing Well feet after hours of pumping
Date Well Tested: Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta Pump Test Dat Measured shut in head: feet. Well yielded GPM with a drawdown of Meter I	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): a for Flowing Well feet after hours of pumping nstallation Meter Serial Number: Received Type of Meter:
Date Well Tested: Static Water Level (A): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta Pump Test Dat Measured shut in head: feet. Well yielded GPM with a drawdown of Meter I Meter Manufacturer:	Duration of Pump Test (minimum 4 hours): hours Pumping Water Level (B): Feet Below Land Surface ace Test Pumping Rate: Gallons Per Minute pe Air line Other (describe): a for Flowing Well feet after hours of pumping nstallation Meter Serial Number: Received Type of Meter:
Date Well Tested: Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta Pump Test Dat Measured shut in head: feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name:	Duration of Pump Test (minimum 4 hours):
Date Well Tested: Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta Pump Test Dat Measured shut in head: feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal	Duration of Pump Test (minimum 4 hours):
Date Well Tested: Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surf Method of measurement (circle one) Steel tape Electric ta Pump Test Dat Measured shut in head: feet. Well yielded GPM with a drawdown of Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal Installation Date: Meter installed by: Is This Meter (circle one): New Repaired Replaceme Important: By submitting the above information you are ce	Duration of Pump Test (minimum 4 hours):

THEREBY CERTIFY that the above statements are true to the best of my knowledge.

Scott /tolcomb UNR 6593 6-20-16 Scott /tolcoml
Print Name of Pump Installer and License No. (if applicable) Date Signature of Pump Installer

Form: OLWR-SWR-1B (4/13)