1	State Well Report	
1 m loo 10 m	Part 1 – Driller's Log	For Office Use Only:
County: LAMAr	Mississippi Department of Environmental Quality	Aquifer:
Permit #: 0-586	Office of Land and Water Resources	well #:
Driller: JAMES WELLS	P.O. Box 2309	
1-29-09	Jackson, MS 39225 (601)961- 5210	L. S. Elevation:
Date drilling completed: 6-29-09	(601)961- 5228 (fax)	E-log #:
		•
State Law requires that this repor	t be prepared by the license holder responsible for	ne work and fued with the
Department at the above address Information on Well C	within 30 days of completion of drilling of the well	orehole Location
(Landowner if borehole is not fo	IN HEL	
1 hhhv K		2" Longitude: <u>89 • 38, 2</u>
Owner Name	Method of Lat/Long (circle or	e): Conventional Survey.
Mailing Address: 540 Hic	form Dreve P	
	USGS quad. Hand-held	GPS, Survey-grade GPS
Junal	1M3	Twn 5 A Rng 16 h
	39482 NE 4 SE 4 Sec_4	I WIL
City Stat	a Zin Code Distance Direction	Nearest Town
•	Miles WIAT	of Sumal
Telephone No. (60) 758 - 4		
	Well / Borehole Data	
Date drilling started: 6-24-09 Date dri	lling completed: <u>(-29-09</u> Hole depth: <u>95</u>	Hole diameter: 7
Location of the source of any surface wate Method of dosing and volume of Chlorine	r used for drilling: community	216 Shork
-		
	n Electric Gamma Ray Density Sonic Neutron	Other:
Name of organization running log(s):	/	······································
Purpose of borehole (check one): Water W	ell Geotechnical/Geological Investigation Ground	I Source Heat Pump
Seismic S	SurveyOther (describe) to water well construction, skip the remainder of this bl	ack
If artiting is not retailed	to water well construction, skip the remainder of this of	
Purpose of Well (check one): Home	ndustrial Public Supply Irrigation Fish Culture	Other:
	- Value (describe)	
10 . 0	ii. vaive Other (describe)	
If a flowing well, method of flow regulation		1 2 9 0 2
If a flowing well, method of flow regulatio Static Water Level: feet ab	ove or below circle one) land surface Date measured:	6-29-09
Static Water Level:feet ab	ove or below (circle one) land surface Date measured:	
Static Water Level: <u><u>SO</u> feet ab Method of Measurement (circle one) <u>Static</u></u>	eel tape electric tape air line other:	
Static Water Level: <u><u>SO</u> feet ab Method of Measurement (circle one) <u>Static</u></u>	eel tape electric tape air line other:	
Static Water Level: <u>SO</u> feet ab Method of Measurement (circle one) <u>sta</u> Well depth: <u>95</u> Well grouted to a dep	the of feet Type of grout (circle one); Neat Cerr	Bentonite Mix
Static Water Level: <u>SO</u> feet ab Method of Measurement (circle one) <u>st</u> Well depth: <u>95</u> Well grouted to a dep Casing length: <u>75</u> feet Casin	the of <u>b</u> feet Type of grout (circle one); <u>Neat Cer</u> g diameter: <u>4</u> inches Type of casing: _	PVC
Static Water Level: <u>SO</u> feet ab Method of Measurement (circle one) <u>st</u> Well depth: <u>95</u> Well grouted to a dep Casing length: <u>75</u> feet Casim	the of <u>b</u> feet Type of grout (circle one); <u>Neat Cer</u> g diameter: <u>4</u> inches Type of casing: _	PVC
Static Water Level: <u>SO</u> feet ab Method of Measurement (circle one) <u>st</u> Well depth: <u>95</u> Well grouted to a dep Casing length: <u>75</u> feet Casin Screen length: <u>20</u> feet Screet	the of <u>10</u> feet Type of grout (circle one): <u>Neat Cen</u> g diameter: <u>4</u> inches Type of casing: en diameter: <u>4</u> inches Type of screen:	PVC PVC
Static Water Level: <u>SO</u> feet ab Method of Measurement (circle one) <u>st</u> Well depth: <u>95</u> Well grouted to a dep Casing length: <u>75</u> feet Casin Screen length: <u>20</u> feet Screet Screen slot size: <u>,008</u> inches	cel tape electric tape air line other: pth offeet Type of grout (circle one): Neat Centric one): Neat Centric one): Neat Centric one of grout (circle one): Neat Centricon (circle one): Ne	PVC PVC S feet
Method of Measurement (circle one) (str Well depth: 95 Well grouted to a dep Casing length: 75 feet Casin Screen length: 20 feet Screet Screen slot size: .008 inches	cel tape electric tape air line other: pth offeet Type of grout (circle one): Neat Centres ng diameter:inches Type of casing: en diameter:inches Type of screen: Setting depth: Fromfeet to Gravel packed Underreamed Telescoped	$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} $
Static Water Level: <u>SO</u> feet ab Method of Measurement (circle one) <u>st</u> Well depth: <u>95</u> Well grouted to a dep Casing length: <u>75</u> feet Casin Screen length: <u>20</u> feet Scree Screen slot size: <u>008</u> inches Type of completion (circle all applicable):	cel tape electric tape air line other: pth offeet Type of grout (circle one): Neat Centres ng diameter:inches Type of casing: en diameter:inches Type of screen: Setting depth: Fromfeet to Gravel packed Underreamed Other (describe):	$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \hline \\ \end{array} \\ \begin{array}{c} \\ \end{array} \\ \end{array} \\ \hline \\ \\ \end{array} \\ \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \\ \end{array} \\$
Static Water Level: <u>SO</u> feet ab Method of Measurement (circle one) <u>st</u> Well depth: <u>95</u> Well grouted to a dep Casing length: <u>75</u> feet Casin Screen length: <u>20</u> feet Scree Screen slot size: <u>,008</u> inches Type of completion (circle all applicable):	cel tape electric tape air line other: pth offeet Type of grout (circle one): Neat Centres ng diameter:inches Type of casing: en diameter:inches Type of screen: Setting depth: Fromfeet to Gravel packed Underreamed Telescoped	$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \hline \\ \end{array} \\ \begin{array}{c} \\ \end{array} \\ \end{array} \\ \hline \\ \\ \end{array} \\ \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \\ \end{array} \\$

R I

RECEIVED JUL 0 9 2009 BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch, Ground Level_____ Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Plum	7	240
Sand	40	95
		T
	1	1
		+
		+
		+
	<u> </u>	
	Į	
	L	4
		<u> </u>
		1
· ·		
	1	T
	1	
	1	1
	1	1
1	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

Russell LArry Landowner Name:

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Troje

TAMES WELLS D.586

WAR amos

Point Name of Responsible Liszane and Livence No.

Signature of Licensee

RECEIVED JUL 0 9 2009 BY: OLWR

		STATE WI	ELL REPOR	Т	
County: hA	mpr	─ P	Part 2		Office Use Only:
		Pump Installer'	s Completion Repor-	t l	Once Use Omy:
Permit #:		Mississippi Departmer		Juality Aquifer:	
- TAM	ES WELLS	. Office of Land a	and Water Resources		
	L S WOUS		Box 2309	Well #·	A 181
Date completed:	0-29-09	1	n, MS 39225		
			(601)961-5210 (601)961-5228 (fax)		
Copy information fr	om block on Part 1		1-5220 (lux)		
This part of the re report must be atte	This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				
	Well Owner Inform			Well Location	
Owner Name:	LArry	Russell	1	」 こううう Longitude:	89" 38'29"
Mailing Address:	640 12	Kory Jran Rd	Method of Lat/Lon	g (check one): Convent	ional Survey,
_	Samuel	ms.	USGS quad,	Hand-held GPS, Su	rvey-grade GPS
_		39482	NE % SE	4 Sec_6_T_54	$1_{R}/6W$
	City State	e Zip Code	Distance E	Direction Nearest	Тоул
			2.0	/	
Telephone No. (601 758 - 4170		$\underline{S}_{\mathrm{Miles}} \underline{U}$	Vent of Sun	nall	
[Ритр Туре			Power Type	
	Circle one			Circle one	
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Frectric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):		·····	Horse Power Ratin	g of Motor:/	
Date Pump Installe	d: <u>(</u> - 29- ity: (\$	09		20	feet
Rated Pump Capac	ity: / S	Gallons Per Minute	Number of Stages:	(4	
.					

۰ ×

.

Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: 6-29-09	Air Line Electric Measuring Line Steel Tape
Static Water Level (A): Feet Below Land Surface	Other (specify):
Pumping Water Level (B):Feet Below Land Surface	
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours): hours	feet after hours of pumping

I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.
JAMES NEWS 0.586	ames Walls
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

JUL 0 9 2009 BY: OLWR

٦