State W	ell Report	For Office Use Only:		
County: Lamar Part 1-1	Oriller's Log	Aquifer: A 189		
Mississippi Departmen	nd Water Decourses			
P.O.	Box 2309	Well #:		
	n, MS 39225 961- 5210	L. S. Elevation:		
	4 POOC (5)	E-log #:		
State Law requires that this report be prepared by the lic	ense holder responsible for the	e work and filed with the		
Department at the above address within 30 days of com	nenon of arming of the wen o	r borehole. ehole Location		
Information on Well Owner (Landowner if borehole is not for a water well)	***************************************			
Owner Name_Robert Fonte	Latitude: 31 . 23,19 "	Longitude: 01° 01', 20"		
	Method of Lat/Long (circle one): Conventional Survey,			
Mailing Address: 452 Hwy 45	USGS quad, Hand-held G	PS, Survey-grade GPS		
NE 1/2 Sec 20		_Twn_5N_Rng_16W		
Suncal MS 39482 City State Zip Code Direction Nearest Town Miles SW of Suncal		Nearest Town		
Telephone No. (601) 408-8835		_swywn		
	hole Data			
Well / Borehole Data Date drilling started: 615-1 Date drilling completed: 615-1 Hole depth: 110 Hole diameter: 1/2')				
Location of the source of any surface water used for drilling:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic SurveyOther (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 70 feet above of below (circle one) land surface Date measured: 6-15-1/				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 10 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix				
Casing length: 90 feet Casing diameter: 4 inches Type of casing: 900				
Screen length:				
Screen slot size: .008 inches Setting depth: From 90 feet to 110 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				
Form: OLWR-SWR-1A (04/08)				

1 ... 2

RECEIVED

JUL 2 1 2011

BY: OLWR

JUL 2 1 2011

BY: OLWR

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

well telescopes, show depths on sketch. Ground Level	Description of Fo	ormations Encountered	From (depth)	To (depth)
		topsoil	Ground Level	$\perp I$
		'day	1	70
		<u>sand</u>	80	1/8
				
			 	
				
			ļ	
				
				
			 	
			 	+
			l	
more than one screen, show location of each on st the property layout and include the following: 1)		manent structures on the	property that may	,
aid in locating the well; 3) any roads, pow	er lines, or other items that m	nay aid in locating the pro	perty and the we	il;
4) a north arrow.	Munral!			
Qu'inémo	They by I.			
owner Name: Robert Fonte				
		Form:	OLWR-SWR-1	A (04/08)
				(0 00)
				the
y that the well/borehole was drilled, constructed ippi Department of Environmental Quality and AMES WELLS 0-586			if applicable, ar	the
ippi Department of Environmental Quality and		nt of Health regulations,	if applicable, an	the
ppi Department of Environmental Quality and	the Mississippi Departmen	of Health regulations,	if applicable, an	the

The sketch below only required for water wells

STATE WELL REPORT Part 2 For Office Use Only: Pump Installer's Completion Report Lamar County: Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources Permit#: P.O. Box 10631 Jackson, MS 39289-0631 Well#: (601)961-5210 Date completed: (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department to have a fine and of the installation of pure. Well Loca Well Owner Information Longitude: Latitude: Method of Lat/Long (circle one): Conventional Survey, Mailing Address: USGS quad, Hand-held GPS, Survey-grade GPS Nearest Town Direction Distance Telephone No. (60) 408-8835 Power Type Pump Type Circle one Circle one Natural Gas Gasoline Engine Diesel Engine Air Lift **Jet** Tractor PTO Hand Electric Motor Turbine Piston Bucket Other (specify): Windmill Flowing Well Rotary Centrifugal Horse Power Rating of Motor: Other (specify): feet Setting Depth: Date Pump Installed: Number of Stages: Gallons Per Minute Rated Pump Capacity:

Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested: 6-15-11	Air Line Electric Measuring Line Cleel Tape		
Static Water Level (A): 70 Feet Below Land Surface Pumping Water Level (B): 90 Feet Below Land Surface	Other (specify):		
Drawdown [(B) - (A)]: 77 Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:	Well yielded GPM with a drawdown of hours of pumping		

I HERBBY CERTIFY that the above statements are true to the best of my knowledge.

TAMES WELLS 0-586

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

RECEIVED

JUL 2 1 2011

BY: OLWR