	STATE WELL REPORT	
County: Lamar	Part 1	For Office Use Only:
Permit #:	Driller's Log	Well # KIZZ
Driller: James M. Wells	Mississippi Department of Environmental Qualit Office of Land and Water Resources	Aquifer:
Date drilling completed: 2-21-16	P.O. Box 2309	E-Log #:
	Jackson, MS 39225-2309 (601)961-5210	
	(601)360-0535 (fax)	
and a second sec	be prepared by the license holder responsible for ithin 30 days of completion of drilling of the we	r the work and filed with the ll or borehole.
Well Owner Informati (Landowner if borehole is not for	0n 211757 Well or Bo	rebale Location 0.7
Owner Name: Specialty Se	Latitude: 31°26.962 L	
Mailing Address:	Method of Lat/Long (check of	ne): Conventional Survey,
Fillingane R	USGS quad, Hand-held	GPS, Survey-grade GPS
Summall MS	39482 520 1/2 3E 1/4, Sec	33 T 5N R 15W
City State	Zip Code	
Telephone No. (601) 543-94	(Distance) (Direction)	(Nearest Town)
	Well / Borehole Data	
Date drilling started: 2-21-16 Date d	rilling completed: 221.16 Hole depth: 12	5
Location of the source of any surface wa	ter used for drilling:	
Method of dosing and volume of Chlorine	used in drilling and development:	en la alla
Logs run (circle all applicable) No log ru		
	Sensity Source Neuli	on Other:
Name of organization running log(s):		
Purpose of borehole (circle one): Water W	Geotechnical/Geological Investigation	Ground Source Heat Pump
Seismic	Survey Other (describe)	
If drilling is not relate	d to water well construction, skip the remainder	of this block
Purpose of Well (circle all applicable):	me) Industrial Bublic Gunal	Fish Culture
Other (describe):		
If a flowing well, method of flow regulation $-$	on: Valve Othor (describe)	
	bove or below land surface Date measured	2.21/1
	(circle one) tand surface Date measured I tape Electric tape Air line Other (describe):	
Well depth: 125 Well grouted to a dep	pth of: feet Type of grout (<i>circle one</i>):	
Lasing length: <u>105</u> feet Casin	a diamatan 5	
	an diamat 61	
icreen slot size:inches	Sotting depths = 165	creen: <u><u>PVC</u></u>
ype of completion (circle all applicable):		feet
ther (describe):	Gravel packed Underreamed Open hole	
op of lap pipe or reduction in casing:	feet	APR 04 2016
	or more than one screen, describe on next page	
		Form: GLWR-SWR-1A (4/13)

1 ÷1

County: Lamar

Permit #:


4

1

For Office Use Only: Well #: 132

The sketch below only required for water wells

If well telescopes, show depths on sketch.



Description of	formations encountered must be provided for all	wells
	unless specifically exempted by regulations	

Description of Formations Encountered	From (depth)	To (depth)
topso:1 Clay Sand	Ground level	1
clar	(90
Sand	90	125
	<u> </u>	
	<u></u>	
	L	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location

- any permanent structures on the property that may aid in locating the well
 any roads, power lines, or other items that may aid in locating the property and the well

4) north arrow	
<u>Fillingane Rd.</u>	
Onurol Pet	APR 0.4 2016
/ day	
Landowner Name: Specially Scruices Group	By OLWR
I HEREBY CERTIFY that the well/borehole was drilled, constructed, and complete requirements of the Mississippi Department of Environmental Quality and the Mis if applicable, and state laws.	ed in accordance with all applicable sissippi Department of Health regulations,
Tames M. Wells 00005889 3-29-16 January Print Name of Responsible Licensee and License No. Date	Signature of Licensee

Date

Signature of Licensee Form: OLWR-SWR-1A (4/13)

County: Laman	Part 2	For Office Use Or
Permit #:	Pump Installer's Completion Report	Well #: B132
Driller: James M. Wells	Mississippi Department of Environmental Quality Office of Land and Water Resources	Well #: 11.00
Date completed: 2-21-16	P.O. Box 2309	Aquifer:
Copy information from block on Part 1	Jackson, MS 39225-2309 (601)961-5210	Aquaei
	(601) 360-0535 (fax)	L
This part of the report must be comple	eted by a licensed water well contractor or a licensed pu h purts filed with the Department at the above address	mp installer. A copy of Par
Well Owner Informa	well Well	Location
Owner Name: Specially Ser	Lices Group Latitude: 31° 20.962 Lo	ngitude: 89° 30. 400
Mailing Address:	Method of Lat/Long (check on	
71 Fillingane	Rd. USGS guad, Hand-held C	
Sumrall MS City State	<u>39482</u> <u>¼</u> <u>¼</u> , Sec	
City State	Zip Code 8 Miles 5	Simce II
Telephone No. (101) 543-94	(Distance) (Direction)	of <u>Sumral</u> (Nearest Town)
	Pump Type (circle one)	
Submersible Turbine Air Lift Centr	rifugal Flowing Well Jet Piston Rotary Other (d	escribe):
Date Pump Installed: Casing	Rated Pump Capacity:	Gallons Per
Is This Pump (circle one): New R) /	
	Power Type (circle one)	
Electric Diesel Gasoline Natural G	as Tractor PTO Windmill Other (describe):	
Horse Power Rating of Motor:	Setting Depth:feet Numbe	r of Stages:
	Pump Test Data for Non Flowing Well	
Date Well Tested:		mum 4 hours);
	· ·	
Static Water Level (A): Fe	Duration of Pump Test (mininet and Surface Pumping Water Level (B):	Feet Below Land S
Static Water Level (A): Fe Drawdown [(B) - (A)]:	Duration of Pump Test (minineet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	Feet Below Land S
Static Water Level (A): Fe Drawdown [(B) - (A)]:	Duration of Pump Test (mininet and Surface Pumping Water Level (B):	Feet Below Land S
Static Water Level (A): Fe Drawdown [(B) - (A)]:	Duration of Pump Test (minineet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well	Feet Below Land S
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe	Duration of Pump Test (minineet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well	Feet Below Land So
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe	Duration of Pump Test (mininer eet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well eet.	Feet Below Land St
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Measured shut in head:fe	Duration of Pump Test (mininered Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well ret. a drawdown of feet after Meter Installation	Feet Below Land Si Gallons Per M hours of pumping
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer:	Duration of Pump Test (mininered Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well ret. a drawdown of feet after Meter Installation	Feet Below Land Si Gallons Per A
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name:	Duration of Pump Test (mininer Duration of Pump Test (mininer Duration of Pump Test (B):Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well eet. a drawdown offeet after Meter Installation Meter Serial Number: Type of Meter:	Feet Below Land St
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier	Duration of Pump Test (mininer Duration of Pump Test (mininer Duration of Pump Test (mininer Duration Surface Pumping Water Level (B):	Feet Below Land St
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Installation Date:	Duration of Pump Test (mininered Below Land Surface Pumping Water Level (B):Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Pett. a drawdown offeet after Meter Installation Meter Serial Number: Factor (AF x .001, gal x 1000, etc): Meter Installed by:	Feet Below Land St
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Installation Date: Is This Meter (circle one): New R	Duration of Pump Test (mininglet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Pump Test Data for Flowing Well eet. a drawdown of feet after Meter Installation	Feet Below Land St Gallons Per A hours of pumping
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Installation Date: Is This Meter (circle one): New R	Duration of Pump Test (mininered Below Land Surface Pumping Water Level (B):Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Pett. a drawdown offeet after Meter Installation Meter Serial Number: Factor (AF x .001, gal x 1000, etc): Meter Installed by:	Feet Below Land St
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier Installation Date: Is This Meter (circle one): New R Important: By submitting the above For agricul	Duration of Pump Test (mininglet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Pump Test Data for Flowing Well eet. a drawdown of feet after Meter Installation	Feet Below Land St Gallons Per A hours of pumping
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Installation Date: Is This Meter (circle one): New R Important: By submitting the above For agricul I HEREBY CERTIFY that the above stat	Duration of Pump Test (mininglet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Pump Test Data for Flowing Well eet. feet after a drawdown of Meter Installation	Feet Below Land St Gallons Per A hours of pumping alled to manufacturer stand vebsite.
Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (circle one): Measured shut in head:fe Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Installation Date: Is This Meter (circle one): New R Important: By submitting the above For agricul I HEREBY CERTIFY that the above stat	Duration of Pump Test (mininered Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Pett. a drawdown offeet after Meter Installation Meter Serial Number: Factor (AF x .001, gal x 1000, etc): Meter installed by: Repaired Replacement Information you are certifying that this meter was installation Sements are true to the best of my knowledge. 5789 3.29-16 5.2000	Feet Below Land So Gallons Per M hours of pumping alled to manufacturer stand vebsite.

5 5 5 F