	State W	ell Report	East Office	Hee Only
County: Lamar		Driller's Log	For Office	
Permit #: 0-586		nt of Environmental Quality and Water Resources	Aquifer:	
		Box 2309	Well #:	
Driller: JAMES WELLS		, MS 39225	L. S. Elevation:	
Date drilling completed: 4-2-10		961- 5210 1- 5228 (fax)		ĺ
			E-log #:	
State Law requires that this report	rt be prepared by the lice	ense holder responsible for define of drilling of the well	the work and file for borchole	d with the
Department at the above address		Well or Bo	orehole Location	
(Landowner if borehole is not fo		31.19.79		27.60.
Owner Name C PERCY BU	ilders	Latitude: 31. 19,29	" Longitude: <u>01</u>	
		Method of Lat/Long (circle of	ne): Conventional	Survey,
Mailing Address: 1002 Walk	Ler Ica,	USGS quad, Hand-held	GPS Survey_orad	e GPS
				1
$\frac{1}{5}$	5 39482	505 1/ 1/ 1/4 Sec_8	$ Twn \underline{\gamma} V$	Rng 164/
City Star	te Zip Code	SE SE Direction	Nearest Town	
		<u>15</u> Miles <u>5</u> W	of Slimo	all
Telephone No. (601) 758-313				
	Well / Bore	hole Data		
Date drilling started: <u>4-2-10</u> Date dri				
Location of the source of any surface wate Method of dosing and volume of Chloring	er used for drilling:L e used in drilling and devel	opment:Shock	,	
Logs run (circle all applicable): No log rul Name of organization running log(s):				
Purpose of borehole (check one): Water W	ell Ceotechnical/Geol	ogical Investigation Ground	d Source Heat Pump	
Seismic Seismic	Survey Other (<i>describe</i> <u>1 to water_well constructio</u>)	lock	
Purpose of Well (check one): Home X	ndustrial Public Supply	Irrigation Fish Culture	Other:	
If a flowing well, method of flow regulation	on: Valve O	ther (describe)		
		and surface Date measured:	4-2-10	
Method of Measurement (circle one)	teel tape electric tape	air line other:]
Well depth: 130 Well grouted to a de	epth of <u>16</u> feet Type	of grout (circle one): Neat Cen	-	Mix
Casing length: <u>110</u> feet Casin	ng diameter:4	inches Type of casing:	PVC	
Screen length: <u>20</u> feet Scre	en diameter: <u>4</u>	inches Type of screen:	PVC	
Screen slot size: <u>.008</u> inches	Setting depth: From	110 feet to 1	<u>30</u> feet	
Type of completion (circle all applicable):	Gravel packed Under	reamed Telescoped Open	hole Natural D	evelopment
	Other (describe):	·		
Top of lap pipe or reduction in casing:	feet. If te	lescoped or more than one scre		1
		REC	EWED	SWR-1A (04/08)
			1 3 2010	
				MAY 13 ZUN
		BY:	OWH	BY: ONNE

The sketch below only required for water wells

Anneting an alertation TF weell tel Grou

Description of formations encountered must be prov wells and boreholes, unless specifically exempted by regulations

<u>escones, show depths on sketch</u> . d Level	Description of Formations Encountered	From (depth)	
a Level	- topsoil clay	Ground Level	
	clay		90
	Sand	90	130
		T	
			1
			1
			<u>†</u>
			
			<u> </u>
			<u> </u>
			
			ļ
			<u> </u>
		1	T
			1
			T
-			1
			+
			+
			+
			+
•			

If more than one screen, show location of each on sketch


Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a notin arrow. Walker Rd Hury 98 Eas Landowner Name: Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Date

TAMES WELLS 0.586

Print Name of Responsible Licensee and License No.



	For Office Use Only: For Office Use Only: Aquifer: 4 S 39225 Well #: 1-5210 Elevation: 228 (fax) Elevation:	
	Latitude: Longitude: fethod of Lat/Long (check one): Conventional Survey, JSGS quad, Hand-held GPS, Survey-grade GPS	
<u>Sumrall M5 39482</u> City State Zip Code D Telephone No. (<u>601) 758-3136</u>	¹ / ₄ Sec_T_ <u>4N</u> R_16W Distance Direction Nearest Town 5W_ of <u>Sumrall</u>	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centifugat Rotary Provide Rotary	Vindmill Other (specify):	
•	letting Depth:feet	
	Number of Stages: 14	
Pump Test Data	Method of Measuring Water Level Circle one	
Static Water Level (A): <u>YO</u> Feet Below Land Surface Pumping Water Level (B): <u>JOO</u> Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	<u>feet after</u> hours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of n JAMES NELLS O-S84 Print Name of Pump Installer and License No. (if applicable)	ny knowledge. Signature of Pump Installer Form: OLWR-STATE MAY 13	

<u>بر الم</u>

۹

~

84:0MR