

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED
Lamar

WELL NUMBER
C-2022

PERMIT NUMBER
0-586

NAME OF DRILLING FIRM
**James Wells
Water Well Dr.**

DATE WELL COMPLETED
1-19-95

NAME & MAILING ADDRESS OF LANDOWNER
**James Robertson Jr.
414 Farwe Rd.**

Sumrall, Miss. 39482

WELL LOCATION SEC TOWNSHIP RANGE
4 4 N 16 E

DISTANCE DIRECTION NEAREST TOWN
7 Miles SW of Sumrall

OTHER LANDMARK

WELL PURPOSE Home Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One):
 Submersible, Turbine, Jet, Flowing Well,
Other (Describe)

POWER TYPE (Circle One):
 Electric, Tractor, Diesel, Gasoline, Butane,
Other (Describe) H/P **1**

Pump Capacity (GPM) No. of Stages Setting Depth
60 FT.

PUMP TEST
Well yielded **15** GPM with
a drawdown of _____ ft.
after _____ hours of pumping

WELL DATA

Well Depth Casing Diameter (In.) Casing Length (Ft.)
85 FT 4 in 65

Type of Casing Hole Depth Depth to Static Water Level
PVC 85 FT 30

TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed, Underreamed, Telescoped,
Natural Development, Open Hole, Other
(Describe)

WELL GROUTED TO A DEPTH OF _____ FEET
Type Grout (circle one): Cement, Bentonite, or Mix

SCREEN DATA

Diameter - Inches Length - Feet Slot Size - Inches
4 in 20 .010

Screen Type Depth to Bottom - Feet
PVC Slot 65-85

LOG DATA

TYPE OF LOG RUN (Circle One):
Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe) No Log Run,

Name of Organization Running Log

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks

Top of Lap Pipe or Reduction in Casing

FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
Top Soil	0	3
Clay	3	20
Sand	20	40
Red Bank	40	85

FORMATIONS (Continued) FROM TO
RECEIVED

JUN 02 1995

Dept. of Environmental Quality
Office of Land & Water Resources

IF MORE SPACE IS NEEDED, USE BACK